

LOCAL PUBLIC HEALTH INDICATORS - February 2011

Category	LPHI Indicators	Data Availability			Data Source (eg BRFSS, etc.)	Population Based	Important Aspect Hi/Med/Low	Measurable	Actionable Contr/Influ	Measure HS/HD	Trend Data	Links to Other Indicators	Demographic	Understandable	Comments/Data Validity
		NTL	ST	CO											
Communicable Disease	Rate of reported chlamydia infections per 100,000 women ages 15 - 24	Y	Y	Y	CFH	Y	M	Y	I	HS	Y	Y	Y	Y	
Communicable Disease	Percent of reported chlamydia infections that received treatment in women ages 15-24	N	Y	Y	CFH	Y	M	Y	I	HD	Y	Y	Y	Y	
Communicable Disease	Percent of adults age 18 or older who report receiving a flu shot during the past 12 months	Y	Y	Y	BRFSS	Y	M	Y	I	HD	Y	N	Y	Y	Changed from 65 years
Communicable Disease	Percent of 2 year old children who are adequately immunized (4-DTP, 3-Polio, 1-MMR, 3-Hib, 3-HepB, 1-Varicella)	N	Y	Y	CHILD Profile	Y	H	Y	I	HD	Y	N	Y	Y	
Prevention and Health Promotion	Expected years of healthy life at age 20	Y	N	N	BRFSS, VS	Y	H	Y	I	HS	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who smoked at least 100 cigarettes in their lifetime and are current smokers	Y	Y	Y	BRFSS	Y	H	Y	I	HD	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who report moderate physical activity (30 minutes a day 5 times a week) or vigorous activity (20 minutes a day 3 times a week) in work or leisure	Y	Y	Y	BRFSS	Y	H	Y	I	HD	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who have body mass index greater than 30	Y	Y	Y	BRFSS	Y	H	Y	I	HS	Y	Y	Y	Y	Changed from 25
Prevention and Health Promotion	Percent of adults age 18 or older who report eating fruits and vegetables 5 or more times per day.	Y	Y	Y	BRFSS	Y	H	Y	I	HD	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who report binge drinking (5 drinks for men; 4 drinks for women) on at least 1 occasion in last 30 days	Y	Y	Y	BRFSS	Y	M	Y	I	HD	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who have been ever told by a doctor that they have diabetes	Y	Y	Y	BRFSS	Y	H	Y	I	HS	Y	Y	Y	Y	
Prevention and Health Promotion	Percent of adults age 18 or older who report 14 or more days of poor mental health in the past month.	Y	Y	Y	BRFSS	Y	H	Y	I	HS	Y	Y	Y	Y	
Prevention and Health Promotion	Rate of hospitalizations from falls among adults ages 65 and older	N	Y	Y	Chars	Y	H	Y	I	HS	Y	?	Y	Y	
Maternal and Child Health	Percent of women giving birth who received prenatal care starting in the first trimester of pregnancy	Y	Y	Y	Vital Records	Y	H	Y	I	HD	Y	Y	Y	Y	

Note: Adults are defined as 18 years and older.

PHI-PM Subcommittee/CD Revised Criteria Matrix 3/17/2011

LOCAL PUBLIC HEALTH INDICATORS - February 2011

Category	LPHI Indicators	Data Availability			Data Source (eg BRFSS, etc.)	Population Based	Important Aspect Hi/Med/Low	Measurable	Actionable Contr/Influ	Measure HS/HD	Trend Data	Links to Other Indicators	Demographic	Understandable	Comments/Data Validity
		NTL	ST	CO											
Maternal and Child Health	Percent of women giving birth who smoked any time during pregnancy	Y	Y	Y	Vital Records	Y	H	Y	I	HS	Y	Y	Y	Y	
Maternal and Child Health	Rate of pregnancies per 1,000 women ages 15-17	Y	Y	Y	Vital Records	Y	H	Y	I	HD	Y	Y	Y	Y	Does not include fetal deaths (add note)
Maternal and Child Health	Percent of live born singleton births with birth weight less than 2500 grams	Y	Y	Y	Vital Records	Y	H	Y	I	HD	Y	Y	Y	Y	
Maternal and Child Health	Percent of 10th graders who report physical activity 60 minutes a day, 5 or more days a week	Y	Y	Y	HYS	Y	H	Y	I	HD	N	Y	Y	Y	
Maternal and Child Health	Percent of 10th graders who report smoking cigarettes in the last 30 days	Y	Y	Y	HYS	Y	H	Y	I	HD	Y	Y	Y	Y	
Maternal and Child Health	Percent of 10th graders in the top 15% body mass index by reported height and weight, based on CDC growth charts	Y	Y	Y	HYS	Y	H	Y	I	HD	N	Y	Y	Y	
Maternal and Child Health	Percent of 10th graders who report alcohol consumption in the past 30 days.	Y	Y	Y	HYS	Y	M	Y	I	HD	Y	Y	Y	Y	
Maternal and Child Health	Rate of hospitalization for unintentional injury per 100,000 children ages 0-17	?	Y	Y	CHARS	Y	H	Y	I	HS	Y	Y	N	Y	Add note that LHJs without data due to federal hospitals not reporting in their county
Access	Percent of adults age 18 or older who report needing to see a doctor within the past year but could not due to cost	Y	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Access	Percent of adults age 18 or older who report having a personal doctor or health care provider.	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Access	Percent of adults age 18 or older who report visiting a dentist, dental hygienist or dental clinic within the past year.	Y	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Access	Percent of women age 50 or older who report receiving a mammogram within the past 2 years	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Access	Percent of women age 21 or older who report receiving a Pap smear test within the past 3 years	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	Changed from 18
Access	Percent of adults age 50+ who had a blood stool test in the past year, sigmoidoscopy in past 5 years, or colonoscopy in past 10 years	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	

Note: Adults are defined as 18 years and older.

PHI-PM Subcommittee/CD Revised Criteria Matrix 3/17/2011

LOCAL PUBLIC HEALTH INDICATORS - February 2011

Category	LPHI Indicators	Data Availability			Data Source (eg BRFSS, etc.)	Population Based	Important Aspect Hi/Med/Low	Measurable	Actionable Contr/Influ	Measure HS/HD	Trend Data	Links to Other Indicators	Demographic	Understandable	Comments/Data Validity
		NTL	ST	CO											
Access	Percent of adults ages 18-64 who currently report having health care insurance	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Access	Percent of children ages 0-17 whose parents report they have health insurance	N	Y	Y	BRFSS	Y	Y	Y	I	HD	Y	Y	Y	Y	
Contextual	Percent of population at or below 100% Federal Poverty Level	Y	Y	Y	ACS	Y	Y	Y	?	HD	Y	Y	Y	Y	May add 2nd measure for education
Environmental Health	Percent of days the PM2.5 Department of Ecology air standard is exceeded	N	?	28	WTN	Y	Y	Y	I	HD	Y	Y	N	Y	
Environmental Health	Percent of solid waste facilities in substantial compliance with permit conditions	N	N	Y	Ecology	N	M-H	Y	C	HD	Y	Y	N	Y	Continue to research - possibly change to percent of inspections
Environmental Health	Percent of routine inspections of permanent food establishments with 35 or more critical violations	N	N	Y	DOH/local N	N	H	Y	C	HD	Y	Y	N	Y	
Environmental Health	Percent of identified septic system failures with corrective action initiated within 2 weeks	N	N	Y	DOH/local N	N	H	Y	C	HD	Y	Y	N	Y	

Note: Adults are defined as 18 years and older.

LOCAL PUBLIC HEALTH INDICATORS - February 2011

Category	LPHI Indicators	Data Availability			Data Source (eg BRFSS, etc.)	Population Based	Important Aspect Hi/Med/Low	Measurable	Actionable Contr/Influ	Measure HS/HD	Trend Data	Links to Other Indicators	Demographic	Understandable	Comments/Data Validity
		NTL	ST	CO											

Note: Adults are defined as 18 years and older.



