

**Washington State Department of Health
Office of Environmental Health and Safety**

Annual Growing Area Review

PREPARED BY: Laura A. White, R.S.
AREA: Mud Bay
YEAR ENDING: December 31, 2015
CLASSIFICATION: Approved, Unclassified

Activities In The Growing Area in 2015

The area was sampled six times using the Systematic Random Sampling method. A shoreline survey of the area was completed. No Direct or Indirect Impacts were observed. No additional activities have been documented in the growing area.

Analytical Results Of Water Samples

Table 1 summarizes a minimum of 30 of the most recent samples collected from each of the sampling stations. This summary shows that all stations pass the NSSP water quality standard.

Change In Actual Pollution Sources That Impact The Growing Area

We currently have no information indicating that the growing area has new sources of pollution.

Classification Status

- Well within the classification standards
- Meets standards, but some concerns
- Meets standards, but threatened with downgrade in classification
- Fails to meet current classification standards

Remarks and Recommendations

The following table shows that all stations in the growing area meet NSSP water quality standards for an Approved classification and the area is correctly classified.

TABLE 1

**Summary of Marine Water Data (SRS)
Growing Area: Mud Bay**

Sampling Event Type: Regulatory
Maximum Number of Samples: 30

Tides Included: ALL

Station Number	Classification	Date Range	Range (FC/100 mL)	GeoMean (FC/100 mL)	E90th (FC/100 mL)	Meets Standard
63	Approved	2/16/2011 - 11/5/2015	1.7 - 17.0	2.2	4.7	Y
64	Approved	2/16/2011 - 11/5/2015	1.7 - 17.0	2.2	5.3	Y
65	Approved	2/16/2011 - 11/5/2015	1.7 - 33.0	2.2	5.0	Y
66	Approved	2/16/2011 - 11/5/2015	1.7 - 46.0	2.2	5.2	Y
67	Approved	2/16/2011 - 11/5/2015	1.7 - 23.0	2.0	4.1	Y
68	Approved	2/16/2011 - 11/5/2015	1.7 - 11.0	2.1	4.1	Y
69	Unclassified	2/16/2011 - 11/5/2015	1.7 - 17.0	2.3	5.4	Y

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms / 100 mL with an estimated 90th percentile not greater than 43 organisms / 100 mL. The above table shows bacteriological results in relation to program standards.

Map 1 – Mud Bay Growing Area

