

WASHINGTON

2006 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 2, 2007



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 1: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23684	4,798,279	19688	86.5	85.9-87.1	3996	13.5	12.9-14.1
Male	8947	2,369,635	7421	87.0	86.0-88.0	1526	13.0	12.0-14.0
Female	14737	2,428,644	12267	86.0	85.2-86.8	2470	14.0	13.2-14.8
White/Non-Hisp	20504	3,921,364	17248	87.6	87.0-88.2	3256	12.4	11.8-13.0
Black or Afr. Am./Non-Hisp	246	87,383	203	89.1	85.2-93.0	43	10.9	07.0-14.8
Oth. Race/Non-Hisp.	787	233,948	655	87.5	84.2-90.8	132	12.5	09.2-15.8
MultiRacial/Non-Hisp.	616	133,054	458	78.1	72.8-83.4	158	21.9	16.6-27.2
Hispanic	1319	384,296	956	76.8	73.5-80.1	363	23.2	19.9-26.5
18-24	1078	634,242	959	89.5	87.1-91.9	119	10.5	08.1-12.9
25-34	2563	852,564	2324	90.6	89.0-92.2	239	9.4	07.8-11.0
35-44	3654	946,150	3251	90.2	89.0-91.4	403	9.8	08.6-11.0
45-54	4839	950,213	4054	85.9	84.7-87.1	785	14.1	12.9-15.3
55-64	4946	681,829	4028	83.7	82.3-85.1	918	16.3	14.9-17.7
65+	6582	729,105	5051	77.4	76.0-78.8	1531	22.6	21.2-24.0
Less Than H.S.	1829	391,105	1141	69.9	66.6-73.2	688	30.1	26.8-33.4
H.S. or G.E.D.	6060	1,165,847	4755	81.7	80.3-83.1	1305	18.3	16.9-19.7
Some Post-H.S.	7609	1,499,250	6337	86.5	85.3-87.7	1272	13.5	12.3-14.7
College Graduate	8143	1,734,370	7419	93.4	92.8-94.0	724	6.6	06.0-07.2
Less than \$15,000	1851	291,294	1022	63.7	60.0-67.4	829	36.3	32.6-40.0
\$15,000- 24,999	3766	673,989	2673	74.2	72.0-76.4	1093	25.8	23.6-28.0
\$25,000- 34,999	2976	497,297	2444	82.1	79.9-84.3	532	17.9	15.7-20.1
\$35,000- 49,999	3818	705,800	3362	89.2	87.8-90.6	456	10.8	09.4-12.2
\$50,000- 74,999	3812	793,545	3495	92.7	91.7-93.7	317	7.3	06.3-08.3
\$75,000+	4582	1,237,901	4339	95.4	94.6-96.2	243	4.6	03.8-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 2: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8947	2,369,635	7421	87.0	86.0-88.0	1526	13.0	12.0-14.0
White/Non-Hisp	7705	1,906,420	6459	87.8	86.8-88.8	1246	12.2	11.2-13.2
Black or Afr. Am./Non-Hisp	101	47,457	86	92.5	88.0-97.0	15	7.5	03.0-12.0
Oth. Race/Non-Hisp.	301	125,202	258	89.8	85.1-94.5	43	10.2	05.5-14.9
MultiRacial/Non-Hisp.	225	64,481	169	79.9	71.9-87.9	56	20.1	12.1-28.1
Hispanic	517	208,570	375	78.9	74.2-83.6	142	21.1	16.4-25.8
18-24	432	329,891	389	90.0	86.5-93.5	43	10.0	06.5-13.5
25-34	927	436,007	845	90.0	87.5-92.5	82	10.0	07.5-12.5
35-44	1333	478,232	1194	90.9	89.1-92.7	139	9.1	07.3-10.9
45-54	1855	471,544	1577	87.5	85.7-89.3	278	12.5	10.7-14.3
55-64	1997	335,309	1622	84.1	82.1-86.1	375	15.9	13.9-17.9
65+	2394	316,781	1786	76.1	73.9-78.3	608	23.9	21.7-26.1
Less Than H.S.	698	203,639	455	73.1	68.2-78.0	243	26.9	22.0-31.8
H.S. or G.E.D.	2219	589,256	1715	81.8	79.4-84.2	504	18.2	15.8-20.6
Some Post-H.S.	2569	678,368	2110	86.8	85.0-88.6	459	13.2	11.4-15.0
College Graduate	3442	894,615	3126	93.7	92.7-94.7	316	6.3	05.3-07.3
Less than \$15,000	539	126,737	290	68.5	61.8-75.2	249	31.5	24.8-38.2
\$15,000- 24,999	1291	329,453	874	73.2	69.7-76.7	417	26.8	23.3-30.3
\$25,000- 34,999	1113	235,588	872	80.7	77.2-84.2	241	19.3	15.8-22.8
\$35,000- 49,999	1542	349,392	1341	88.9	86.9-90.9	201	11.1	09.1-13.1
\$50,000- 74,999	1581	401,722	1439	92.7	91.1-94.3	142	7.3	05.7-08.9
\$75,000+	2047	681,103	1924	95.2	94.0-96.4	123	4.8	03.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 1: HEALTH STATUS**

TABLE 3: CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14737	2,428,644	12267	86.0	85.2-86.8	2470	14.0	13.2-14.8
White/Non-Hisp	12799	2,014,944	10789	87.4	86.6-88.2	2010	12.6	11.8-13.4
Black or Afr. Am./Non-Hisp	145	39,927	117	85.1	78.6-91.6	28	14.9	08.4-21.4
Oth. Race/Non-Hisp.	486	108,746	397	84.9	80.2-89.6	89	15.1	10.4-19.8
MultiRacial/Non-Hisp.	391	68,574	289	76.3	69.2-83.4	102	23.7	16.6-30.8
Hispanic	802	175,725	581	74.3	70.0-78.6	221	25.7	21.4-30.0
18-24	646	304,351	570	88.9	86.0-91.8	76	11.1	08.2-14.0
25-34	1636	416,557	1479	91.1	89.3-92.9	157	8.9	07.1-10.7
35-44	2321	467,918	2057	89.6	88.0-91.2	264	10.4	08.8-12.0
45-54	2984	478,668	2477	84.4	82.8-86.0	507	15.6	14.0-17.2
55-64	2949	346,520	2406	83.3	81.5-85.1	543	16.7	14.9-18.5
65+	4188	412,324	3265	78.4	76.8-80.0	923	21.6	20.0-23.2
Less Than H.S.	1131	187,466	686	66.4	62.1-70.7	445	33.6	29.3-37.9
H.S. or G.E.D.	3841	576,591	3040	81.5	79.7-83.3	801	18.5	16.7-20.3
Some Post-H.S.	5040	820,882	4227	86.3	84.9-87.7	813	13.7	12.3-15.1
College Graduate	4701	839,755	4293	93.0	92.2-93.8	408	7.0	06.2-07.8
Less than \$15,000	1312	164,557	732	60.1	56.0-64.2	580	39.9	35.8-44.0
\$15,000- 24,999	2475	344,536	1799	75.1	72.6-77.6	676	24.9	22.4-27.4
\$25,000- 34,999	1863	261,709	1572	83.4	80.9-85.9	291	16.6	14.1-19.1
\$35,000- 49,999	2276	356,408	2021	89.4	87.8-91.0	255	10.6	09.0-12.2
\$50,000- 74,999	2231	391,823	2056	92.6	91.2-94.0	175	7.4	06.0-08.8
\$75,000+	2535	556,798	2415	95.5	94.5-96.5	120	4.5	03.5-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	23741	4,806,856	19059	82.7	81.9-83.5	4682	17.3	16.5-18.1
Male	8973	2,374,962	7260	83.3	82.1-84.5	1713	16.7	15.5-17.9
Female	14768	2,431,894	11799	82.2	81.4-83.0	2969	17.8	17.0-18.6
White/Non-Hisp	20543	3,927,884	16667	83.9	83.1-84.7	3876	16.1	15.3-16.9
Black or Afr. Am./Non-Hisp	247	87,557	188	83.8	78.5-89.1	59	16.2	10.9-21.5
Oth. Race/Non-Hisp.	791	234,414	641	82.5	78.6-86.4	150	17.5	13.6-21.4
MultiRacial/Non-Hisp.	620	133,248	478	83.3	79.6-87.0	142	16.7	13.0-20.4
Hispanic	1326	385,270	920	70.9	67.4-74.4	406	29.1	25.6-32.6
18-24	1078	633,988	919	85.9	83.2-88.6	159	14.1	11.4-16.8
25-34	2570	853,836	2177	85.2	83.4-87.0	393	14.8	13.0-16.6
35-44	3655	946,185	3073	84.3	82.7-85.9	582	15.7	14.1-17.3
45-54	4845	952,532	3982	83.6	82.2-85.0	863	16.4	15.0-17.8
55-64	4959	684,207	4011	81.6	80.2-83.0	948	18.4	17.0-19.8
65+	6612	731,932	4879	75.0	73.6-76.4	1733	25.0	23.6-26.4
Less Than H.S.	1842	392,781	1123	64.9	61.4-68.4	719	35.1	31.6-38.6
H.S. or G.E.D.	6075	1,166,656	4448	75.8	74.2-77.4	1627	24.2	22.6-25.8
Some Post-H.S.	7622	1,502,274	6165	83.8	82.6-85.0	1457	16.2	15.0-17.4
College Graduate	8157	1,737,123	7289	90.5	89.7-91.3	868	9.5	08.7-10.3
Less than \$15,000	1862	292,276	1169	66.3	62.4-70.2	693	33.7	29.8-37.6
\$15,000- 24,999	3778	675,989	2639	71.5	69.1-73.9	1139	28.5	26.1-30.9
\$25,000- 34,999	2981	497,647	2335	79.8	77.8-81.8	646	20.2	18.2-22.2
\$35,000- 49,999	3821	707,027	3157	83.0	81.2-84.8	664	17.0	15.2-18.8
\$50,000- 74,999	3814	794,048	3322	86.9	85.3-88.5	492	13.1	11.5-14.7
\$75,000+	4590	1,239,756	4196	91.8	90.8-92.8	394	8.2	07.2-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8973	2,374,962	7260	83.3	82.1-84.5	1713	16.7	15.5-17.9
White/Non-Hisp	7724	1,910,749	6301	84.3	83.1-85.5	1423	15.7	14.5-16.9
Black or Afr. Am./Non-Hisp	101	47,457	83	89.5	83.6-95.4	18	10.5	04.6-16.4
Oth. Race/Non-Hisp.	303	125,519	248	84.3	78.6-90.0	55	15.7	10.0-21.4
MultiRacial/Non-Hisp.	227	64,585	184	87.2	81.9-92.5	43	12.8	07.5-18.1
Hispanic	520	209,039	367	71.7	66.2-77.2	153	28.3	22.8-33.8
18-24	431	329,619	376	86.8	82.7-90.9	55	13.2	09.1-17.3
25-34	931	436,854	792	85.8	82.9-88.7	139	14.2	11.3-17.1
35-44	1333	478,448	1105	83.7	81.2-86.2	228	16.3	13.8-18.8
45-54	1858	472,568	1510	83.4	81.2-85.6	348	16.6	14.4-18.8
55-64	2004	336,966	1647	82.5	80.3-84.7	357	17.5	15.3-19.7
65+	2407	318,634	1823	76.1	73.9-78.3	584	23.9	21.7-26.1
Less Than H.S.	702	204,398	442	67.2	61.7-72.7	260	32.8	27.3-38.3
H.S. or G.E.D.	2223	589,234	1651	76.9	74.4-79.4	572	23.1	20.6-25.6
Some Post-H.S.	2575	680,380	2064	83.1	81.1-85.1	511	16.9	14.9-18.9
College Graduate	3453	896,958	3089	91.3	90.1-92.5	364	8.7	07.5-09.9
Less than \$15,000	543	127,400	351	69.5	62.6-76.4	192	30.5	23.6-37.4
\$15,000- 24,999	1294	330,341	877	70.6	66.7-74.5	417	29.4	25.5-33.3
\$25,000- 34,999	1117	236,027	858	80.4	77.3-83.5	259	19.6	16.5-22.7
\$35,000- 49,999	1543	349,875	1267	82.9	80.4-85.4	276	17.1	14.6-19.6
\$50,000- 74,999	1583	402,225	1358	85.5	83.1-87.9	225	14.5	12.1-16.9
\$75,000+	2051	681,898	1882	92.0	90.4-93.6	169	8.0	06.4-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 4: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	14768	2,431,894	11799	82.2	81.4-83.0	2969	17.8	17.0-18.6	
White/Non-Hisp	12819	2,017,135	10366	83.6	82.8-84.4	2453	16.4	15.6-17.2	
Black or Afr. Am./Non-Hisp	146	40,101	105	76.9	68.5-85.3	41	23.1	14.7-31.5	
Oth. Race/Non-Hisp.	488	108,895	393	80.4	75.1-85.7	95	19.6	14.3-24.9	
MultiRacial/Non-Hisp.	393	68,664	294	79.6	74.3-84.9	99	20.4	15.1-25.7	
Hispanic	806	176,231	553	70.0	65.7-74.3	253	30.0	25.7-34.3	
18-24	647	304,369	543	84.9	81.4-88.4	104	15.1	11.6-18.6	
25-34	1639	416,982	1385	84.5	82.3-86.7	254	15.5	13.3-17.7	
35-44	2322	467,737	1968	85.0	83.2-86.8	354	15.0	13.2-16.8	
45-54	2987	479,964	2472	83.8	82.2-85.4	515	16.2	14.6-17.8	
55-64	2955	347,240	2364	80.8	79.0-82.6	591	19.2	17.4-21.0	
65+	4205	413,298	3056	74.1	72.3-75.9	1149	25.9	24.1-27.7	
Less Than H.S.	1140	188,383	681	62.4	57.9-66.9	459	37.6	33.1-42.1	
H.S. or G.E.D.	3852	577,422	2797	74.7	72.7-76.7	1055	25.3	23.3-27.3	
Some Post-H.S.	5047	821,894	4101	84.3	82.9-85.7	946	15.7	14.3-17.1	
College Graduate	4704	840,165	4200	89.7	88.5-90.9	504	10.3	09.1-11.5	
Less than \$15,000	1319	164,875	818	63.8	59.7-67.9	501	36.2	32.1-40.3	
\$15,000- 24,999	2484	345,648	1762	72.4	69.7-75.1	722	27.6	24.9-30.3	
\$25,000- 34,999	1864	261,620	1477	79.2	76.7-81.7	387	20.8	18.3-23.3	
\$35,000- 49,999	2278	357,151	1890	83.0	80.8-85.2	388	17.0	14.8-19.2	
\$50,000- 74,999	2231	391,823	1964	88.2	86.4-90.0	267	11.8	10.0-13.6	
\$75,000+	2539	557,859	2314	91.7	90.3-93.1	225	8.3	06.9-09.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 6: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 1: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23291	4,741,678	12038	62.1	61.3-62.9	11253	37.9	37.1-38.7
Male	8804	2,342,553	4446	62.3	60.9-63.7	4358	37.7	36.3-39.1
Female	14487	2,399,125	7592	61.8	60.8-62.8	6895	38.2	37.2-39.2
White/Non-Hisp	20158	3,878,656	10531	63.2	62.2-64.2	9627	36.8	35.8-37.8
Black or Afr. Am./Non-Hisp	242	86,429	108	52.3	42.7-61.9	134	47.7	38.1-57.3
Oth. Race/Non-Hisp.	771	229,434	379	59.3	54.4-64.2	392	40.7	35.8-45.6
MultiRacial/Non-Hisp.	608	131,195	250	58.1	52.2-64.0	358	41.9	36.0-47.8
Hispanic	1307	378,681	674	57.1	53.2-61.0	633	42.9	39.0-46.8
18-24	1074	628,886	906	87.0	84.6-89.4	168	13.0	10.6-15.4
25-34	2567	852,849	1939	75.9	73.7-78.1	628	24.1	21.9-26.3
35-44	3630	937,625	2538	71.1	69.1-73.1	1092	28.9	26.9-30.9
45-54	4789	943,438	2691	59.0	57.2-60.8	2098	41.0	39.2-42.8
55-64	4874	671,327	2230	48.4	46.4-50.4	2644	51.6	49.6-53.6
65+	6337	703,831	1720	28.3	26.9-29.7	4617	71.7	70.3-73.1
Less Than H.S.	1793	384,050	529	42.9	39.0-46.8	1264	57.1	53.2-61.0
H.S. or G.E.D.	5940	1,148,933	2390	53.2	51.2-55.2	3550	46.8	44.8-48.8
Some Post-H.S.	7471	1,481,745	3716	60.4	58.8-62.0	3755	39.6	38.0-41.2
College Graduate	8051	1,719,966	5381	73.7	72.5-74.9	2670	26.3	25.1-27.5
Less than \$15,000	1811	287,543	524	45.7	41.2-50.2	1287	54.3	49.8-58.8
\$15,000- 24,999	3704	664,354	1314	47.5	44.8-50.2	2390	52.5	49.8-55.2
\$25,000- 34,999	2920	491,482	1260	51.8	49.1-54.5	1660	48.2	45.5-50.9
\$35,000- 49,999	3760	697,366	1972	58.2	56.0-60.4	1788	41.8	39.6-44.0
\$50,000- 74,999	3775	787,272	2323	65.9	63.9-67.9	1452	34.1	32.1-36.1
\$75,000+	4551	1,230,674	3271	77.1	75.5-78.7	1280	22.9	21.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 2: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8804	2,342,553	4446	62.3	60.9-63.7	4358	37.7	36.3-39.1
White/Non-Hisp	7578	1,887,258	3863	63.6	62.2-65.0	3715	36.4	35.0-37.8
Oth. Race/Non-Hisp.	299	124,014	148	60.7	53.4-68.0	151	39.3	32.0-46.6
MultiRacial/Non-Hisp.	224	63,603	89	57.5	48.3-66.7	135	42.5	33.3-51.7
Hispanic	508	203,582	261	56.1	50.0-62.2	247	43.9	37.8-50.0
18-24	429	325,834	370	89.2	85.9-92.5	59	10.8	07.5-14.1
25-34	930	436,579	697	74.6	71.1-78.1	233	25.4	21.9-28.9
35-44	1321	473,117	919	71.4	68.5-74.3	402	28.6	25.7-31.5
45-54	1842	469,587	1006	57.8	54.9-60.7	836	42.2	39.3-45.1
55-64	1963	329,293	847	46.2	43.3-49.1	1116	53.8	50.9-56.7
65+	2312	306,724	601	26.7	24.3-29.1	1711	73.3	70.9-75.7
Less Than H.S.	687	198,290	228	48.2	42.3-54.1	459	51.8	45.9-57.7
H.S. or G.E.D.	2171	581,042	890	55.7	52.6-58.8	1281	44.3	41.2-47.4
Some Post-H.S.	2522	670,529	1203	61.0	58.3-63.7	1319	39.0	36.3-41.7
College Graduate	3410	889,370	2116	70.8	68.8-72.8	1294	29.2	27.2-31.2
Less than \$15,000	532	125,450	166	51.6	43.6-59.6	366	48.4	40.4-56.4
\$15,000- 24,999	1268	322,112	463	51.0	46.7-55.3	805	49.0	44.7-53.3
\$25,000- 34,999	1093	233,859	438	51.5	47.2-55.8	655	48.5	44.2-52.8
\$35,000- 49,999	1516	344,430	710	55.9	52.4-59.4	806	44.1	40.6-47.6
\$50,000- 74,999	1563	398,858	895	63.1	60.0-66.2	668	36.9	33.8-40.0
\$75,000+	2031	676,271	1365	75.2	72.8-77.6	666	24.8	22.4-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 3: RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14487	2,399,125	7592	61.8	60.8-62.8	6895	38.2	37.2-39.2
White/Non-Hisp	12580	1,991,398	6668	62.8	61.6-64.0	5912	37.2	36.0-38.4
Oth. Race/Non-Hisp.	472	105,420	231	57.6	51.5-63.7	241	42.4	36.3-48.5
MultiRacial/Non-Hisp.	384	67,592	161	58.7	51.4-66.0	223	41.3	34.0-48.6
Hispanic	799	175,099	413	58.1	53.4-62.8	386	41.9	37.2-46.6
18-24	645	303,052	536	84.7	81.2-88.2	109	15.3	11.8-18.8
25-34	1637	416,270	1242	77.3	74.8-79.8	395	22.7	20.2-25.2
35-44	2309	464,508	1619	70.8	68.4-73.2	690	29.2	26.8-31.6
45-54	2947	473,850	1685	60.2	58.0-62.4	1262	39.8	37.6-42.0
55-64	2911	342,034	1383	50.4	48.0-52.8	1528	49.6	47.2-52.0
65+	4025	397,107	1119	29.5	27.7-31.3	2906	70.5	68.7-72.3
Less Than H.S.	1106	185,760	301	37.3	32.6-42.0	805	62.7	58.0-67.4
H.S. or G.E.D.	3769	567,891	1500	50.7	48.3-53.1	2269	49.3	46.9-51.7
Some Post-H.S.	4949	811,216	2513	60.0	58.0-62.0	2436	40.0	38.0-42.0
College Graduate	4641	830,596	3265	76.8	75.4-78.2	1376	23.2	21.8-24.6
Less than \$15,000	1279	162,093	358	41.2	36.5-45.9	921	58.8	54.1-63.5
\$15,000- 24,999	2436	342,242	851	44.2	41.1-47.3	1585	55.8	52.7-58.9
\$25,000- 34,999	1827	257,623	822	52.0	48.9-55.1	1005	48.0	44.9-51.1
\$35,000- 49,999	2244	352,935	1262	60.4	57.7-63.1	982	39.6	36.9-42.3
\$50,000- 74,999	2212	388,414	1428	68.7	66.3-71.1	784	31.3	28.9-33.7
\$75,000+	2520	554,403	1906	79.4	77.6-81.2	614	20.6	18.8-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 6: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6337	703,831	5216	84.6	83.4-85.8	1121	15.4	14.2-16.6
Male	2312	306,724	1966	87.6	86.0-89.2	346	12.4	10.8-14.0
Female	4025	397,107	3250	82.4	80.8-84.0	775	17.6	16.0-19.2
White/Non-Hisp	5885	650,027	4877	85.2	84.0-86.4	1008	14.8	13.6-16.0
Oth. Race/Non-Hisp.	109	16,362	81	80.1	71.5-88.7	28	19.9	11.3-28.5
MultiRacial/Non-Hisp.	140	14,510	103	76.6	67.8-85.4	37	23.4	14.6-32.2
65+	6337	703,831	5216	84.6	83.4-85.8	1121	15.4	14.2-16.6
Less Than H.S.	593	55,436	343	61.2	56.1-66.3	250	38.8	33.7-43.9
H.S. or G.E.D.	2023	205,205	1566	78.2	75.8-80.6	457	21.8	19.4-24.2
Some Post-H.S.	1895	208,564	1587	85.9	83.9-87.9	308	14.1	12.1-16.1
College Graduate	1814	233,371	1711	94.7	93.3-96.1	103	5.3	03.9-06.7
Less than \$15,000	565	44,104	363	64.0	58.9-69.1	202	36.0	30.9-41.1
\$15,000- 24,999	1322	120,970	968	74.4	71.5-77.3	354	25.6	22.7-28.5
\$25,000- 34,999	1170	131,040	985	85.8	83.3-88.3	185	14.2	11.7-16.7
\$35,000- 49,999	1042	123,993	928	90.2	88.0-92.4	114	9.8	07.6-12.0
\$50,000- 74,999	628	83,851	591	95.0	93.0-97.0	37	5.0	03.0-07.0
\$75,000+	485	70,551	459	95.4	93.2-97.6	26	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 6: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2312	306,724	1966	87.6	86.0-89.2	346	12.4	10.8-14.0
White/Non-Hisp	2143	282,488	1839	88.2	86.6-89.8	304	11.8	10.2-13.4
65+	2312	306,724	1966	87.6	86.0-89.2	346	12.4	10.8-14.0
Less Than H.S.	214	25,422	135	67.0	59.0-75.0	79	33.0	25.0-41.0
H.S. or G.E.D.	603	73,568	479	81.6	77.7-85.5	124	18.4	14.5-22.3
Some Post-H.S.	586	77,407	490	86.8	83.7-89.9	96	13.2	10.1-16.3
College Graduate	904	129,824	858	95.4	93.6-97.2	46	4.6	02.8-06.4
\$15,000- 24,999	391	43,511	293	76.9	71.4-82.4	98	23.1	17.6-28.6
\$25,000- 34,999	457	58,247	383	86.1	82.2-90.0	74	13.9	10.0-17.8
\$35,000- 49,999	461	61,313	406	89.7	86.4-93.0	55	10.3	07.0-13.6
\$50,000- 74,999	336	50,364	314	95.1	92.4-97.8	22	4.9	02.2-07.6
\$75,000+	281	43,347	266	95.4	92.7-98.1	15	4.6	01.9-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 6: ORAL HEALTH

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4025	397,107	3250	82.4	80.8-84.0	775	17.6	16.0-19.2
White/Non-Hisp	3742	367,538	3038	82.8	81.2-84.4	704	17.2	15.6-18.8
65+	4025	397,107	3250	82.4	80.8-84.0	775	17.6	16.0-19.2
Less Than H.S.	379	30,015	208	56.3	49.6-63.0	171	43.7	37.0-50.4
H.S. or G.E.D.	1420	131,637	1087	76.3	73.4-79.2	333	23.7	20.8-26.6
Some Post-H.S.	1309	131,157	1097	85.4	83.0-87.8	212	14.6	12.2-17.0
College Graduate	910	103,547	853	93.9	91.7-96.1	57	6.1	03.9-08.3
Less than \$15,000	446	33,577	290	64.2	58.5-69.9	156	35.8	30.1-41.5
\$15,000- 24,999	931	77,458	675	72.9	69.4-76.4	256	27.1	23.6-30.6
\$25,000- 34,999	713	72,793	602	85.6	82.3-88.9	111	14.4	11.1-17.7
\$35,000- 49,999	581	62,680	522	90.6	87.9-93.3	59	9.4	06.7-12.1
\$50,000- 74,999	292	33,487	277	94.8	91.7-97.9	15	5.2	02.1-08.3
\$75,000+	204	27,204	193	95.4	92.3-98.5	11	4.6	01.5-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23658	4,793,835	16610	71.6	70.8-72.4	7048	28.4	27.6-29.2
Male	8948	2,369,293	6040	69.2	67.8-70.6	2908	30.8	29.4-32.2
Female	14710	2,424,542	10570	74.0	73.0-75.0	4140	26.0	25.0-27.0
White/Non-Hisp	20469	3,918,356	14640	74.2	73.4-75.0	5829	25.8	25.0-26.6
Black or Afr. Am./Non-Hisp	246	87,107	164	68.8	60.6-77.0	82	31.2	23.0-39.4
Oth. Race/Non-Hisp.	786	232,308	541	65.4	60.5-70.3	245	34.6	29.7-39.5
MultiRacial/Non-Hisp.	620	133,248	372	62.5	56.6-68.4	248	37.5	31.6-43.4
Hispanic	1322	384,404	744	53.1	49.0-57.2	578	46.9	42.8-51.0
18-24	1076	631,418	728	69.5	66.0-73.0	348	30.5	27.0-34.0
25-34	2565	852,890	1698	65.6	63.1-68.1	867	34.4	31.9-36.9
35-44	3645	942,871	2577	72.2	70.2-74.2	1068	27.8	25.8-29.8
45-54	4838	951,251	3508	75.0	73.4-76.6	1330	25.0	23.4-26.6
55-64	4947	682,845	3642	76.3	74.7-77.9	1305	23.7	22.1-25.3
65+	6565	728,384	4440	70.9	69.5-72.3	2125	29.1	27.7-30.5
Less Than H.S.	1827	391,318	833	49.0	45.3-52.7	994	51.0	47.3-54.7
H.S. or G.E.D.	6043	1,160,720	3705	62.5	60.5-64.5	2338	37.5	35.5-39.5
Some Post-H.S.	7602	1,498,447	5290	71.5	69.9-73.1	2312	28.5	26.9-30.1
College Graduate	8144	1,735,574	6752	82.9	81.7-84.1	1392	17.1	15.9-18.3
Less than \$15,000	1847	291,459	819	49.9	45.6-54.2	1028	50.1	45.8-54.4
\$15,000- 24,999	3755	673,678	1967	51.9	49.2-54.6	1788	48.1	45.4-50.8
\$25,000- 34,999	2971	495,163	1960	63.7	61.2-66.2	1011	36.3	33.8-38.8
\$35,000- 49,999	3814	704,938	2760	71.4	69.4-73.4	1054	28.6	26.6-30.6
\$50,000- 74,999	3808	793,131	3063	79.7	77.9-81.5	745	20.3	18.5-22.1
\$75,000+	4587	1,239,559	3983	85.7	84.3-87.1	604	14.3	12.9-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8948	2,369,293	6040	69.2	67.8-70.6	2908	30.8	29.4-32.2
White/Non-Hisp	7703	1,907,731	5336	72.6	71.2-74.0	2367	27.4	26.0-28.8
Oth. Race/Non-Hisp.	300	123,693	184	59.1	51.5-66.7	116	40.9	33.3-48.5
MultiRacial/Non-Hisp.	227	64,585	124	56.3	46.9-65.7	103	43.7	34.3-53.1
Hispanic	518	208,476	263	46.9	40.8-53.0	255	53.1	47.0-59.2
18-24	431	328,328	290	69.0	63.5-74.5	141	31.0	25.5-36.5
25-34	929	436,498	573	61.8	57.9-65.7	356	38.2	34.3-42.1
35-44	1329	477,210	881	68.5	65.4-71.6	448	31.5	28.4-34.6
45-54	1856	471,672	1274	72.0	69.5-74.5	582	28.0	25.5-30.5
55-64	1999	336,247	1422	74.7	72.2-77.2	577	25.3	22.8-27.8
65+	2395	317,467	1594	70.5	68.1-72.9	801	29.5	27.1-31.9
Less Than H.S.	695	203,595	306	45.9	40.0-51.8	389	54.1	48.2-60.0
H.S. or G.E.D.	2213	585,446	1265	59.2	56.1-62.3	948	40.8	37.7-43.9
Some Post-H.S.	2571	679,906	1696	69.4	66.7-72.1	875	30.6	27.9-33.3
College Graduate	3451	896,526	2759	80.7	78.9-82.5	692	19.3	17.5-21.1
Less than \$15,000	537	126,890	205	48.9	40.9-56.9	332	51.1	43.1-59.1
\$15,000- 24,999	1291	330,153	613	47.3	42.8-51.8	678	52.7	48.2-57.2
\$25,000- 34,999	1114	235,002	664	58.6	54.3-62.9	450	41.4	37.1-45.7
\$35,000- 49,999	1537	348,002	1050	69.1	65.8-72.4	487	30.9	27.6-34.2
\$50,000- 74,999	1583	402,225	1208	76.2	73.5-78.9	375	23.8	21.1-26.5
\$75,000+	2051	682,160	1709	82.4	80.2-84.6	342	17.6	15.4-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14710	2,424,542	10570	74.0	73.0-75.0	4140	26.0	25.0-27.0
White/Non-Hisp	12766	2,010,625	9304	75.7	74.7-76.7	3462	24.3	23.3-25.3
Black or Afr. Am./Non-Hisp	146	40,101	100	67.9	58.3-77.5	46	32.1	22.5-41.7
Oth. Race/Non-Hisp.	486	108,615	357	72.6	66.7-78.5	129	27.4	21.5-33.3
MultiRacial/Non-Hisp.	393	68,664	248	68.3	61.6-75.0	145	31.7	25.0-38.4
Hispanic	804	175,927	481	60.4	55.9-64.9	323	39.6	35.1-44.1
18-24	645	303,090	438	70.2	65.7-74.7	207	29.8	25.3-34.3
25-34	1636	416,392	1125	69.6	66.9-72.3	511	30.4	27.7-33.1
35-44	2316	465,661	1696	75.9	73.7-78.1	620	24.1	21.9-26.3
45-54	2982	479,579	2234	78.0	76.0-80.0	748	22.0	20.0-24.0
55-64	2948	346,598	2220	77.9	75.9-79.9	728	22.1	20.1-24.1
65+	4170	410,917	2846	71.3	69.5-73.1	1324	28.7	26.9-30.5
Less Than H.S.	1132	187,723	527	52.4	47.7-57.1	605	47.6	42.9-52.3
H.S. or G.E.D.	3830	575,274	2440	65.8	63.6-68.0	1390	34.2	32.0-36.4
Some Post-H.S.	5031	818,541	3594	73.3	71.5-75.1	1437	26.7	24.9-28.5
College Graduate	4693	839,048	3993	85.2	83.8-86.6	700	14.8	13.4-16.2
Less than \$15,000	1310	164,569	614	50.6	46.1-55.1	696	49.4	44.9-53.9
\$15,000- 24,999	2464	343,526	1354	56.3	53.2-59.4	1110	43.7	40.6-46.8
\$25,000- 34,999	1857	260,161	1296	68.4	65.5-71.3	561	31.6	28.7-34.5
\$35,000- 49,999	2277	356,937	1710	73.6	71.1-76.1	567	26.4	23.9-28.9
\$50,000- 74,999	2225	390,906	1855	83.3	81.1-85.5	370	16.7	14.5-18.9
\$75,000+	2536	557,399	2274	89.7	88.1-91.3	262	10.3	08.7-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 8: ASTHMA CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	23706	4,800,513	20243	85.7	85.1-86.3	3463	14.3	13.7-14.9	
Male	8962	2,372,977	7943	87.9	86.9-88.9	1019	12.1	11.1-13.1	
Female	14744	2,427,536	12300	83.5	82.7-84.3	2444	16.5	15.7-17.3	
White/Non-Hisp	20514	3,923,477	17524	85.5	84.7-86.3	2990	14.5	13.7-15.3	
Black or Afr. Am./Non-Hisp	247	87,557	209	85.3	79.6-91.0	38	14.7	09.0-20.4	
Oth. Race/Non-Hisp.	790	234,137	672	87.3	84.2-90.4	118	12.7	09.6-15.8	
MultiRacial/Non-Hisp.	619	133,024	473	75.8	70.5-81.1	146	24.2	18.9-29.5	
Hispanic	1323	384,529	1185	90.0	87.8-92.2	138	10.0	07.8-12.2	
18-24	1078	633,784	859	80.8	77.9-83.7	219	19.2	16.3-22.1	
25-34	2564	851,967	2199	86.3	84.5-88.1	365	13.7	11.9-15.5	
35-44	3655	946,237	3121	86.1	84.7-87.5	534	13.9	12.5-15.3	
45-54	4835	950,911	4094	86.2	85.0-87.4	741	13.8	12.6-15.0	
55-64	4955	683,755	4196	85.8	84.6-87.0	759	14.2	13.0-15.4	
65+	6597	729,683	5753	87.8	86.8-88.8	844	12.2	11.2-13.2	
Less Than H.S.	1839	392,099	1552	87.5	85.3-89.7	287	12.5	10.3-14.7	
H.S. or G.E.D.	6066	1,164,897	5189	85.3	83.7-86.9	877	14.7	13.1-16.3	
Some Post-H.S.	7614	1,500,833	6415	84.6	83.4-85.8	1199	15.4	14.2-16.6	
College Graduate	8143	1,734,957	7047	86.4	85.4-87.4	1096	13.6	12.6-14.6	
Less than \$15,000	1857	291,890	1447	83.0	80.6-85.4	410	17.0	14.6-19.4	
\$15,000- 24,999	3775	675,166	3114	84.3	82.5-86.1	661	15.7	13.9-17.5	
\$25,000- 34,999	2976	497,190	2572	86.2	84.2-88.2	404	13.8	11.8-15.8	
\$35,000- 49,999	3818	706,406	3287	86.0	84.4-87.6	531	14.0	12.4-15.6	
\$50,000- 74,999	3809	792,801	3308	85.8	84.2-87.4	501	14.2	12.6-15.8	
\$75,000+	4585	1,238,397	4020	87.1	85.7-88.5	565	12.9	11.5-14.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8962	2,372,977	7943	87.9	86.9-88.9	1019	12.1	11.1-13.1
White/Non-Hisp	7713	1,909,187	6828	87.6	86.4-88.8	885	12.4	11.2-13.6
Black or Afr. Am./Non-Hisp	101	47,457	90	88.2	80.2-96.2	11	11.8	03.8-19.8
Oth. Race/Non-Hisp.	303	125,519	275	89.4	84.5-94.3	28	10.6	05.7-15.5
MultiRacial/Non-Hisp.	226	64,360	188	82.5	75.4-89.6	38	17.5	10.4-24.6
Hispanic	520	209,039	477	91.7	88.8-94.6	43	8.3	05.4-11.2
18-24	432	329,891	359	82.0	77.5-86.5	73	18.0	13.5-22.5
25-34	930	436,503	820	88.0	85.5-90.5	110	12.0	09.5-14.5
35-44	1333	478,349	1180	88.2	86.0-90.4	153	11.8	09.6-14.0
45-54	1856	472,483	1646	89.6	87.8-91.4	210	10.4	08.6-12.2
55-64	2001	336,736	1775	89.2	87.4-91.0	226	10.8	09.0-12.6
65+	2401	317,143	2155	89.8	88.2-91.4	246	10.2	08.6-11.8
Less Than H.S.	701	204,329	626	90.6	87.3-93.9	75	9.4	06.1-12.7
H.S. or G.E.D.	2219	588,439	1957	87.1	84.7-89.5	262	12.9	10.5-15.3
Some Post-H.S.	2572	679,631	2275	88.4	86.6-90.2	297	11.6	09.8-13.4
College Graduate	3450	896,586	3066	87.5	85.9-89.1	384	12.5	10.9-14.1
Less than \$15,000	541	127,275	451	90.0	86.9-93.1	90	10.0	06.9-13.1
\$15,000- 24,999	1294	330,249	1114	86.9	84.2-89.6	180	13.1	10.4-15.8
\$25,000- 34,999	1115	235,729	997	89.0	86.1-91.9	118	11.0	08.1-13.9
\$35,000- 49,999	1542	349,749	1379	89.1	86.7-91.5	163	10.9	08.5-13.3
\$50,000- 74,999	1580	401,542	1420	88.0	85.6-90.4	160	12.0	09.6-14.4
\$75,000+	2050	681,634	1828	87.2	85.0-89.4	222	12.8	10.6-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14744	2,427,536	12300	83.5	82.7-84.3	2444	16.5	15.7-17.3
White/Non-Hisp	12801	2,014,290	10696	83.6	82.6-84.6	2105	16.4	15.4-17.4
Black or Afr. Am./Non-Hisp	146	40,101	119	81.9	74.1-89.7	27	18.1	10.3-25.9
Oth. Race/Non-Hisp.	487	108,618	397	84.8	80.9-88.7	90	15.2	11.3-19.1
MultiRacial/Non-Hisp.	393	68,664	285	69.6	62.2-77.0	108	30.4	23.0-37.8
Hispanic	803	175,491	708	87.9	85.0-90.8	95	12.1	09.2-15.0
18-24	646	303,893	500	79.5	75.6-83.4	146	20.5	16.6-24.4
25-34	1634	415,464	1379	84.4	82.2-86.6	255	15.6	13.4-17.8
35-44	2322	467,887	1941	84.0	82.2-85.8	381	16.0	14.2-17.8
45-54	2979	478,428	2448	83.0	81.2-84.8	531	17.0	15.2-18.8
55-64	2954	347,019	2421	82.5	80.7-84.3	533	17.5	15.7-19.3
65+	4196	412,540	3598	86.3	84.9-87.7	598	13.7	12.3-15.1
Less Than H.S.	1138	187,770	926	84.2	81.1-87.3	212	15.8	12.7-18.9
H.S. or G.E.D.	3847	576,457	3232	83.4	81.6-85.2	615	16.6	14.8-18.4
Some Post-H.S.	5042	821,202	4140	81.5	79.9-83.1	902	18.5	16.9-20.1
College Graduate	4693	838,371	3981	85.4	84.0-86.8	712	14.6	13.2-16.0
Less than \$15,000	1316	164,615	996	77.5	74.2-80.8	320	22.5	19.2-25.8
\$15,000- 24,999	2481	344,917	2000	81.8	79.6-84.0	481	18.2	16.0-20.4
\$25,000- 34,999	1861	261,461	1575	83.7	81.3-86.1	286	16.3	13.9-18.7
\$35,000- 49,999	2276	356,657	1908	83.0	80.8-85.2	368	17.0	14.8-19.2
\$50,000- 74,999	2229	391,259	1888	83.6	81.6-85.6	341	16.4	14.4-18.4
\$75,000+	2535	556,762	2192	86.9	85.3-88.5	343	13.1	11.5-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 8: ASTHMA

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	23587	4,775,369	21270	91.1	90.5-91.7	2317	8.9	08.3-09.5	
Male	8922	2,362,018	8325	93.6	92.8-94.4	597	6.4	05.6-07.2	
Female	14665	2,413,351	12945	88.7	87.9-89.5	1720	11.3	10.5-12.1	
White/Non-Hisp	20412	3,902,891	18407	90.9	90.3-91.5	2005	9.1	08.5-09.7	
Black or Afr. Am./Non-Hisp	245	87,257	223	91.8	87.9-95.7	22	8.2	04.3-12.1	
Oth. Race/Non-Hisp.	787	233,200	709	92.7	90.3-95.1	78	7.3	04.9-09.7	
MultiRacial/Non-Hisp.	612	131,333	509	84.0	79.3-88.7	103	16.0	11.3-20.7	
Hispanic	1318	382,898	1233	94.3	92.7-95.9	85	5.7	04.1-07.3	
18-24	1069	629,938	932	88.5	86.0-91.0	137	11.5	09.0-14.0	
25-34	2552	847,314	2327	92.2	90.8-93.6	225	7.8	06.4-09.2	
35-44	3633	941,453	3293	91.8	90.8-92.8	340	8.2	07.2-09.2	
45-54	4810	945,180	4308	91.1	90.1-92.1	502	8.9	07.9-09.9	
55-64	4934	680,603	4412	90.7	89.7-91.7	522	9.3	08.3-10.3	
65+	6567	726,704	5977	91.7	90.9-92.5	590	8.3	07.5-09.1	
Less Than H.S.	1826	389,156	1604	91.5	89.7-93.3	222	8.5	06.7-10.3	
H.S. or G.E.D.	6035	1,160,838	5412	90.1	88.9-91.3	623	9.9	08.7-11.1	
Some Post-H.S.	7569	1,490,146	6760	90.2	89.2-91.2	809	9.8	08.8-10.8	
College Graduate	8113	1,727,503	7454	92.5	91.7-93.3	659	7.5	06.7-08.3	
Less than \$15,000	1840	289,511	1522	86.9	84.7-89.1	318	13.1	10.9-15.3	
\$15,000- 24,999	3756	672,134	3266	89.2	87.8-90.6	490	10.8	09.4-12.2	
\$25,000- 34,999	2970	496,198	2688	91.0	89.4-92.6	282	9.0	07.4-10.6	
\$35,000- 49,999	3809	704,681	3456	91.3	90.1-92.5	353	8.7	07.5-09.9	
\$50,000- 74,999	3781	787,009	3489	92.0	90.8-93.2	292	8.0	06.8-09.2	
\$75,000+	4569	1,232,947	4235	92.7	91.5-93.9	334	7.3	06.1-08.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8922	2,362,018	8325	93.6	92.8-94.4	597	6.4	05.6-07.2
White/Non-Hisp	7679	1,900,046	7154	93.2	92.2-94.2	525	6.8	05.8-07.8
Black or Afr. Am./Non-Hisp	100	47,321	96	96.6	93.1-0100	4	3.4	00.0-06.9
Oth. Race/Non-Hisp.	301	124,837	288	95.7	92.8-98.6	13	4.3	01.4-07.2
MultiRacial/Non-Hisp.	225	64,123	200	89.8	84.3-95.3	25	10.2	04.7-15.7
Hispanic	518	208,276	496	96.2	94.0-98.4	22	3.8	01.6-06.0
18-24	429	328,794	394	90.6	86.9-94.3	35	9.4	05.7-13.1
25-34	924	433,758	861	93.6	91.6-95.6	63	6.4	04.4-08.4
35-44	1325	476,164	1249	94.9	93.5-96.3	76	5.1	03.7-06.5
45-54	1846	469,506	1723	94.2	92.8-95.6	123	5.8	04.4-07.2
55-64	1993	335,386	1860	94.0	92.8-95.2	133	6.0	04.8-07.2
65+	2396	316,538	2230	93.3	91.9-94.7	166	6.7	05.3-08.1
Less Than H.S.	700	204,311	646	94.6	92.2-97.0	54	5.4	03.0-07.8
H.S. or G.E.D.	2207	585,932	2045	92.8	90.8-94.8	162	7.2	05.2-09.2
Some Post-H.S.	2560	675,679	2381	93.5	92.1-94.9	179	6.5	05.1-07.9
College Graduate	3435	892,104	3234	93.8	92.6-95.0	201	6.2	05.0-07.4
Less than \$15,000	536	126,172	471	93.7	91.3-96.1	65	6.3	03.9-08.7
\$15,000- 24,999	1288	329,094	1170	92.2	90.0-94.4	118	7.8	05.6-10.0
\$25,000- 34,999	1114	235,672	1042	94.2	92.2-96.2	72	5.8	03.8-07.8
\$35,000- 49,999	1539	348,791	1439	94.2	92.4-96.0	100	5.8	04.0-07.6
\$50,000- 74,999	1570	399,560	1492	93.9	92.1-95.7	78	6.1	04.3-07.9
\$75,000+	2041	677,939	1925	93.2	91.4-95.0	116	6.8	05.0-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

SECTION 8: ASTHMA

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14665	2,413,351	12945	88.7	87.9-89.5	1720	11.3	10.5-12.1
White/Non-Hisp	12733	2,002,846	11253	88.8	88.0-89.6	1480	11.2	10.4-12.0
Black or Afr. Am./Non-Hisp	145	39,937	127	86.2	78.9-93.5	18	13.8	06.5-21.1
Oth. Race/Non-Hisp.	486	108,363	421	89.3	85.8-92.8	65	10.7	07.2-14.2
MultiRacial/Non-Hisp.	387	67,210	309	78.6	71.5-85.7	78	21.4	14.3-28.5
Hispanic	800	174,622	737	92.1	89.7-94.5	63	7.9	05.5-10.3
18-24	640	301,144	538	86.2	82.9-89.5	102	13.8	10.5-17.1
25-34	1628	413,556	1466	90.7	88.9-92.5	162	9.3	07.5-11.1
35-44	2308	465,289	2044	88.6	87.0-90.2	264	11.4	09.8-13.0
45-54	2964	475,674	2585	88.0	86.6-89.4	379	12.0	10.6-13.4
55-64	2941	345,217	2552	87.5	85.9-89.1	389	12.5	10.9-14.1
65+	4171	410,166	3747	90.5	89.3-91.7	424	9.5	08.3-10.7
Less Than H.S.	1126	184,845	958	88.0	85.5-90.5	168	12.0	09.5-14.5
H.S. or G.E.D.	3828	574,906	3367	87.4	85.8-89.0	461	12.6	11.0-14.2
Some Post-H.S.	5009	814,467	4379	87.4	86.0-88.8	630	12.6	11.2-14.0
College Graduate	4678	835,398	4220	91.1	90.1-92.1	458	8.9	07.9-09.9
Less than \$15,000	1304	163,338	1051	81.6	78.7-84.5	253	18.4	15.5-21.3
\$15,000- 24,999	2468	343,040	2096	86.4	84.4-88.4	372	13.6	11.6-15.6
\$25,000- 34,999	1856	260,526	1646	88.2	86.0-90.4	210	11.8	09.6-14.0
\$35,000- 49,999	2270	355,890	2017	88.4	86.6-90.2	253	11.6	09.8-13.4
\$50,000- 74,999	2211	387,449	1997	90.0	88.4-91.6	214	10.0	08.4-11.6
\$75,000+	2528	555,008	2310	92.1	90.7-93.5	218	7.9	06.5-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23587	4,775,369	2317	8.9	08.3-09.5	1027	5.0	04.6-05.4	20243	86.1	85.5-86.7
Male	8922	2,362,018	597	6.4	05.6-07.2	382	5.2	04.4-06.0	7943	88.3	87.3-89.3
Female	14665	2,413,351	1720	11.3	10.5-12.1	645	4.7	04.3-05.1	12300	84.0	83.2-84.8
White/Non-Hisp	20412	3,902,891	2005	9.1	08.5-09.7	883	4.9	04.5-05.3	17524	86.0	85.2-86.8
Black or Afr. Am./Non-Hisp	245	87,257	22	8.2	04.3-12.1	14	6.2	01.9-10.5	209	85.6	79.9-91.3
Oth. Race/Non-Hisp.	787	233,200	78	7.3	04.9-09.7	37	5.1	02.7-07.5	672	87.6	84.5-90.7
MultiRacial/Non-Hisp.	612	131,333	103	16.0	11.3-20.7	36	7.2	04.1-10.3	473	76.8	71.5-82.1
Hispanic	1318	382,898	85	5.7	04.1-07.3	48	4.0	02.6-05.4	1185	90.3	88.1-92.5
18-24	1069	629,938	137	11.5	09.0-14.0	73	7.2	05.2-09.2	859	81.3	78.4-84.2
25-34	2552	847,314	225	7.8	06.4-09.2	128	5.4	04.2-06.6	2199	86.7	84.9-88.5
35-44	3633	941,453	340	8.2	07.2-09.2	172	5.2	04.2-06.2	3121	86.5	85.1-87.9
45-54	4810	945,180	502	8.9	07.9-09.9	214	4.3	03.5-05.1	4094	86.8	85.6-88.0
55-64	4934	680,603	522	9.3	08.3-10.3	216	4.5	03.7-05.3	4196	86.2	85.0-87.4
65+	6567	726,704	590	8.3	07.5-09.1	224	3.5	02.9-04.1	5753	88.2	87.2-89.2
Less Than H.S.	1826	389,156	222	8.5	06.7-10.3	52	3.3	01.9-04.7	1552	88.2	86.0-90.4
H.S. or G.E.D.	6035	1,160,838	623	9.9	08.7-11.1	223	4.5	03.5-05.5	5189	85.6	84.0-87.2
Some Post-H.S.	7569	1,490,146	809	9.8	08.8-10.8	345	4.9	04.1-05.7	6415	85.2	84.0-86.4
College Graduate	8113	1,727,503	659	7.5	06.7-08.3	407	5.7	04.9-06.5	7047	86.8	85.8-87.8
Less than \$15,000	1840	289,511	318	13.1	10.9-15.3	75	3.3	02.3-04.3	1447	83.6	81.2-86.0
\$15,000- 24,999	3756	672,134	490	10.8	09.4-12.2	152	4.5	03.3-05.7	3114	84.7	82.9-86.5
\$25,000- 34,999	2970	496,198	282	9.0	07.4-10.6	116	4.6	03.4-05.8	2572	86.4	84.6-88.2
\$35,000- 49,999	3809	704,681	353	8.7	07.5-09.9	169	5.0	04.0-06.0	3287	86.2	84.6-87.8
\$50,000- 74,999	3781	787,009	292	8.0	06.8-09.2	181	5.5	04.5-06.5	3308	86.5	84.9-88.1
\$75,000+	4569	1,232,947	334	7.3	06.1-08.5	215	5.2	04.2-06.2	4020	87.5	86.1-88.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8922	2,362,018	597	6.4	05.6-07.2	382	5.2	04.4-06.0	7943	88.3	87.3-89.3
White/Non-Hisp	7679	1,900,046	525	6.8	05.8-07.8	326	5.2	04.4-06.0	6828	88.0	86.8-89.2
Black or Afr. Am./Non-Hisp	100	47,321	4	3.4	00.0-06.9	6	8.2	00.9-15.5	90	88.5	80.5-96.5
Oth. Race/Non-Hisp.	301	124,837	13	4.3	01.4-07.2	13	5.8	01.7-09.9	275	89.9	85.0-94.8
MultiRacial/Non-Hisp.	225	64,123	25	10.2	04.7-15.7	12	7.0	01.9-12.1	188	82.8	75.7-89.9
Hispanic	518	208,276	22	3.8	01.6-06.0	19	4.1	01.9-06.3	477	92.0	89.1-94.9
18-24	429	328,794	35	9.4	05.7-13.1	35	8.2	05.1-11.3	359	82.3	77.8-86.8
25-34	924	433,758	63	6.4	04.4-08.4	41	5.0	03.2-06.8	820	88.6	86.1-91.1
35-44	1325	476,164	76	5.1	03.7-06.5	69	6.3	04.5-08.1	1180	88.6	86.4-90.8
45-54	1846	469,506	123	5.8	04.4-07.2	77	4.1	02.9-05.3	1646	90.1	88.3-91.9
55-64	1993	335,386	133	6.0	04.8-07.2	85	4.5	03.3-05.7	1775	89.5	87.7-91.3
65+	2396	316,538	166	6.7	05.3-08.1	75	3.3	02.3-04.3	2155	90.0	88.4-91.6
Less Than H.S.	700	204,311	54	5.4	03.0-07.8	20	4.0	01.6-06.4	626	90.6	87.3-93.9
H.S. or G.E.D.	2207	585,932	162	7.2	05.2-09.2	88	5.3	03.7-06.9	1957	87.5	85.1-89.9
Some Post-H.S.	2560	675,679	179	6.5	05.1-07.9	106	4.6	03.4-05.8	2275	88.9	87.1-90.7
College Graduate	3435	892,104	201	6.2	05.0-07.4	168	5.9	04.7-07.1	3066	87.9	86.3-89.5
Less than \$15,000	536	126,172	65	6.3	03.9-08.7	20	2.9	01.3-04.5	451	90.8	87.9-93.7
\$15,000- 24,999	1288	329,094	118	7.8	05.6-10.0	56	4.9	02.9-06.9	1114	87.2	84.5-89.9
\$25,000- 34,999	1114	235,672	72	5.8	03.8-07.8	45	5.2	03.0-07.4	997	89.0	86.1-91.9
\$35,000- 49,999	1539	348,791	100	5.8	04.0-07.6	60	4.9	03.3-06.5	1379	89.4	87.2-91.6
\$50,000- 74,999	1570	399,560	78	6.1	04.3-07.9	72	5.4	03.8-07.0	1420	88.5	86.1-90.9
\$75,000+	2041	677,939	116	6.8	05.0-08.6	97	5.5	04.1-06.9	1828	87.7	85.5-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 8: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14665	2,413,351	1720	11.3	10.5-12.1	645	4.7	04.3-05.1	12300	84.0	83.2-84.8
White/Non-Hisp	12733	2,002,846	1480	11.2	10.4-12.0	557	4.7	04.1-05.3	10696	84.1	83.1-85.1
Black or Afr. Am./Non-Hisp	145	39,937	18	13.8	06.5-21.1	8	3.9	00.6-07.2	119	82.2	74.4-90.0
Oth. Race/Non-Hisp.	486	108,363	65	10.7	07.2-14.2	24	4.3	02.1-06.5	397	85.0	81.1-88.9
MultiRacial/Non-Hisp.	387	67,210	78	21.4	14.3-28.5	24	7.4	03.5-11.3	285	71.1	63.7-78.5
Hispanic	800	174,622	63	7.9	05.5-10.3	29	3.8	02.0-05.6	708	88.3	85.4-91.2
18-24	640	301,144	102	13.8	10.5-17.1	38	6.0	03.8-08.2	500	80.2	76.3-84.1
25-34	1628	413,556	162	9.3	07.5-11.1	87	5.8	04.4-07.2	1379	84.8	82.6-87.0
35-44	2308	465,289	264	11.4	09.8-13.0	103	4.2	03.2-05.2	1941	84.4	82.6-86.2
45-54	2964	475,674	379	12.0	10.6-13.4	137	4.6	03.6-05.6	2448	83.5	81.9-85.1
55-64	2941	345,217	389	12.5	10.9-14.1	131	4.6	03.6-05.6	2421	82.9	81.1-84.7
65+	4171	410,166	424	9.5	08.3-10.7	149	3.7	02.9-04.5	3598	86.8	85.4-88.2
Less Than H.S.	1126	184,845	168	12.0	09.5-14.5	32	2.5	01.3-03.7	926	85.5	82.6-88.4
H.S. or G.E.D.	3828	574,906	461	12.6	11.0-14.2	135	3.8	02.8-04.8	3232	83.6	81.8-85.4
Some Post-H.S.	5009	814,467	630	12.6	11.2-14.0	239	5.2	04.4-06.0	4140	82.2	80.6-83.8
College Graduate	4678	835,398	458	8.9	07.9-09.9	239	5.4	04.6-06.2	3981	85.7	84.3-87.1
Less than \$15,000	1304	163,338	253	18.4	15.5-21.3	55	3.6	02.4-04.8	996	78.1	75.0-81.2
\$15,000- 24,999	2468	343,040	372	13.6	11.6-15.6	96	4.2	03.0-05.4	2000	82.3	80.1-84.5
\$25,000- 34,999	1856	260,526	210	11.8	09.6-14.0	71	4.2	02.8-05.6	1575	84.0	81.6-86.4
\$35,000- 49,999	2270	355,890	253	11.6	09.8-13.4	109	5.2	04.0-06.4	1908	83.2	81.0-85.4
\$50,000- 74,999	2211	387,449	214	10.0	08.4-11.6	109	5.6	04.2-07.0	1888	84.4	82.4-86.4
\$75,000+	2528	555,008	218	7.9	06.5-09.3	118	4.9	03.9-05.9	2192	87.2	85.6-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	27
2	MALES ONLY	28
3	FEMALES ONLY	29
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	30
5	MALES ONLY	31
6	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23627	4,787,465	2850	12.3	11.7-12.9	931	4.7	04.3-05.1	7492	26.4	25.6-27.2	12354	56.6	55.6-57.6
Male	8938	2,368,226	1154	13.2	12.2-14.2	400	5.7	04.9-06.5	3351	28.7	27.5-29.9	4033	52.4	50.8-54.0
Female	14689	2,419,239	1696	11.5	10.7-12.3	531	3.8	03.4-04.2	4141	24.1	23.1-25.1	8321	60.6	59.4-61.8
White/Non-Hisp	20453	3,914,857	2474	12.4	11.8-13.0	755	4.3	03.9-04.7	6713	28.1	27.3-28.9	10511	55.1	54.1-56.1
Black or Afr. Am./Non-Hisp	244	86,246	35	17.4	10.1-24.7	19	8.2	03.5-12.9	54	14.4	09.5-19.3	136	60.0	51.0-69.0
Oth. Race/Non-Hisp.	784	232,616	97	11.3	08.0-14.6	41	3.7	02.1-05.3	182	17.7	14.2-21.2	464	67.3	62.8-71.8
MultiRacial/Non-Hisp.	618	132,807	122	20.8	15.7-25.9	43	8.0	05.1-10.9	200	20.6	16.7-24.5	253	50.7	44.6-56.8
Hispanic	1317	382,860	102	8.7	06.3-11.1	62	7.2	04.7-09.7	257	17.7	14.8-20.6	896	66.3	62.4-70.2
18-24	1076	633,109	185	16.2	13.5-18.9	94	9.1	06.7-11.5	112	8.7	06.7-10.7	685	65.9	62.4-69.4
25-34	2557	849,445	353	13.4	11.6-15.2	164	6.5	05.3-07.7	440	18.0	16.0-20.0	1600	62.1	59.6-64.6
35-44	3645	943,537	529	12.6	11.2-14.0	178	4.6	03.6-05.6	731	20.3	18.5-22.1	2207	62.6	60.6-64.6
45-54	4824	948,294	777	15.0	13.6-16.4	204	3.9	03.1-04.7	1373	27.7	26.1-29.3	2470	53.4	51.6-55.2
55-64	4931	681,109	579	10.9	09.7-12.1	163	2.9	02.1-03.7	1879	37.9	36.1-39.7	2310	48.2	46.4-50.0
65+	6572	727,796	424	5.3	04.7-05.9	127	1.7	01.3-02.1	2949	46.9	45.3-48.5	3072	46.1	44.5-47.7
Less Than H.S.	1828	391,219	390	23.2	20.1-26.3	97	7.2	05.0-09.4	553	23.3	20.6-26.0	788	46.3	42.6-50.0
H.S. or G.E.D.	6047	1,161,408	1033	19.3	17.7-20.9	306	6.8	05.6-08.0	2044	27.5	25.9-29.1	2664	46.3	44.3-48.3
Some Post-H.S.	7592	1,497,431	1016	13.3	12.1-14.5	318	4.8	04.0-05.6	2531	28.0	26.6-29.4	3727	53.9	52.1-55.7
College Graduate	8120	1,730,380	408	4.4	03.8-05.0	210	2.7	02.3-03.1	2347	24.9	23.7-26.1	5155	68.1	66.7-69.5
Less than \$15,000	1851	291,174	449	23.1	19.8-26.4	123	8.1	05.7-10.5	528	20.0	17.5-22.5	751	48.9	44.6-53.2
\$15,000- 24,999	3763	672,608	653	19.3	17.3-21.3	213	7.8	06.0-09.6	1212	26.4	24.2-28.6	1685	46.5	43.8-49.2
\$25,000- 34,999	2970	496,234	391	14.1	12.1-16.1	125	4.4	03.4-05.4	1012	29.4	27.0-31.8	1442	52.2	49.5-54.9
\$35,000- 49,999	3806	704,710	476	13.6	12.0-15.2	152	5.4	04.2-06.6	1281	29.0	27.0-31.0	1897	52.0	49.6-54.4
\$50,000- 74,999	3797	790,946	345	10.4	09.0-11.8	124	3.9	02.9-04.9	1191	28.7	26.7-30.7	2137	57.0	54.8-59.2
\$75,000+	4574	1,236,227	272	6.2	05.2-07.2	109	2.8	02.0-03.6	1403	25.8	24.2-27.4	2790	65.1	63.3-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8938	2,368,226	1154	13.2	12.2-14.2	400	5.7	04.9-06.5	3351	28.7	27.5-29.9	4033	52.4	50.8-54.0
White/Non-Hisp	7696	1,906,451	989	13.1	11.9-14.3	308	4.9	04.1-05.7	2971	30.6	29.2-32.0	3428	51.4	49.8-53.0
Black or Afr. Am./Non-Hisp	101	47,457				9	10.2	02.4-18.0	28	16.0	08.4-23.6			
Oth. Race/Non-Hisp.	301	124,952	39	13.7	08.2-19.2	18	4.7	02.0-07.4	78	18.3	12.8-23.8	166	63.3	56.0-70.6
MultiRacial/Non-Hisp.	227	64,585	48	23.3	14.5-32.1	20	11.8	06.1-17.5	86	22.2	15.9-28.5	73	42.7	33.3-52.1
Hispanic	515	207,064	56	10.1	06.4-13.8	41	10.8	06.3-15.3	140	21.5	16.8-26.2	278	57.6	51.5-63.7
18-24	432	329,891	70	14.8	10.9-18.7	47	11.4	07.7-15.1	44	9.3	06.2-12.4	271	64.6	58.9-70.3
25-34	929	435,566	136	16.1	13.0-19.2	81	8.2	06.0-10.4	162	17.5	14.4-20.6	550	58.2	54.3-62.1
35-44	1328	477,034	196	12.9	10.7-15.1	70	5.0	03.4-06.6	278	21.0	18.3-23.7	784	61.1	58.0-64.2
45-54	1849	470,343	325	16.0	13.8-18.2	87	4.7	03.5-05.9	590	30.0	27.3-32.7	847	49.3	46.4-52.2
55-64	1996	336,087	268	12.3	10.3-14.3	70	3.1	01.9-04.3	876	42.6	39.9-45.3	782	42.0	39.1-44.9
65+	2395	317,432	158	4.9	03.9-05.9	45	1.6	01.0-02.2	1397	59.1	56.6-61.6	795	34.3	31.8-36.8
Less Than H.S.	698	204,094	161	23.0	18.3-27.7	46	9.2	05.7-12.7	283	28.2	23.7-32.7	208	39.6	33.5-45.7
H.S. or G.E.D.	2219	587,347	421	20.6	18.1-23.1	142	8.8	06.6-11.0	895	29.6	27.1-32.1	761	41.0	37.7-44.3
Some Post-H.S.	2566	679,316	374	15.0	13.0-17.0	120	5.5	04.1-06.9	1024	30.1	27.6-32.6	1048	49.4	46.5-52.3
College Graduate	3438	894,068	196	4.8	03.8-05.8	92	3.0	02.2-03.8	1140	27.1	25.1-29.1	2010	65.1	62.9-67.3
Less than \$15,000	541	127,187	154	23.0	17.5-28.5	35	7.3	03.4-11.2	170	17.5	13.2-21.8	182	52.1	44.3-59.9
\$15,000- 24,999	1288	328,686	248	19.3	16.0-22.6	91	10.8	07.5-14.1	499	29.7	25.8-33.6	450	40.3	35.8-44.8
\$25,000- 34,999	1113	235,351	153	15.1	12.0-18.2	54	4.6	02.8-06.4	468	33.2	29.3-37.1	438	47.2	42.7-51.7
\$35,000- 49,999	1540	349,287	219	15.4	12.9-17.9	74	6.7	04.7-08.7	617	32.8	29.7-35.9	630	45.2	41.5-48.9
\$50,000- 74,999	1576	401,293	163	12.5	10.0-15.0	57	4.5	02.9-06.1	587	32.0	29.1-34.9	769	51.0	47.7-54.3
\$75,000+	2044	680,469	133	6.9	05.3-08.5	57	3.5	02.3-04.7	706	27.0	24.6-29.4	1148	62.6	59.9-65.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14689	2,419,239	1696	11.5	10.7-12.3	531	3.8	03.4-04.2	4141	24.1	23.1-25.1	8321	60.6	59.4-61.8
White/Non-Hisp	12757	2,008,406	1485	11.7	10.9-12.5	447	3.8	03.4-04.2	3742	25.8	24.8-26.8	7083	58.7	57.5-59.9
Black or Afr. Am./Non-Hisp	143	38,790	19	14.4	06.8-22.0	10	5.8	01.3-10.3	26	12.4	06.7-18.1	88	67.3	57.7-76.9
Oth. Race/Non-Hisp.	483	107,664	58	8.5	05.4-11.6	23	2.6	01.0-04.2	104	17.0	12.9-21.1	298	72.0	66.9-77.1
MultiRacial/Non-Hisp.	391	68,222	74	18.3	12.6-24.0	23	4.4	02.2-06.6	114	19.0	14.1-23.9	180	58.2	50.9-65.5
Hispanic	802	175,796	46	7.1	04.4-09.8	21	3.1	01.3-04.9	117	13.2	10.1-16.3	618	76.6	72.5-80.7
18-24	644	303,218	115	17.7	14.0-21.4	47	6.7	04.3-09.1	68	8.2	05.8-10.6	414	67.4	62.9-71.9
25-34	1628	413,878	217	10.5	08.7-12.3	83	4.8	03.6-06.0	278	18.5	16.1-20.9	1050	66.2	63.5-68.9
35-44	2317	466,503	333	12.3	10.7-13.9	108	4.2	03.2-05.2	453	19.4	17.4-21.4	1423	64.1	61.7-66.5
45-54	2975	477,951	452	14.0	12.4-15.6	117	3.1	02.3-03.9	783	25.4	23.4-27.4	1623	57.6	55.4-59.8
55-64	2935	345,022	311	9.6	08.2-11.0	93	2.7	01.9-03.5	1003	33.4	31.2-35.6	1528	54.3	51.9-56.7
65+	4177	410,364	266	5.6	04.8-06.4	82	1.8	01.4-02.2	1552	37.4	35.4-39.4	2277	55.2	53.2-57.2
Less Than H.S.	1130	187,125	229	23.4	19.3-27.5	51	5.1	03.1-07.1	270	17.9	14.8-21.0	580	53.5	48.8-58.2
H.S. or G.E.D.	3828	574,062	612	18.0	16.0-20.0	164	4.8	03.8-05.8	1149	25.4	23.6-27.2	1903	51.8	49.4-54.2
Some Post-H.S.	5026	818,115	642	11.9	10.7-13.1	198	4.2	03.4-05.0	1507	26.3	24.7-27.9	2679	57.7	55.7-59.7
College Graduate	4682	836,312	212	3.9	03.1-04.7	118	2.4	01.8-03.0	1207	22.5	20.9-24.1	3145	71.2	69.6-72.8
Less than \$15,000	1310	163,987	295	23.2	19.3-27.1	88	8.6	06.1-11.1	358	21.9	18.8-25.0	569	46.3	41.8-50.8
\$15,000- 24,999	2475	343,922	405	19.3	16.8-21.8	122	4.9	03.5-06.3	713	23.3	20.9-25.7	1235	52.5	49.4-55.6
\$25,000- 34,999	1857	260,883	238	13.2	11.0-15.4	71	4.1	02.9-05.3	544	26.0	23.3-28.7	1004	56.7	53.6-59.8
\$35,000- 49,999	2266	355,423	257	11.9	10.1-13.7	78	4.0	02.8-05.2	664	25.4	23.0-27.8	1267	58.7	56.0-61.4
\$50,000- 74,999	2221	389,653	182	8.4	06.8-10.0	67	3.2	02.2-04.2	604	25.2	22.8-27.6	1368	63.2	60.7-65.7
\$75,000+	2530	555,758	139	5.3	04.1-06.5	52	2.0	01.4-02.6	697	24.4	22.4-26.4	1642	68.3	66.1-70.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	23627	4,787,465	19846	82.9	82.1-83.7	3781	17.1	16.3-17.9	
Male	8938	2,368,226	7384	81.1	79.9-82.3	1554	18.9	17.7-20.1	
Female	14689	2,419,239	12462	84.7	83.9-85.5	2227	15.3	14.5-16.1	
White/Non-Hisp	20453	3,914,857	17224	83.3	82.5-84.1	3229	16.7	15.9-17.5	
Black or Afr. Am./Non-Hisp	244	86,246	190	74.4	66.2-82.6	54	25.6	17.4-33.8	
Oth. Race/Non-Hisp.	784	232,616	646	85.0	81.5-88.5	138	15.0	11.5-18.5	
MultiRacial/Non-Hisp.	618	132,807	453	71.3	65.6-77.0	165	28.7	23.0-34.4	
Hispanic	1317	382,860	1153	84.1	80.8-87.4	164	15.9	12.6-19.2	
18-24	1076	633,109	797	74.7	71.4-78.0	279	25.3	22.0-28.6	
25-34	2557	849,445	2040	80.1	77.9-82.3	517	19.9	17.7-22.1	
35-44	3645	943,537	2938	82.8	81.2-84.4	707	17.2	15.6-18.8	
45-54	4824	948,294	3843	81.1	79.7-82.5	981	18.9	17.5-20.3	
55-64	4931	681,109	4189	86.2	84.8-87.6	742	13.8	12.4-15.2	
65+	6572	727,796	6021	93.0	92.2-93.8	551	7.0	06.2-07.8	
Less Than H.S.	1828	391,219	1341	69.6	66.1-73.1	487	30.4	26.9-33.9	
H.S. or G.E.D.	6047	1,161,408	4708	73.8	72.0-75.6	1339	26.2	24.4-28.0	
Some Post-H.S.	7592	1,497,431	6258	81.9	80.5-83.3	1334	18.1	16.7-19.5	
College Graduate	8120	1,730,380	7502	92.9	92.1-93.7	618	7.1	06.3-07.9	
Less than \$15,000	1851	291,174	1279	68.8	65.1-72.5	572	31.2	27.5-34.9	
\$15,000- 24,999	3763	672,608	2897	72.9	70.4-75.4	866	27.1	24.6-29.6	
\$25,000- 34,999	2970	496,234	2454	81.6	79.4-83.8	516	18.4	16.2-20.6	
\$35,000- 49,999	3806	704,710	3178	81.0	79.2-82.8	628	19.0	17.2-20.8	
\$50,000- 74,999	3797	790,946	3328	85.7	84.1-87.3	469	14.3	12.7-15.9	
\$75,000+	4574	1,236,227	4193	91.0	89.8-92.2	381	9.0	07.8-10.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8938	2,368,226	7384	81.1	79.9-82.3	1554	18.9	17.7-20.1
White/Non-Hisp	7696	1,906,451	6399	82.0	80.8-83.2	1297	18.0	16.8-19.2
Oth. Race/Non-Hisp.	301	124,952	244	81.6	75.7-87.5	57	18.4	12.5-24.3
MultiRacial/Non-Hisp.	227	64,585	159	64.9	55.7-74.1	68	35.1	25.9-44.3
Hispanic	515	207,064	418	79.2	73.7-84.7	97	20.8	15.3-26.3
18-24	432	329,891	315	73.9	68.8-79.0	117	26.1	21.0-31.2
25-34	929	435,566	712	75.7	72.2-79.2	217	24.3	20.8-27.8
35-44	1328	477,034	1062	82.1	79.6-84.6	266	17.9	15.4-20.4
45-54	1849	470,343	1437	79.3	76.9-81.7	412	20.7	18.3-23.1
55-64	1996	336,087	1658	84.7	82.5-86.9	338	15.3	13.1-17.5
65+	2395	317,432	2192	93.5	92.3-94.7	203	6.5	05.3-07.7
Less Than H.S.	698	204,094	491	67.8	62.5-73.1	207	32.2	26.9-37.5
H.S. or G.E.D.	2219	587,347	1656	70.6	67.5-73.7	563	29.4	26.3-32.5
Some Post-H.S.	2566	679,316	2072	79.5	77.1-81.9	494	20.5	18.1-22.9
College Graduate	3438	894,068	3150	92.2	91.0-93.4	288	7.8	06.6-09.0
Less than \$15,000	541	127,187	352	69.6	63.1-76.1	189	30.4	23.9-36.9
\$15,000- 24,999	1288	328,686	949	69.9	65.8-74.0	339	30.1	26.0-34.2
\$25,000- 34,999	1113	235,351	906	80.3	76.8-83.8	207	19.7	16.2-23.2
\$35,000- 49,999	1540	349,287	1247	77.9	75.0-80.8	293	22.1	19.2-25.0
\$50,000- 74,999	1576	401,293	1356	83.0	80.3-85.7	220	17.0	14.3-19.7
\$75,000+	2044	680,469	1854	89.6	87.8-91.4	190	10.4	08.6-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14689	2,419,239	12462	84.7	83.9-85.5	2227	15.3	14.5-16.1
White/Non-Hisp	12757	2,008,406	10825	84.5	83.5-85.5	1932	15.5	14.5-16.5
Black or Afr. Am./Non-Hisp	143	38,790	114	79.7	71.3-88.1	29	20.3	11.9-28.7
Oth. Race/Non-Hisp.	483	107,664	402	88.9	85.4-92.4	81	11.1	07.6-14.6
MultiRacial/Non-Hisp.	391	68,222	294	77.3	71.4-83.2	97	22.7	16.8-28.6
Hispanic	802	175,796	735	89.9	86.6-93.2	67	10.1	06.8-13.4
18-24	644	303,218	482	75.5	71.4-79.6	162	24.5	20.4-28.6
25-34	1628	413,878	1328	84.7	82.5-86.9	300	15.3	13.1-17.5
35-44	2317	466,503	1876	83.5	81.7-85.3	441	16.5	14.7-18.3
45-54	2975	477,951	2406	82.9	81.3-84.5	569	17.1	15.5-18.7
55-64	2935	345,022	2531	87.7	86.3-89.1	404	12.3	10.9-13.7
65+	4177	410,364	3829	92.6	91.6-93.6	348	7.4	06.4-08.4
Less Than H.S.	1130	187,125	850	71.5	67.2-75.8	280	28.5	24.2-32.8
H.S. or G.E.D.	3828	574,062	3052	77.2	75.2-79.2	776	22.8	20.8-24.8
Some Post-H.S.	5026	818,115	4186	83.9	82.5-85.3	840	16.1	14.7-17.5
College Graduate	4682	836,312	4352	93.7	92.9-94.5	330	6.3	05.5-07.1
Less than \$15,000	1310	163,987	927	68.2	64.1-72.3	383	31.8	27.7-35.9
\$15,000- 24,999	2475	343,922	1948	75.8	73.1-78.5	527	24.2	21.5-26.9
\$25,000- 34,999	1857	260,883	1548	82.7	80.3-85.1	309	17.3	14.9-19.7
\$35,000- 49,999	2266	355,423	1931	84.1	81.9-86.3	335	15.9	13.7-18.1
\$50,000- 74,999	2221	389,653	1972	88.4	86.6-90.2	249	11.6	09.8-13.4
\$75,000+	2530	555,758	2339	92.6	91.4-93.8	191	7.4	06.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	36
2 MALES ONLY	37
3 FEMALES ONLY	38
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	39
5 MALES ONLY	40
6 FEMALES ONLY	41
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	42
8 MALES ONLY	43
9 FEMALES ONLY	44
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	45
11 MALES ONLY	46
12 FEMALES ONLY	47
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	48
14 MALES ONLY	49
15 FEMALES ONLY	50
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	51
17 MALES ONLY	52
18 FEMALES ONLY	53

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	54
20	MALES ONLY	55
21	FEMALES ONLY	56
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	57
23	MALES ONLY	58
24	FEMALES ONLY	59
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	60
26	MALES ONLY	61
27	FEMALES ONLY	62
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	63
29	MALES ONLY	64
30	FEMALES ONLY	65
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	66
32	MALES ONLY	67
33	FEMALES ONLY	68
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	69
35	MALES ONLY	70
36	FEMALES ONLY	71
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	72
38	MALES ONLY	73
39	FEMALES ONLY	74

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 11: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	75
41	MALES ONLY	76
42	FEMALES ONLY	77
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	78
44	MALES ONLY	79
45	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White		N	Black		N	Asian		N	Native Hawaiian or Pacific Islander		N	American Indian or Alaska Native		N	Multiracial, Other Race or No Preferred Race	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	23531	4,762,667	21593	87.7	86.9-88.5	283	2.1	01.7-02.5	412	3.1	02.7-03.5	81	0.8	00.6-01.0	410	1.6	01.4-01.8	752	4.7	04.3-05.1
Male	8877	2,352,098	8121	86.7	85.5-87.9	117	2.3	01.7-02.9	152	3.3	02.7-03.9	27	0.8	00.4-01.2	159	1.7	01.3-02.1	301	5.3	04.5-06.1
Female	14654	2,410,569	13472	88.7	87.9-89.5	166	1.9	01.5-02.3	260	3.0	02.6-03.4	54	0.7	00.5-00.9	251	1.6	01.2-02.0	451	4.1	03.5-04.7
18-24	1068	623,888	881	80.1	76.8-83.4	29	4.3	02.1-06.5	25	3.2	01.6-04.8	10	2.1	00.7-03.5	38	2.2	01.2-03.2	85	8.1	05.9-10.3
25-34	2535	844,547	2094	80.9	78.7-83.1	55	2.5	01.7-03.3	86	4.6	03.4-05.8	18	1.1	00.3-01.9	55	1.6	01.0-02.2	227	9.2	07.6-10.8
35-44	3623	938,987	3165	85.6	84.0-87.2	66	2.2	01.6-02.8	109	4.5	03.5-05.5	17	0.6	00.2-01.0	69	1.6	01.0-02.2	197	5.5	04.5-06.5
45-54	4812	947,774	4422	90.1	88.9-91.3	69	1.8	01.4-02.2	91	2.9	02.1-03.7	17	0.5	00.3-00.7	99	2.0	01.4-02.6	114	2.8	02.2-03.4
55-64	4912	678,279	4662	94.0	93.0-95.0	37	1.3	00.7-01.9	52	1.7	01.1-02.3	9	0.3	00.1-00.5	87	1.4	01.0-01.8	65	1.4	00.8-02.0
65+	6566	726,686	6356	96.0	95.4-96.6	27	0.6	00.4-00.8	48	1.3	00.9-01.7	10	0.3	00.1-00.5	61	0.8	00.6-01.0	64	1.0	00.6-01.4
Less Than H.S.	1800	381,868	1364	68.6	65.1-72.1	27	3.3	01.5-05.1	15	0.8	00.2-01.4	4	0.4	00.0-00.8	65	3.5	02.1-04.9	325	23.5	20.2-26.8
H.S. or G.E.D.	6037	1,157,137	5571	86.8	85.2-88.4	63	1.8	01.2-02.4	52	1.9	01.3-02.5	25	1.3	00.5-02.1	135	2.2	01.6-02.8	191	6.0	04.8-07.2
Some Post-H.S.	7568	1,493,393	7070	90.2	89.0-91.4	109	2.8	02.0-03.6	92	2.2	01.6-02.8	26	0.7	00.3-01.1	136	1.7	01.3-02.1	135	2.3	01.7-02.9
College Graduate	8093	1,724,195	7558	90.4	89.4-91.4	84	1.3	00.9-01.7	251	5.3	04.5-06.1	26	0.5	00.3-00.7	73	0.7	00.5-00.9	101	1.8	01.4-02.2
Less than \$15,000	1834	286,920	1590	78.4	73.9-82.9	36	5.1	01.6-08.6	8	1.7	00.0-03.5	4	0.1	00.0-00.3	71	3.3	01.9-04.7	125	11.4	08.3-14.5
\$15,000- 24,999	3737	666,364	3268	78.5	76.0-81.0	51	2.5	01.7-03.3	40	2.1	01.3-02.9	11	1.1	00.1-02.1	107	2.9	01.9-03.9	260	12.9	10.7-15.1
\$25,000- 34,999	2964	493,568	2736	87.5	85.5-89.5	31	1.5	00.9-02.1	42	3.2	02.0-04.4	7	0.6	00.0-01.2	54	2.2	01.2-03.2	94	5.0	03.8-06.2
\$35,000- 49,999	3801	703,699	3563	90.7	89.3-92.1	52	2.4	01.6-03.2	54	2.1	01.5-02.7	17	0.8	00.2-01.4	52	1.6	01.0-02.2	63	2.3	01.5-03.1
\$50,000- 74,999	3798	791,239	3580	91.1	89.5-92.7	42	1.9	01.1-02.7	72	3.4	02.4-04.4	16	0.9	00.3-01.5	39	1.2	00.6-01.8	49	1.6	01.0-02.2
\$75,000+	4571	1,234,852	4286	92.0	90.8-93.2	41	1.2	00.8-01.6	122	3.9	03.1-04.7	15	0.5	00.1-00.9	51	0.9	00.7-01.1	56	1.4	01.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8877	2,352,098	8121	86.7	85.5-87.9	117	2.3	01.7-02.9	152	3.3	02.7-03.9	27	0.8	00.4-01.2	159	1.7	01.3-02.1	301	5.3	04.5-06.1
18-24	427	323,789	344	77.3	71.8-82.8	12	5.0	01.5-08.5	11	3.3	00.9-05.7	6	2.7	00.5-04.9	15	2.2	00.6-03.8	39	9.5	05.8-13.2
25-34	922	433,371	767	81.1	77.8-84.4	19	2.1	01.1-03.1	30	4.4	02.6-06.2	6	1.2	00.0-02.4	15	1.2	00.4-02.0	85	9.9	07.4-12.4
35-44	1322	475,339	1142	83.9	81.4-86.4	30	2.5	01.5-03.5	42	4.9	03.3-06.5	6	0.6	00.0-01.2	26	1.9	00.9-02.9	76	6.1	04.5-07.7
45-54	1841	469,607	1687	90.0	88.0-92.0	31	1.9	01.1-02.7	33	2.9	01.7-04.1	2	0.1	00.0-00.3	40	2.2	01.2-03.2	48	2.9	01.9-03.9
55-64	1979	333,813	1870	93.9	92.3-95.5	16	1.6	00.4-02.8	20	1.5	00.7-02.3	3	0.3	00.0-00.7	40	1.4	00.8-02.0	30	1.3	00.7-01.9
65+	2381	315,177	2307	95.8	94.6-97.0	9	0.5	00.1-00.9	16	1.6	00.8-02.4	4	0.2	00.0-00.4	22	0.6	00.2-01.0	23	1.2	00.6-01.8
Less Than H.S.	689	197,797	517	67.0	61.3-72.7	11	3.0	00.6-05.4	3	0.3	00.0-00.7	1	0.1	00.0-00.3	28	5.0	02.5-07.5	129	24.6	19.3-29.9
H.S. or G.E.D.	2209	586,097	2018	85.0	82.3-87.7	23	1.8	00.8-02.8	17	1.9	00.9-02.9	10	1.8	00.6-03.0	51	1.9	01.1-02.7	90	7.6	05.4-09.8
Some Post-H.S.	2550	675,648	2373	89.5	87.1-91.9	48	3.7	01.9-05.5	30	2.2	01.2-03.2	7	0.8	00.0-01.6	49	1.6	01.0-02.2	43	2.2	01.2-03.2
College Graduate	3416	889,621	3201	90.2	88.6-91.8	35	1.3	00.7-01.9	102	5.6	04.4-06.8	9	0.3	00.1-00.5	30	0.8	00.4-01.2	39	1.8	01.0-02.6
Less than \$15,000	535	125,444	457	71.9	63.1-80.7	12	6.4	00.0-13.5	5	3.6	00.0-07.7				17	1.8	00.2-03.4	44	16.2	09.5-22.9
\$15,000- 24,999	1281	324,049	1082	74.4	70.3-78.5	22	2.7	01.3-04.1	14	2.2	00.8-03.6	4	1.3	00.0-02.9	40	3.2	01.6-04.8	119	16.1	12.4-19.8
\$25,000- 34,999	1109	233,548	1023	88.1	85.0-91.2	9	0.9	00.3-01.5	15	2.4	01.0-03.8	4	1.1	00.0-02.3	26	2.9	01.1-04.7	32	4.6	02.6-06.6
\$35,000- 49,999	1530	347,694	1439	90.8	88.4-93.2	18	2.4	01.0-03.8	16	1.8	00.8-02.8	7	0.8	00.0-01.6	25	2.0	01.0-03.0	25	2.1	01.1-03.1
\$50,000- 74,999	1575	401,090	1473	89.4	86.9-91.9	25	2.8	01.2-04.4	30	3.7	02.1-05.3	5	1.0	00.0-02.2	18	1.2	00.4-02.0	24	1.9	00.9-02.9
\$75,000+	2039	678,638	1920	92.3	90.7-93.9	21	1.3	00.7-01.9	46	3.6	02.4-04.8	5	0.5	00.1-00.9	25	0.9	00.5-01.3	22	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14654	2,410,569	13472	88.7	87.9-89.5	166	1.9	01.5-02.3	260	3.0	02.6-03.4	54	0.7	00.5-00.9	251	1.6	01.2-02.0	451	4.1	03.5-04.7
18-24	641	300,100	537	83.1	79.2-87.0	17	3.5	01.5-05.5	14	3.1	01.3-04.9	4	1.4	00.0-03.2	23	2.2	00.8-03.6	46	6.6	04.2-09.0
25-34	1613	411,176	1327	80.8	78.4-83.2	36	2.9	01.9-03.9	56	4.8	03.4-06.2	12	1.0	00.4-01.6	40	2.1	01.3-02.9	142	8.5	06.9-10.1
35-44	2301	463,648	2023	87.3	85.5-89.1	36	1.9	01.1-02.7	67	4.1	03.1-05.1	11	0.6	00.2-01.0	43	1.3	00.7-01.9	121	4.9	03.7-06.1
45-54	2971	478,167	2735	90.2	88.6-91.8	38	1.6	01.0-02.2	58	2.8	02.0-03.6	15	0.8	00.2-01.4	59	1.8	01.2-02.4	66	2.7	01.9-03.5
55-64	2933	344,466	2792	94.0	92.8-95.2	21	0.9	00.5-01.3	32	1.9	01.1-02.7	6	0.3	00.1-00.5	47	1.3	00.7-01.9	35	1.6	00.8-02.4
65+	4185	411,509	4049	96.2	95.4-97.0	18	0.6	00.2-01.0	32	1.1	00.7-01.5	6	0.3	00.1-00.5	39	1.0	00.6-01.4	41	0.9	00.5-01.3
Less Than H.S.	1111	184,071	847	70.4	66.1-74.7	16	3.5	01.0-06.0	12	1.3	00.3-02.3	3	0.6	00.0-01.4	37	1.9	01.1-02.7	196	22.2	18.5-25.9
H.S. or G.E.D.	3828	571,040	3553	88.6	86.8-90.4	40	1.8	01.2-02.4	35	1.8	01.0-02.6	15	0.8	00.2-01.4	84	2.6	01.6-03.6	101	4.4	03.2-05.6
Some Post-H.S.	5018	817,745	4697	90.8	89.4-92.2	61	2.1	01.5-02.7	62	2.2	01.4-03.0	19	0.7	00.1-01.3	87	1.7	01.1-02.3	92	2.4	01.8-03.0
College Graduate	4677	834,574	4357	90.7	89.5-91.9	49	1.3	00.9-01.7	149	4.9	03.9-05.9	17	0.7	00.3-01.1	43	0.6	00.4-00.8	62	1.7	01.1-02.3
Less than \$15,000	1299	161,476	1133	83.4	79.7-87.1	24	4.1	01.6-06.6	3	0.2	00.0-00.4	4	0.2	00.0-00.4	54	4.5	02.3-06.7	81	7.6	05.4-09.8
\$15,000- 24,999	2456	342,315	2186	82.3	79.6-85.0	29	2.3	01.3-03.3	26	2.0	01.0-03.0	7	0.9	00.0-01.9	67	2.7	01.7-03.7	141	9.9	07.7-12.1
\$25,000- 34,999	1855	260,020	1713	87.1	84.6-89.6	22	2.0	01.0-03.0	27	3.8	02.0-05.6	3	0.1	00.0-00.3	28	1.6	00.6-02.6	62	5.4	03.8-07.0
\$35,000- 49,999	2271	356,005	2124	90.6	88.8-92.4	34	2.5	01.5-03.5	38	2.3	01.3-03.3	10	0.8	00.2-01.4	27	1.3	00.7-01.9	38	2.5	01.5-03.5
\$50,000- 74,999	2223	390,149	2107	92.8	91.2-94.4	17	0.9	00.3-01.5	42	3.1	02.1-04.1	11	0.9	00.3-01.5	21	1.2	00.6-01.8	25	1.2	00.6-01.8
\$75,000+	2532	556,214	2366	91.7	90.3-93.1	20	1.2	00.6-01.8	76	4.2	03.2-05.2	10	0.5	00.1-00.9	26	0.9	00.5-01.3	34	1.4	00.8-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23531	4,762,667	21181	85.9	85.1-86.7	258	1.9	01.5-02.3	387	2.9	02.5-03.3	73	0.7	00.5-00.9	323	1.3	01.1-01.5	1309	7.3	06.7-07.9
Male	8877	2,352,098	7965	84.8	83.6-86.0	106	2.1	01.5-02.7	142	3.1	02.5-03.7	25	0.8	00.4-01.2	134	1.5	01.1-01.9	505	7.8	06.8-08.8
Female	14654	2,410,569	13216	86.9	86.1-87.7	152	1.7	01.3-02.1	245	2.8	02.4-03.2	48	0.6	00.4-00.8	189	1.2	01.0-01.4	804	6.8	06.2-07.4
18-24	1068	623,888	849	77.3	73.8-80.8	27	4.0	01.8-06.2	24	3.1	01.7-04.5	8	1.7	00.5-02.9	31	1.8	00.8-02.8	129	12.1	09.6-14.6
25-34	2535	844,547	2046	79.0	76.8-81.2	50	2.3	01.5-03.1	79	4.1	03.1-05.1	17	1.1	00.5-01.7	45	1.4	00.8-02.0	298	12.1	10.3-13.9
35-44	3623	938,987	3109	83.8	82.2-85.4	62	2.1	01.5-02.7	103	4.2	03.2-05.2	14	0.5	00.3-00.7	56	1.3	00.7-01.9	279	8.0	06.8-09.2
45-54	4812	947,774	4339	88.6	87.4-89.8	61	1.6	01.2-02.0	85	2.7	01.9-03.5	16	0.4	00.2-00.6	80	1.7	01.1-02.3	231	5.0	04.2-05.8
55-64	4912	678,279	4579	92.3	91.1-93.5	36	1.2	00.6-01.8	48	1.6	01.0-02.2	9	0.3	00.1-00.5	63	1.0	00.6-01.4	177	3.7	02.9-04.5
65+	6566	726,686	6246	94.5	93.7-95.3	22	0.5	00.3-00.7	47	1.3	00.9-01.7	9	0.2	00.0-00.4	47	0.7	00.5-00.9	195	2.9	02.3-03.5
Less Than H.S.	1800	381,868	1314	65.4	61.7-69.1	26	3.1	01.3-04.9	15	0.8	00.2-01.4	3	0.2	00.0-00.4	49	3.0	01.6-04.4	393	27.5	24.0-31.0
H.S. or G.E.D.	6037	1,157,137	5468	84.6	82.8-86.4	58	1.6	01.0-02.2	47	1.7	01.1-02.3	23	1.2	00.4-02.0	105	1.8	01.2-02.4	336	9.0	07.6-10.4
Some Post-H.S.	7568	1,493,393	6912	88.2	86.8-89.6	98	2.6	01.8-03.4	82	1.9	01.3-02.5	23	0.6	00.2-01.0	112	1.4	01.0-01.8	341	5.4	04.6-06.2
College Graduate	8093	1,724,195	7458	89.3	88.3-90.3	76	1.2	00.8-01.6	241	5.1	04.3-05.9	24	0.5	00.3-00.7	56	0.6	00.4-00.8	238	3.3	02.7-03.9
Less than \$15,000	1834	286,920	1528	74.9	70.4-79.4	33	4.7	01.4-08.0	7	1.6	00.0-03.4	4	0.1	00.0-00.3	50	2.6	01.2-04.0	212	16.1	12.6-19.6
\$15,000- 24,999	3737	666,364	3182	76.0	73.5-78.5	47	2.3	01.5-03.1	39	2.0	01.2-02.8	9	1.0	00.0-02.0	83	2.5	01.7-03.3	377	16.2	14.0-18.4
\$25,000- 34,999	2964	493,568	2686	85.6	83.4-87.8	29	1.4	00.8-02.0	39	3.0	01.8-04.2	7	0.6	00.0-01.2	41	1.6	00.8-02.4	162	7.8	06.2-09.4
\$35,000- 49,999	3801	703,699	3497	89.1	87.5-90.7	47	2.3	01.5-03.1	47	1.7	01.1-02.3	15	0.7	00.3-01.1	43	1.3	00.7-01.9	152	4.9	03.9-05.9
\$50,000- 74,999	3798	791,239	3526	89.2	87.6-90.8	39	1.8	01.0-02.6	71	3.4	02.4-04.4	15	0.9	00.3-01.5	35	1.1	00.5-01.7	112	3.7	02.7-04.7
\$75,000+	4571	1,234,852	4238	90.7	89.5-91.9	38	1.2	00.8-01.6	113	3.6	02.8-04.4	15	0.5	00.1-00.9	45	0.8	00.6-01.0	122	3.2	02.4-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8877	2,352,098	7965	84.8	83.6-86.0	106	2.1	01.5-02.7	142	3.1	02.5-03.7	25	0.8	00.4-01.2	134	1.5	01.1-01.9	505	7.8	06.8-08.8
18-24	427	323,789	333	74.9	69.2-80.6	10	4.5	01.0-08.0	11	3.3	00.9-05.7	6	2.7	00.5-04.9	13	2.0	00.6-03.4	54	12.5	08.6-16.4
25-34	922	433,371	751	78.9	75.4-82.4	17	1.9	00.9-02.9	26	3.7	02.1-05.3	6	1.2	00.0-02.4	14	1.2	00.4-02.0	108	13.1	10.2-16.0
35-44	1322	475,339	1121	81.9	79.2-84.6	29	2.4	01.4-03.4	40	4.8	03.2-06.4	5	0.5	00.1-00.9	21	1.7	00.7-02.7	106	8.8	06.8-10.8
45-54	1841	469,607	1654	88.3	86.3-90.3	27	1.6	00.8-02.4	31	2.8	01.6-04.0	2	0.1	00.0-00.3	35	2.0	01.2-02.8	92	5.2	03.8-06.6
55-64	1979	333,813	1836	92.3	90.5-94.1	16	1.6	00.4-02.8	18	1.4	00.6-02.2	3	0.3	00.0-00.7	31	1.2	00.6-01.8	75	3.3	02.3-04.3
65+	2381	315,177	2266	94.5	93.1-95.9	7	0.4	00.0-00.8	16	1.6	00.8-02.4	3	0.1	00.0-00.3	19	0.6	00.2-01.0	70	2.8	02.0-03.6
Less Than H.S.	689	197,797	494	63.1	57.4-68.8	10	2.7	00.3-05.1	3	0.3	00.0-00.7	1	0.1	00.0-00.3	24	4.6	02.1-07.1	157	29.2	23.7-34.7
H.S. or G.E.D.	2209	586,097	1976	82.5	79.6-85.4	20	1.6	00.6-02.6	17	1.9	00.9-02.9	9	1.7	00.5-02.9	41	1.7	00.9-02.5	146	10.6	08.2-13.0
Some Post-H.S.	2550	675,648	2316	87.3	84.9-89.7	44	3.4	01.6-05.2	25	1.8	00.8-02.8	7	0.8	00.0-01.6	45	1.5	00.9-02.1	113	5.2	03.8-06.6
College Graduate	3416	889,621	3167	89.3	87.7-90.9	32	1.2	00.6-01.8	97	5.3	04.1-06.5	8	0.3	00.1-00.5	23	0.7	00.3-01.1	89	3.2	02.4-04.0
Less than \$15,000	535	125,444	435	67.5	58.7-76.3	10	5.7	00.0-12.8	5	3.6	00.0-07.7				11	1.3	00.0-02.9	74	21.8	14.7-28.9
\$15,000- 24,999	1281	324,049	1060	71.6	67.3-75.9	21	2.5	01.3-03.7	13	2.1	00.7-03.5	3	1.2	00.0-02.8	34	3.0	01.4-04.6	150	19.6	15.7-23.5
\$25,000- 34,999	1109	233,548	1006	86.2	82.9-89.5	8	0.8	00.2-01.4	14	2.3	00.9-03.7	4	1.1	00.0-02.3	19	2.3	00.7-03.9	58	7.3	04.9-09.7
\$35,000- 49,999	1530	347,694	1410	88.9	86.4-91.4	16	2.2	00.8-03.6	13	1.5	00.7-02.3	6	0.8	00.0-01.6	23	1.9	00.9-02.9	62	4.8	03.2-06.4
\$50,000- 74,999	1575	401,090	1451	88.1	85.6-90.6	25	2.8	01.2-04.4	30	3.7	02.1-05.3	5	1.0	00.0-02.2	18	1.2	00.4-02.0	46	3.2	02.0-04.4
\$75,000+	2039	678,638	1893	90.7	88.9-92.5	18	1.1	00.5-01.7	43	3.5	02.3-04.7	5	0.5	00.1-00.9	23	0.8	00.4-01.2	57	3.4	02.2-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14654	2,410,569	13216	86.9	86.1-87.7	152	1.7	01.3-02.1	245	2.8	02.4-03.2	48	0.6	00.4-00.8	189	1.2	01.0-01.4	804	6.8	06.2-07.4
18-24	641	300,100	516	79.8	75.7-83.9	17	3.5	01.5-05.5	13	2.9	01.1-04.7	2	0.6	00.0-01.6	18	1.6	00.2-03.0	75	11.6	08.5-14.7
25-34	1613	411,176	1295	79.2	76.7-81.7	33	2.6	01.6-03.6	53	4.5	03.1-05.9	11	0.9	00.3-01.5	31	1.6	00.8-02.4	190	11.2	09.4-13.0
35-44	2301	463,648	1988	85.9	84.1-87.7	33	1.8	01.0-02.6	63	3.7	02.7-04.7	9	0.4	00.0-00.8	35	1.0	00.6-01.4	173	7.2	05.8-08.6
45-54	2971	478,167	2685	88.8	87.2-90.4	34	1.5	00.9-02.1	54	2.7	01.9-03.5	14	0.8	00.4-01.2	45	1.4	00.8-02.0	139	4.8	03.8-05.8
55-64	2933	344,466	2743	92.3	90.9-93.7	20	0.9	00.5-01.3	30	1.7	01.1-02.3	6	0.3	00.1-00.5	32	0.8	00.4-01.2	102	4.1	02.9-05.3
65+	4185	411,509	3980	94.4	93.4-95.4	15	0.5	00.3-00.7	31	1.0	00.6-01.4	6	0.3	00.1-00.5	28	0.8	00.4-01.2	125	3.0	02.4-03.6
Less Than H.S.	1111	184,071	820	67.8	63.3-72.3	16	3.5	01.0-06.0	12	1.3	00.3-02.3	2	0.3	00.0-00.7	25	1.3	00.5-02.1	236	25.7	21.6-29.8
H.S. or G.E.D.	3828	571,040	3492	86.8	85.0-88.6	38	1.7	01.1-02.3	30	1.5	00.7-02.3	14	0.7	00.1-01.3	64	2.0	01.2-02.8	190	7.2	05.8-08.6
Some Post-H.S.	5018	817,745	4596	88.9	87.5-90.3	54	1.9	01.3-02.5	57	2.0	01.2-02.8	16	0.4	00.2-00.6	67	1.3	00.9-01.7	228	5.5	04.5-06.5
College Graduate	4677	834,574	4291	89.3	88.1-90.5	44	1.2	00.8-01.6	144	4.7	03.9-05.5	16	0.7	00.3-01.1	33	0.5	00.3-00.7	149	3.5	02.7-04.3
Less than \$15,000	1299	161,476	1093	80.6	76.9-84.3	23	3.8	01.3-06.3	2	0.1	00.0-00.3	4	0.2	00.0-00.4	39	3.6	01.4-05.8	138	11.6	09.1-14.1
\$15,000- 24,999	2456	342,315	2122	80.1	77.4-82.8	26	2.1	01.1-03.1	26	2.0	01.0-03.0	6	0.8	00.0-01.8	49	2.0	01.2-02.8	227	13.0	10.6-15.4
\$25,000- 34,999	1855	260,020	1680	85.0	82.3-87.7	21	1.8	00.8-02.8	25	3.7	01.9-05.5	3	0.1	00.0-00.3	22	1.0	00.4-01.6	104	8.3	06.3-10.3
\$35,000- 49,999	2271	356,005	2087	89.3	87.5-91.1	31	2.4	01.4-03.4	34	1.8	01.0-02.6	9	0.7	00.1-01.3	20	0.8	00.4-01.2	90	5.0	03.6-06.4
\$50,000- 74,999	2223	390,149	2075	90.4	88.4-92.4	14	0.7	00.3-01.1	41	3.0	02.0-04.0	10	0.8	00.2-01.4	17	1.0	00.4-01.6	66	4.1	02.7-05.5
\$75,000+	2532	556,214	2345	90.8	89.2-92.4	20	1.2	00.6-01.8	70	3.8	02.8-04.8	10	0.5	00.1-00.9	22	0.8	00.4-01.2	65	2.8	02.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22218	4,385,202	20560	89.6	88.8-90.4	247	2.0	01.6-02.4	379	3.1	02.7-03.5	70	0.7	00.5-00.9	288	1.2	01.0-01.4	674	3.3	02.9-03.7
Male	8361	2,148,971	7730	88.9	87.7-90.1	101	2.2	01.6-02.8	141	3.3	02.7-03.9	24	0.8	00.4-01.2	110	1.3	00.9-01.7	255	3.4	02.8-04.0
Female	13857	2,236,232	12830	90.3	89.5-91.1	146	1.8	01.4-02.2	238	2.9	02.5-03.3	46	0.6	00.4-00.8	178	1.1	00.9-01.3	419	3.3	02.9-03.7
18-24	911	540,472	785	83.4	79.9-86.9	27	4.7	02.3-07.1	24	3.6	01.8-05.4	8	2.0	00.6-03.4	20	1.3	00.3-02.3	47	5.0	03.2-06.8
25-34	2165	715,946	1902	86.4	84.4-88.4	46	2.5	01.7-03.3	76	4.7	03.5-05.9	17	1.3	00.5-02.1	41	1.4	00.8-02.0	83	3.8	02.8-04.8
35-44	3302	849,596	2975	88.0	86.4-89.6	57	2.2	01.6-02.8	101	4.6	03.6-05.6	14	0.5	00.1-00.9	51	1.3	00.7-01.9	104	3.5	02.7-04.3
45-54	4613	904,274	4240	90.6	89.4-91.8	60	1.6	01.2-02.0	83	2.8	02.0-03.6	13	0.4	00.2-00.6	74	1.7	01.1-02.3	143	2.9	02.3-03.5
55-64	4789	661,094	4502	93.1	91.9-94.3	35	1.2	00.6-01.8	48	1.6	01.0-02.2	9	0.3	00.1-00.5	60	0.9	00.5-01.3	135	2.8	02.0-03.6
65+	6424	711,614	6144	95.0	94.2-95.8	22	0.5	00.3-00.7	46	1.3	00.9-01.7	9	0.2	00.0-00.4	41	0.6	00.4-00.8	162	2.4	02.0-02.8
Less Than H.S.	1286	240,855	1123	83.4	79.5-87.3	23	4.8	02.1-07.5	15	1.3	00.5-02.1	3	0.3	00.0-00.7	40	3.1	01.3-04.9	82	7.2	04.7-09.7
H.S. or G.E.D.	5672	1,038,379	5293	89.7	88.1-91.3	58	1.8	01.2-02.4	45	1.8	01.0-02.6	20	1.3	00.5-02.1	92	1.8	01.2-02.4	164	3.6	02.8-04.4
Some Post-H.S.	7312	1,424,664	6766	89.9	88.5-91.3	93	2.6	01.8-03.4	80	2.0	01.4-02.6	23	0.6	00.2-01.0	103	1.3	00.9-01.7	247	3.6	02.8-04.4
College Graduate	7920	1,676,362	7354	90.3	89.3-91.3	73	1.2	00.8-01.6	237	5.1	04.3-05.9	24	0.5	00.3-00.7	52	0.6	00.4-00.8	180	2.3	01.9-02.7
Less than \$15,000	1625	233,921	1432	83.2	78.3-88.1	33	5.7	01.6-09.8	7	2.0	00.0-04.2	4	0.2	00.0-00.4	43	2.5	00.9-04.1	106	6.5	04.3-08.7
\$15,000- 24,999	3284	521,404	2988	85.9	83.5-88.3	44	2.8	01.8-03.8	37	2.5	01.3-03.7	9	1.3	00.1-02.5	70	2.6	01.6-03.6	136	4.9	03.5-06.3
\$25,000- 34,999	2812	452,662	2616	89.6	87.6-91.6	27	1.4	00.8-02.0	39	3.3	02.1-04.5	6	0.5	00.0-01.1	38	1.5	00.7-02.3	86	3.7	02.5-04.9
\$35,000- 49,999	3688	677,595	3439	91.0	89.6-92.4	45	2.2	01.4-03.0	45	1.7	01.1-02.3	14	0.7	00.1-01.3	38	1.3	00.7-01.9	107	3.1	02.3-03.9
\$50,000- 74,999	3699	767,454	3468	90.2	88.6-91.8	37	1.7	00.9-02.5	70	3.4	02.4-04.4	14	0.9	00.3-01.5	32	0.9	00.5-01.3	78	2.8	01.8-03.8
\$75,000+	4467	1,203,939	4175	91.6	90.4-92.8	36	1.2	00.8-01.6	112	3.7	02.9-04.5	15	0.5	00.1-00.9	44	0.8	00.6-01.0	85	2.3	01.7-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8361	2,148,971	7730	88.9	87.7-90.1	101	2.2	01.6-02.8	141	3.3	02.7-03.9	24	0.8	00.4-01.2	110	1.3	00.9-01.7	255	3.4	02.8-04.0
18-24	361	278,804	311	82.4	76.9-87.9	10	5.3	01.2-09.4	11	3.8	01.3-06.3	6	3.2	00.7-05.7	5	1.0	00.0-02.2	18	4.3	01.9-06.7
25-34	784	363,846	699	86.9	83.8-90.0	14	2.0	00.8-03.2	26	4.4	02.4-06.4	6	1.5	00.1-02.9	13	1.3	00.5-02.1	26	3.9	02.1-05.7
35-44	1184	421,102	1057	86.1	83.6-88.6	27	2.7	01.5-03.9	39	5.2	03.4-07.0	5	0.5	00.0-01.1	19	1.6	00.6-02.6	37	3.8	02.4-05.2
45-54	1760	447,415	1615	90.3	88.3-92.3	27	1.7	00.9-02.5	31	2.9	01.7-04.1	1	0.0	00.0-00.0	30	2.0	01.0-03.0	56	3.1	02.1-04.1
55-64	1933	327,626	1810	92.8	91.0-94.6	16	1.6	00.4-02.8	18	1.4	00.6-02.2	3	0.3	00.0-00.7	28	1.1	00.5-01.7	58	2.8	01.8-03.8
65+	2334	309,175	2234	95.0	93.8-96.2	7	0.4	00.0-00.8	16	1.6	00.8-02.4	3	0.1	00.0-00.3	14	0.4	00.0-00.8	60	2.4	01.6-03.2
Less Than H.S.	488	122,374	424	82.6	76.9-88.3	7	4.0	00.3-07.7	3	0.5	00.0-01.1	1	0.2	00.0-00.6	18	4.5	01.2-07.8	35	8.1	04.6-11.6
H.S. or G.E.D.	2045	512,822	1904	88.7	86.2-91.2	20	1.8	00.6-03.0	17	2.2	01.0-03.4	8	1.9	00.5-03.3	31	1.6	00.6-02.6	65	3.8	02.4-05.2
Some Post-H.S.	2463	645,634	2264	88.7	86.3-91.1	42	3.4	01.6-05.2	25	1.9	00.9-02.9	7	0.8	00.0-01.6	40	1.4	00.8-02.0	85	3.7	02.5-04.9
College Graduate	3353	865,276	3127	90.2	88.6-91.8	32	1.3	00.7-01.9	96	5.4	04.2-06.6	8	0.3	00.1-00.5	20	0.6	00.2-01.0	70	2.2	01.6-02.8
Less than \$15,000	463	95,466	403	78.8	68.8-88.8	10	7.5	00.0-16.7	5	4.8	00.0-10.1				7	0.5	00.1-00.9	38	8.4	03.9-12.9
\$15,000- 24,999	1077	236,968	979	83.9	79.8-88.0	19	3.3	01.5-05.1	13	2.8	00.8-04.8	3	1.6	00.0-03.8	25	3.1	01.3-04.9	38	5.3	02.9-07.7
\$25,000- 34,999	1045	211,517	976	90.4	87.3-93.5	6	0.7	00.1-01.3	14	2.5	00.9-04.1	3	1.0	00.0-02.4	16	2.0	00.4-03.6	30	3.4	01.6-05.2
\$35,000- 49,999	1486	337,428	1388	90.5	88.1-92.9	16	2.3	00.9-03.7	13	1.5	00.5-02.5	6	0.8	00.0-01.6	19	1.8	00.8-02.8	44	3.1	01.9-04.3
\$50,000- 74,999	1530	388,412	1425	88.9	86.4-91.4	24	2.8	01.2-04.4	30	3.9	02.3-05.5	5	1.0	00.0-02.2	17	1.2	00.4-02.0	29	2.2	01.2-03.2
\$75,000+	2002	662,247	1867	91.3	89.5-93.1	18	1.1	00.5-01.7	43	3.6	02.4-04.8	5	0.5	00.1-00.9	22	0.8	00.4-01.2	47	2.7	01.7-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13857	2,236,232	12830	90.3	89.5-91.1	146	1.8	01.4-02.2	238	2.9	02.5-03.3	46	0.6	00.4-00.8	178	1.1	00.9-01.3	419	3.3	02.9-03.7
18-24	550	261,667	474	84.5	80.4-88.6	17	4.0	01.8-06.2	13	3.3	01.3-05.3	2	0.7	00.0-01.9	15	1.6	00.2-03.0	29	5.9	03.2-08.6
25-34	1381	352,101	1203	85.9	83.5-88.3	32	2.9	01.7-04.1	50	5.0	03.4-06.6	11	1.1	00.3-01.9	28	1.4	00.8-02.0	57	3.6	02.4-04.8
35-44	2118	428,494	1918	89.8	88.2-91.4	30	1.8	01.0-02.6	62	3.9	02.9-04.9	9	0.5	00.1-00.9	32	0.9	00.5-01.3	67	3.2	02.2-04.2
45-54	2853	456,858	2625	91.0	89.6-92.4	33	1.5	00.9-02.1	52	2.6	01.8-03.4	12	0.7	00.1-01.3	44	1.5	00.9-02.1	87	2.7	01.9-03.5
55-64	2856	333,468	2692	93.5	92.1-94.9	19	0.8	00.4-01.2	30	1.8	01.0-02.6	6	0.3	00.1-00.5	32	0.8	00.4-01.2	77	2.8	01.8-03.8
65+	4090	402,439	3910	94.9	93.9-95.9	15	0.5	00.1-00.9	30	1.0	00.6-01.4	6	0.3	00.1-00.5	27	0.8	00.4-01.2	102	2.5	01.9-03.1
Less Than H.S.	798	118,482	699	84.1	78.8-89.4	16	5.5	01.8-09.2	12	2.1	00.7-03.5	2	0.4	00.0-01.0	22	1.6	00.6-02.6	47	6.3	02.6-10.0
H.S. or G.E.D.	3627	525,557	3389	90.6	88.8-92.4	38	1.8	01.0-02.6	28	1.5	00.7-02.3	12	0.7	00.1-01.3	61	1.9	01.1-02.7	99	3.4	02.4-04.4
Some Post-H.S.	4849	779,030	4502	90.9	89.5-92.3	51	1.8	01.2-02.4	55	2.1	01.3-02.9	16	0.4	00.2-00.6	63	1.2	00.8-01.6	162	3.6	02.6-04.6
College Graduate	4567	811,086	4227	90.4	89.2-91.6	41	1.2	00.8-01.6	141	4.8	03.8-05.8	16	0.7	00.3-01.1	32	0.5	00.3-00.7	110	2.5	01.9-03.1
Less than \$15,000	1162	138,455	1029	86.2	82.3-90.1	23	4.5	01.6-07.4	2	0.1	00.0-00.3	4	0.3	00.0-00.7	36	3.8	01.4-06.2	68	5.1	03.3-06.9
\$15,000- 24,999	2207	284,436	2009	87.6	85.2-90.0	25	2.5	01.3-03.7	24	2.2	01.0-03.4	6	1.0	00.0-02.2	45	2.2	01.2-03.2	98	4.5	03.3-05.7
\$25,000- 34,999	1767	241,145	1640	88.8	86.3-91.3	21	2.0	01.0-03.0	25	4.0	02.0-06.0	3	0.1	00.0-00.3	22	1.1	00.5-01.7	56	4.0	02.4-05.6
\$35,000- 49,999	2202	340,166	2051	91.5	89.9-93.1	29	2.2	01.4-03.0	32	1.8	01.0-02.6	8	0.6	00.0-01.2	19	0.8	00.4-01.2	63	3.1	01.9-04.3
\$50,000- 74,999	2169	379,042	2043	91.5	89.5-93.5	13	0.6	00.2-01.0	40	3.0	02.0-04.0	9	0.8	00.2-01.4	15	0.7	00.3-01.1	49	3.4	02.0-04.8
\$75,000+	2465	541,691	2308	91.8	90.4-93.2	18	1.2	00.4-02.0	69	3.8	02.8-04.8	10	0.6	00.2-01.0	22	0.8	00.4-01.2	38	1.8	01.0-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23544	4,770,473	20560	82.4	81.6-83.2	2984	17.6	16.8-18.4
Male	8881	2,358,010	7730	81.1	79.7-82.5	1151	18.9	17.5-20.3
Female	14663	2,412,463	12830	83.7	82.7-84.7	1833	16.3	15.3-17.3
18-24	1074	630,012	785	71.6	67.9-75.3	289	28.4	24.7-32.1
25-34	2549	847,467	1902	73.0	70.6-75.4	647	27.0	24.6-29.4
35-44	3635	940,646	2975	79.5	77.7-81.3	660	20.5	18.7-22.3
45-54	4814	947,693	4240	86.5	85.1-87.9	574	13.5	12.1-14.9
55-64	4912	678,250	4502	90.8	89.6-92.0	410	9.2	08.0-10.4
65+	6546	724,199	6144	93.3	92.5-94.1	402	6.7	05.9-07.5
Less Than H.S.	1826	390,592	1123	51.4	47.7-55.1	703	48.6	44.9-52.3
H.S. or G.E.D.	6033	1,156,945	5293	80.5	78.7-82.3	740	19.5	17.7-21.3
Some Post-H.S.	7566	1,493,549	6766	85.8	84.4-87.2	800	14.2	12.8-15.6
College Graduate	8087	1,723,339	7354	87.8	86.8-88.8	733	12.2	11.2-13.2
Less than \$15,000	1838	288,601	1432	67.4	62.7-72.1	406	32.6	27.9-37.3
\$15,000- 24,999	3752	672,848	2988	66.6	63.9-69.3	764	33.4	30.7-36.1
\$25,000- 34,999	2966	494,409	2616	82.0	79.6-84.4	350	18.0	15.6-20.4
\$35,000- 49,999	3799	703,311	3439	87.7	86.1-89.3	360	12.3	10.7-13.9
\$50,000- 74,999	3795	790,941	3468	87.5	85.7-89.3	327	12.5	10.7-14.3
\$75,000+	4570	1,234,610	4175	89.3	88.1-90.5	395	10.7	09.5-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8881	2,358,010	7730	81.1	79.7-82.5	1151	18.9	17.5-20.3
18-24	431	329,411	311	69.8	63.9-75.7	120	30.2	24.3-36.1
25-34	924	434,057	699	72.9	69.2-76.6	225	27.1	23.4-30.8
35-44	1324	475,688	1057	76.3	73.4-79.2	267	23.7	20.8-26.6
45-54	1842	469,326	1615	86.1	83.9-88.3	227	13.9	11.7-16.1
55-64	1979	333,944	1810	91.0	89.2-92.8	169	9.0	07.2-10.8
65+	2376	314,581	2234	93.4	92.0-94.8	142	6.6	05.2-08.0
Less Than H.S.	697	203,684	424	49.7	43.8-55.6	273	50.3	44.4-56.2
H.S. or G.E.D.	2208	586,251	1904	77.6	74.5-80.7	304	22.4	19.3-25.5
Some Post-H.S.	2550	675,884	2264	84.7	82.2-87.2	286	15.3	12.8-17.8
College Graduate	3413	889,257	3127	87.7	86.1-89.3	286	12.3	10.7-13.9
Less than \$15,000	535	126,079	403	59.6	51.2-68.0	132	40.4	32.0-48.8
\$15,000- 24,999	1290	329,900	979	60.2	55.7-64.7	311	39.8	35.3-44.3
\$25,000- 34,999	1110	233,919	976	81.7	78.0-85.4	134	18.3	14.6-22.0
\$35,000- 49,999	1529	347,558	1388	87.9	85.4-90.4	141	12.1	09.6-14.6
\$50,000- 74,999	1573	400,899	1425	86.2	83.5-88.9	148	13.8	11.1-16.5
\$75,000+	2039	678,622	1867	89.1	87.1-91.1	172	10.9	08.9-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14663	2,412,463	12830	83.7	82.7-84.7	1833	16.3	15.3-17.3
18-24	643	300,601	474	73.6	69.1-78.1	169	26.4	21.9-30.9
25-34	1625	413,410	1203	73.1	70.4-75.8	422	26.9	24.2-29.6
35-44	2311	464,958	1918	82.7	80.7-84.7	393	17.3	15.3-19.3
45-54	2972	478,366	2625	86.9	85.3-88.5	347	13.1	11.5-14.7
55-64	2933	344,306	2692	90.5	88.9-92.1	241	9.5	07.9-11.1
65+	4170	409,618	3910	93.3	92.3-94.3	260	6.7	05.7-07.7
Less Than H.S.	1129	186,908	699	53.3	48.6-58.0	430	46.7	42.0-51.4
H.S. or G.E.D.	3825	570,694	3389	83.4	81.4-85.4	436	16.6	14.6-18.6
Some Post-H.S.	5016	817,665	4502	86.6	85.0-88.2	514	13.4	11.8-15.0
College Graduate	4674	834,083	4227	87.9	86.5-89.3	447	12.1	10.7-13.5
Less than \$15,000	1303	162,522	1029	73.4	69.1-77.7	274	26.6	22.3-30.9
\$15,000- 24,999	2462	342,947	2009	72.7	69.8-75.6	453	27.3	24.4-30.2
\$25,000- 34,999	1856	260,490	1640	82.2	79.5-84.9	216	17.8	15.1-20.5
\$35,000- 49,999	2270	355,753	2051	87.5	85.5-89.5	219	12.5	10.5-14.5
\$50,000- 74,999	2222	390,042	2043	88.9	86.9-90.9	179	11.1	09.1-13.1
\$75,000+	2531	555,988	2308	89.5	87.9-91.1	223	10.5	08.9-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS
TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23544	4,770,473	20560	82.4	81.6-83.2	247	1.8	01.4-02.2	791	4.9	04.5-05.3	620	2.8	02.4-03.2	1326	8.1	07.5-08.7
Male	8881	2,358,010	7730	81.1	79.7-82.5	101	2.0	01.4-02.6	303	5.3	04.5-06.1	227	2.7	02.1-03.3	520	8.9	07.9-09.9
Female	14663	2,412,463	12830	83.7	82.7-84.7	146	1.7	01.3-02.1	488	4.5	03.9-05.1	393	2.8	02.4-03.2	806	7.3	06.7-07.9
18-24	1074	630,012	785	71.6	67.9-75.3	27	4.0	01.8-06.2	56	6.2	04.2-08.2	43	4.0	02.4-05.6	163	14.2	11.5-16.9
25-34	2549	847,467	1902	73.0	70.6-75.4	46	2.1	01.3-02.9	140	6.5	05.1-07.9	77	2.9	02.1-03.7	384	15.5	13.5-17.5
35-44	3635	940,646	2975	79.5	77.7-81.3	57	2.0	01.4-02.6	177	6.0	04.8-07.2	93	2.9	02.1-03.7	333	9.7	08.3-11.1
45-54	4814	947,693	4240	86.5	85.1-87.9	60	1.5	01.1-01.9	181	5.0	04.0-06.0	132	2.4	01.8-03.0	201	4.6	03.8-05.4
55-64	4912	678,250	4502	90.8	89.6-92.0	35	1.2	00.6-01.8	123	2.9	02.3-03.5	129	2.6	02.0-03.2	123	2.5	01.9-03.1
65+	6546	724,199	6144	93.3	92.5-94.1	22	0.5	00.3-00.7	112	2.4	01.8-03.0	146	2.1	01.7-02.5	122	1.7	01.3-02.1
Less Than H.S.	1826	390,592	1123	51.4	47.7-55.1	23	2.9	01.1-04.7	65	3.2	02.0-04.4	75	4.2	02.6-05.8	540	38.3	34.6-42.0
H.S. or G.E.D.	6033	1,156,945	5293	80.5	78.7-82.3	58	1.6	01.0-02.2	169	4.6	03.4-05.8	152	3.0	02.2-03.8	361	10.2	08.8-11.6
Some Post-H.S.	7566	1,493,549	6766	85.8	84.4-87.2	93	2.5	01.7-03.3	220	3.9	03.1-04.7	233	3.3	02.7-03.9	254	4.6	03.8-05.4
College Graduate	8087	1,723,339	7354	87.8	86.8-88.8	73	1.2	00.8-01.6	334	6.4	05.6-07.2	159	1.9	01.5-02.3	167	2.7	02.1-03.3
Less than \$15,000	1838	288,601	1432	67.4	62.7-72.1	33	4.6	01.3-07.9	60	4.3	02.1-06.5	100	4.7	03.1-06.3	213	18.9	15.2-22.6
\$15,000- 24,999	3752	672,848	2988	66.6	63.9-69.3	44	2.2	01.4-03.0	127	5.3	03.9-06.7	125	3.4	02.4-04.4	468	22.5	20.0-25.0
\$25,000- 34,999	2966	494,409	2616	82.0	79.6-84.4	27	1.3	00.7-01.9	93	5.3	03.7-06.9	76	3.0	02.0-04.0	154	8.4	06.6-10.2
\$35,000- 49,999	3799	703,311	3439	87.7	86.1-89.3	45	2.1	01.3-02.9	103	3.6	02.6-04.6	101	2.8	02.0-03.6	111	3.7	02.9-04.5
\$50,000- 74,999	3795	790,941	3468	87.5	85.7-89.3	37	1.7	00.9-02.5	120	5.3	04.1-06.5	74	2.6	01.8-03.4	96	3.0	02.2-03.8
\$75,000+	4570	1,234,610	4175	89.3	88.1-90.5	36	1.1	00.7-01.5	181	5.1	04.1-06.1	75	2.0	01.4-02.6	103	2.5	01.9-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8881	2,358,010	7730	81.1	79.7-82.5	101	2.0	01.4-02.6	303	5.3	04.5-06.1	227	2.7	02.1-03.3	520	8.9	07.9-09.9
18-24	431	329,411	311	69.8	63.9-75.7	10	4.5	01.0-08.0	25	7.3	04.2-10.4	15	3.1	01.3-04.9	70	15.4	11.1-19.7
25-34	924	434,057	699	72.9	69.2-76.6	14	1.7	00.7-02.7	46	6.1	03.9-08.3	25	3.2	01.8-04.6	140	16.2	13.1-19.3
35-44	1324	475,688	1057	76.3	73.4-79.2	27	2.4	01.4-03.4	67	6.9	04.9-08.9	33	3.0	01.8-04.2	140	11.5	09.1-13.9
45-54	1842	469,326	1615	86.1	83.9-88.3	27	1.6	00.8-02.4	68	5.1	03.7-06.5	50	2.5	01.7-03.3	82	4.7	03.3-06.1
55-64	1979	333,944	1810	91.0	89.2-92.8	16	1.6	00.4-02.8	54	3.0	02.0-04.0	53	2.5	01.5-03.5	46	1.9	01.1-02.7
65+	2376	314,581	2234	93.4	92.0-94.8	7	0.4	00.0-00.8	42	2.6	01.6-03.6	51	1.9	01.1-02.7	42	1.7	01.1-02.3
Less Than H.S.	697	203,684	424	49.7	43.8-55.6	7	2.4	00.0-04.8	27	3.6	01.4-05.8	30	4.4	02.2-06.6	209	39.9	34.0-45.8
H.S. or G.E.D.	2208	586,251	1904	77.6	74.5-80.7	20	1.6	00.6-02.6	60	5.2	03.4-07.0	61	3.1	01.9-04.3	163	12.5	10.0-15.0
Some Post-H.S.	2550	675,884	2264	84.7	82.2-87.2	42	3.3	01.7-04.9	78	4.2	02.8-05.6	79	3.3	02.3-04.3	87	4.5	03.1-05.9
College Graduate	3413	889,257	3127	87.7	86.1-89.3	32	1.2	00.6-01.8	137	6.7	05.3-08.1	57	1.7	01.1-02.3	60	2.7	01.9-03.5
Less than \$15,000	535	126,079	403	59.6	51.2-68.0	10	5.7	00.0-12.8	14	4.9	00.6-09.2	36	5.5	02.4-08.6	72	24.3	17.0-31.6
\$15,000- 24,999	1290	329,900	979	60.2	55.7-64.7	19	2.3	01.1-03.5	47	5.9	03.5-08.3	32	3.4	01.6-05.2	213	28.2	23.9-32.5
\$25,000- 34,999	1110	233,919	976	81.7	78.0-85.4	6	0.7	00.1-01.3	37	5.3	02.9-07.7	26	2.7	01.1-04.3	65	9.6	06.7-12.5
\$35,000- 49,999	1529	347,558	1388	87.9	85.4-90.4	16	2.2	00.8-03.6	43	4.2	02.6-05.8	39	2.7	01.5-03.9	43	2.9	01.7-04.1
\$50,000- 74,999	1573	400,899	1425	86.2	83.5-88.9	24	2.7	01.1-04.3	55	6.1	04.1-08.1	26	1.9	00.9-02.9	43	3.1	01.9-04.3
\$75,000+	2039	678,622	1867	89.1	87.1-91.1	18	1.1	00.5-01.7	75	5.0	03.6-06.4	42	2.4	01.4-03.4	37	2.4	01.4-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14663	2,412,463	12830	83.7	82.7-84.7	146	1.7	01.3-02.1	488	4.5	03.9-05.1	393	2.8	02.4-03.2	806	7.3	06.7-07.9
18-24	643	300,601	474	73.6	69.1-78.1	17	3.5	01.5-05.5	31	4.9	02.5-07.3	28	5.0	02.6-07.4	93	13.0	09.9-16.1
25-34	1625	413,410	1203	73.1	70.4-75.8	32	2.5	01.5-03.5	94	6.9	05.3-08.5	52	2.7	01.7-03.7	244	14.8	12.6-17.0
35-44	2311	464,958	1918	82.7	80.7-84.7	30	1.7	01.1-02.3	110	5.1	03.9-06.3	60	2.7	01.9-03.5	193	7.8	06.4-09.2
45-54	2972	478,366	2625	86.9	85.3-88.5	33	1.4	00.8-02.0	113	4.9	03.7-06.1	82	2.3	01.7-02.9	119	4.5	03.5-05.5
55-64	2933	344,306	2692	90.5	88.9-92.1	19	0.8	00.4-01.2	69	2.8	02.0-03.6	76	2.7	01.7-03.7	77	3.1	02.1-04.1
65+	4170	409,618	3910	93.3	92.3-94.3	15	0.5	00.3-00.7	70	2.2	01.6-02.8	95	2.3	01.7-02.9	80	1.8	01.2-02.4
Less Than H.S.	1129	186,908	699	53.3	48.6-58.0	16	3.5	01.1-05.9	38	2.7	01.5-03.9	45	3.8	01.4-06.2	331	36.6	32.1-41.1
H.S. or G.E.D.	3825	570,694	3389	83.4	81.4-85.4	38	1.7	01.1-02.3	109	4.1	02.9-05.3	91	2.9	02.1-03.7	198	7.9	06.5-09.3
Some Post-H.S.	5016	817,665	4502	86.6	85.0-88.2	51	1.8	01.2-02.4	142	3.6	02.8-04.4	154	3.3	02.5-04.1	167	4.7	03.7-05.7
College Graduate	4674	834,083	4227	87.9	86.5-89.3	41	1.1	00.7-01.5	197	6.1	05.1-07.1	102	2.2	01.6-02.8	107	2.8	02.2-03.4
Less than \$15,000	1303	162,522	1029	73.4	69.1-77.7	23	3.8	01.3-06.3	46	3.8	01.6-06.0	64	4.1	02.7-05.5	141	14.8	11.5-18.1
\$15,000- 24,999	2462	342,947	2009	72.7	69.8-75.6	25	2.1	01.1-03.1	80	4.7	03.1-06.3	93	3.5	02.5-04.5	255	17.1	14.4-19.8
\$25,000- 34,999	1856	260,490	1640	82.2	79.5-84.9	21	1.8	00.8-02.8	56	5.3	03.3-07.3	50	3.2	02.0-04.4	89	7.4	05.6-09.2
\$35,000- 49,999	2270	355,753	2051	87.5	85.5-89.5	29	2.1	01.3-02.9	60	3.1	02.1-04.1	62	3.0	02.0-04.0	68	4.4	03.0-05.8
\$50,000- 74,999	2222	390,042	2043	88.9	86.9-90.9	13	0.6	00.2-01.0	65	4.4	03.2-05.6	48	3.3	01.9-04.7	53	2.8	01.8-03.8
\$75,000+	2531	555,988	2308	89.5	87.9-91.1	18	1.2	00.6-01.8	106	5.3	04.1-06.5	33	1.5	00.9-02.1	66	2.6	01.8-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Five Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22877	4,560,085	22238	96.9	96.5-97.3	614	3.0	02.6-03.4	24	0.1	00.1-00.1	1	0.0	00.0-00.0
Male	8608	2,236,904	8373	97.0	96.4-97.6	229	2.9	02.3-03.5	6	0.1	00.1-00.1			
Female	14269	2,323,181	13865	96.9	96.5-97.3	385	3.0	02.6-03.4	18	0.1	00.1-00.1	1	0.0	00.0-00.0
18-24	992	579,256	942	95.0	93.2-96.8	50	5.0	03.2-06.8						
25-34	2317	767,965	2239	96.7	95.7-97.7	74	3.1	02.1-04.1	4	0.2	00.0-00.4			
35-44	3448	893,607	3346	96.7	95.9-97.5	95	3.1	02.3-03.9	7	0.1	00.0-00.3			
45-54	4715	923,855	4585	97.6	97.0-98.2	125	2.4	01.8-03.0	5	0.1	00.1-00.1			
55-64	4867	671,549	4738	97.4	96.8-98.0	123	2.5	01.9-03.1	5	0.1	00.0-00.3	1	0.0	00.0-00.0
65+	6523	721,349	6373	97.8	97.4-98.2	147	2.1	01.7-02.5	3	0.1	00.1-00.1			
Less Than H.S.	1492	296,558	1413	94.1	91.9-96.3	77	5.7	03.5-07.9	2	0.2	00.0-00.6			
H.S. or G.E.D.	5860	1,089,981	5702	96.7	95.9-97.5	150	3.2	02.4-04.0	8	0.1	00.0-00.3			
Some Post-H.S.	7472	1,466,435	7232	96.5	95.7-97.3	232	3.5	02.9-04.1	7	0.1	00.1-00.1	1	0.0	00.0-00.0
College Graduate	8020	1,701,038	7859	98.0	97.6-98.4	154	1.9	01.5-02.3	7	0.1	00.1-00.1			
Less than \$15,000	1729	257,421	1629	94.6	92.8-96.4	95	5.2	03.4-07.0	5	0.2	00.0-00.4			
\$15,000- 24,999	3494	583,784	3362	95.7	94.5-96.9	129	4.1	02.9-05.3	3	0.2	00.0-00.4			
\$25,000- 34,999	2882	470,551	2806	96.9	95.9-97.9	72	3.0	02.0-04.0	4	0.1	00.0-00.3			
\$35,000- 49,999	3755	690,924	3649	96.9	96.1-97.7	101	3.0	02.2-03.8	5	0.1	00.0-00.3			
\$50,000- 74,999	3761	782,903	3687	97.4	96.6-98.2	68	2.4	01.6-03.2	5	0.1	00.0-00.3	1	0.0	00.0-00.0
\$75,000+	4528	1,221,097	4451	98.0	97.4-98.6	77	2.0	01.4-02.6						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Five Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14269	2,323,181	13865	96.9	96.5-97.3	385	3.0	02.6-03.4	18	0.1	00.1-00.1	1	0.0	00.0-00.0
18-24	601	283,462	568	93.9	91.2-96.6	33	6.1	03.4-08.8						
25-34	1478	377,271	1425	97.0	96.0-98.0	50	2.8	01.8-03.8	3	0.2	00.0-00.4			
35-44	2196	444,951	2130	96.8	95.8-97.8	60	3.0	02.0-04.0	6	0.2	00.0-00.4			
45-54	2916	466,780	2836	97.7	97.1-98.3	76	2.2	01.6-02.8	4	0.1	00.0-00.3			
55-64	2908	340,120	2834	97.3	96.3-98.3	71	2.6	01.6-03.6	2	0.0	00.0-00.0	1	0.1	00.0-00.3
65+	4160	409,095	4062	97.6	97.0-98.2	95	2.3	01.7-02.9	3	0.1	00.0-00.3			
Less Than H.S.	928	146,458	880	94.2	90.9-97.5	47	5.8	02.5-09.1	1	0.0	00.0-00.0			
H.S. or G.E.D.	3735	547,483	3639	96.8	95.8-97.8	90	3.0	02.0-04.0	6	0.2	00.0-00.4			
Some Post-H.S.	4954	802,698	4795	96.4	95.4-97.4	153	3.5	02.5-04.5	5	0.1	00.1-00.1	1	0.0	00.0-00.0
College Graduate	4632	823,403	4532	97.9	97.3-98.5	94	2.0	01.4-02.6	6	0.1	00.0-00.3			
Less than \$15,000	1230	150,726	1167	95.8	94.2-97.4	59	4.0	02.6-05.4	4	0.2	00.0-00.6			
\$15,000- 24,999	2328	311,591	2231	95.6	94.2-97.0	96	4.4	03.0-05.8	1	0.0	00.0-00.0			
\$25,000- 34,999	1805	247,790	1755	96.7	95.3-98.1	46	3.1	01.9-04.3	4	0.2	00.0-00.4			
\$35,000- 49,999	2246	349,287	2181	96.8	95.8-97.8	61	3.0	02.0-04.0	4	0.2	00.0-00.4			
\$50,000- 74,999	2205	386,967	2158	96.8	95.4-98.2	42	3.0	01.6-04.4	4	0.2	00.0-00.4	1	0.1	00.0-00.3
\$75,000+	2503	549,568	2469	98.5	97.9-99.1	34	1.5	00.9-02.1						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22877	4,560,085	22238	96.9	96.5-97.3	639	3.1	02.7-03.5
18-24	992	579,256	942	95.0	93.2-96.8	50	5.0	03.2-06.8
25-34	2317	767,965	2239	96.7	95.7-97.7	78	3.3	02.3-04.3
35-44	3448	893,607	3346	96.7	95.9-97.5	102	3.3	02.5-04.1
45-54	4715	923,855	4585	97.6	97.0-98.2	130	2.4	01.8-03.0
55-64	4867	671,549	4738	97.4	96.8-98.0	129	2.6	02.0-03.2
65+	6523	721,349	6373	97.8	97.4-98.2	150	2.2	01.8-02.6
Less Than H.S.	1492	296,558	1413	94.1	91.9-96.3	79	5.9	03.7-08.1
H.S. or G.E.D.	5860	1,089,981	5702	96.7	95.9-97.5	158	3.3	02.5-04.1
Some Post-H.S.	7472	1,466,435	7232	96.5	95.7-97.3	240	3.5	02.7-04.3
College Graduate	8020	1,701,038	7859	98.0	97.6-98.4	161	2.0	01.6-02.4
Less than \$15,000	1729	257,421	1629	94.6	92.8-96.4	100	5.4	03.6-07.2
\$15,000- 24,999	3494	583,784	3362	95.7	94.5-96.9	132	4.3	03.1-05.5
\$25,000- 34,999	2882	470,551	2806	96.9	95.9-97.9	76	3.1	02.1-04.1
\$35,000- 49,999	3755	690,924	3649	96.9	96.1-97.7	106	3.1	02.3-03.9
\$50,000- 74,999	3761	782,903	3687	97.4	96.6-98.2	74	2.6	01.8-03.4
\$75,000+	4528	1,221,097	4451	98.0	97.4-98.6	77	2.0	01.4-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8608	2,236,904	8373	97.0	96.4-97.6	235	3.0	02.4-03.6
18-24	391	295,794	374	96.1	93.9-98.3	17	3.9	01.7-06.1
25-34	839	390,694	814	96.4	94.8-98.0	25	3.6	02.0-05.2
35-44	1252	448,656	1216	96.6	95.2-98.0	36	3.4	02.0-04.8
45-54	1799	457,076	1749	97.4	96.4-98.4	50	2.6	01.6-03.6
55-64	1959	331,429	1904	97.4	96.4-98.4	55	2.6	01.6-03.6
65+	2363	312,254	2311	98.1	97.3-98.9	52	1.9	01.1-02.7
Less Than H.S.	564	150,100	533	93.9	91.2-96.6	31	6.1	03.4-08.8
H.S. or G.E.D.	2125	542,498	2063	96.6	95.2-98.0	62	3.4	02.0-04.8
Some Post-H.S.	2518	663,738	2437	96.5	95.5-97.5	81	3.5	02.5-04.5
College Graduate	3388	877,635	3327	98.2	97.6-98.8	61	1.8	01.2-02.4
Less than \$15,000	499	106,695	462	92.8	88.9-96.7	37	7.2	03.3-11.1
\$15,000- 24,999	1166	272,193	1131	95.8	93.6-98.0	35	4.2	02.0-06.4
\$25,000- 34,999	1077	222,761	1051	97.2	95.6-98.8	26	2.8	01.2-04.4
\$35,000- 49,999	1509	341,637	1468	96.9	95.7-98.1	41	3.1	01.9-04.3
\$50,000- 74,999	1556	395,937	1529	98.0	97.0-99.0	27	2.0	01.0-03.0
\$75,000+	2025	671,529	1982	97.6	96.6-98.6	43	2.4	01.4-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14269	2,323,181	13865	96.9	96.5-97.3	404	3.1	02.7-03.5
18-24	601	283,462	568	93.9	91.2-96.6	33	6.1	03.4-08.8
25-34	1478	377,271	1425	97.0	96.0-98.0	53	3.0	02.0-04.0
35-44	2196	444,951	2130	96.8	95.8-97.8	66	3.2	02.2-04.2
45-54	2916	466,780	2836	97.7	97.1-98.3	80	2.3	01.7-02.9
55-64	2908	340,120	2834	97.3	96.3-98.3	74	2.7	01.7-03.7
65+	4160	409,095	4062	97.6	97.0-98.2	98	2.4	01.8-03.0
Less Than H.S.	928	146,458	880	94.2	90.9-97.5	48	5.8	02.5-09.1
H.S. or G.E.D.	3735	547,483	3639	96.8	95.8-97.8	96	3.2	02.2-04.2
Some Post-H.S.	4954	802,698	4795	96.4	95.4-97.4	159	3.6	02.6-04.6
College Graduate	4632	823,403	4532	97.9	97.3-98.5	100	2.1	01.5-02.7
Less than \$15,000	1230	150,726	1167	95.8	94.2-97.4	63	4.2	02.6-05.8
\$15,000- 24,999	2328	311,591	2231	95.6	94.2-97.0	97	4.4	03.0-05.8
\$25,000- 34,999	1805	247,790	1755	96.7	95.3-98.1	50	3.3	01.9-04.7
\$35,000- 49,999	2246	349,287	2181	96.8	95.8-97.8	65	3.2	02.2-04.2
\$50,000- 74,999	2205	386,967	2158	96.8	95.4-98.2	47	3.2	01.8-04.6
\$75,000+	2503	549,568	2469	98.5	97.9-99.1	34	1.5	00.9-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGE5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23738	4,804,966	2230	21.2	20.2-22.2	3159	19.3	18.5-20.1	4148	19.6	18.8-20.4	5320	18.3	17.7-18.9	4249	10.5	10.1-10.9	4632	11.0	10.6-11.4
Male	8972	2,373,940	838	22.1	20.5-23.7	1156	20.0	18.6-21.4	1565	20.3	19.1-21.5	2094	18.0	17.0-19.0	1708	10.3	09.7-10.9	1611	9.3	08.7-09.9
Female	14766	2,431,026	1392	20.4	19.2-21.6	2003	18.7	17.7-19.7	2583	19.0	18.2-19.8	3226	18.6	17.8-19.4	2541	10.7	10.1-11.3	3021	12.6	12.0-13.2
White/Non-Hisp	20548	3,928,094	1622	18.5	17.5-19.5	2443	17.7	16.9-18.5	3500	19.8	19.0-20.6	4792	19.9	19.1-20.7	3868	11.7	11.3-12.1	4323	12.4	12.0-12.8
Black or Afr. Am./Non-Hisp	247	87,557	54	21.7	15.2-28.2	63	20.2	14.3-26.1	44	12.4	07.7-17.1	20	4.5	01.4-07.6	20	4.5	01.4-07.6	19	3.5	01.7-05.3
Oth. Race/Non-Hisp.	789	234,097	111	26.1	20.8-31.4	184	27.6	23.3-31.9	173	21.8	17.9-25.7	152	13.2	10.5-15.9	106	7.6	05.6-09.6	63	3.7	02.5-04.9
MultiRacial/Non-Hisp.	620	133,248	89	28.6	22.1-35.1	68	17.6	12.7-22.5	119	20.7	16.2-25.2	134	16.6	12.7-20.5	119	8.8	06.4-11.2	91	7.7	05.7-09.7
Hispanic	1326	385,270	344	39.7	35.6-43.8	394	31.4	27.7-35.1	262	16.5	14.0-19.0	150	7.4	05.8-09.0	98	2.6	01.8-03.4	78	2.4	01.8-03.0
Less Than H.S.	1845	392,903	330	39.4	35.5-43.3	290	19.7	16.8-22.6	270	14.7	12.3-17.1	223	8.6	07.0-10.2	241	5.6	04.6-06.6	491	12.0	10.4-13.6
H.S. or G.E.D.	6075	1,166,504	727	28.7	26.5-30.9	649	15.7	14.1-17.3	1020	17.9	16.5-19.3	1079	14.6	13.4-15.8	1055	9.3	08.5-10.1	1545	13.8	12.8-14.8
Some Post-H.S.	7624	1,501,696	709	22.8	20.8-24.8	933	17.3	15.9-18.7	1276	18.6	17.4-19.8	1904	19.6	18.4-20.8	1422	11.3	10.5-12.1	1380	10.3	09.5-11.1
College Graduate	8154	1,736,907	461	10.7	09.5-11.9	1283	23.5	22.1-24.9	1578	22.8	21.6-24.0	2105	21.9	20.7-23.1	1526	11.9	11.1-12.7	1201	9.3	08.7-09.9
Less than \$15,000	1862	292,365	246	35.1	30.4-39.8	183	14.9	11.8-18.0	272	14.1	11.7-16.5	400	15.2	13.0-17.4	310	8.5	07.1-09.9	451	12.3	10.7-13.9
\$15,000- 24,999	3782	676,260	525	34.9	32.0-37.8	440	16.4	14.4-18.4	500	13.8	12.2-15.4	617	11.5	10.3-12.7	651	8.5	07.5-09.5	1049	14.8	13.6-16.0
\$25,000- 34,999	2984	498,139	319	24.0	21.1-26.9	335	16.6	14.4-18.8	365	13.3	11.5-15.1	478	12.7	11.3-14.1	610	12.9	11.5-14.3	877	20.6	18.8-22.4
\$35,000- 49,999	3825	707,227	330	18.7	16.3-21.1	505	18.7	16.7-20.7	650	18.5	16.7-20.3	858	18.2	16.6-19.8	774	13.5	12.3-14.7	708	12.4	11.2-13.6
\$50,000- 74,999	3814	794,048	258	13.7	11.7-15.7	621	22.2	20.4-24.0	826	23.3	21.5-25.1	1066	22.9	21.1-24.7	682	11.6	10.4-12.8	361	6.3	05.5-07.1
\$75,000+	4589	1,239,504	220	11.3	09.5-13.1	832	24.2	22.4-26.0	1191	27.8	26.0-29.6	1421	24.8	23.2-26.4	673	8.8	08.0-09.6	252	3.1	02.7-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8972	2,373,940	838	22.1	20.5-23.7	1156	20.0	18.6-21.4	1565	20.3	19.1-21.5	2094	18.0	17.0-19.0	1708	10.3	09.7-10.9	1611	9.3	08.7-09.9
White/Non-Hisp	7726	1,910,637	610	19.3	17.5-21.1	886	18.3	16.9-19.7	1298	20.2	19.0-21.4	1877	19.8	18.6-21.0	1555	11.7	10.9-12.5	1500	10.7	09.9-11.5
Black or Afr. Am./Non-Hisp	101	47,457	22	21.8	11.8-31.8	27	19.5	10.7-28.3	20	13.2	05.8-20.6	9	5.1	00.0-10.4	6	2.7	00.3-05.1			
Oth. Race/Non-Hisp.	302	125,291	40	28.0	19.8-36.2	70	27.3	20.8-33.8	65	21.8	15.7-27.9	60	12.3	08.4-16.2	45	7.2	04.5-09.9	22	3.3	01.5-05.1
MultiRacial/Non-Hisp.	227	64,585	28	25.2	16.0-34.4	26	21.7	13.1-30.3	45	22.6	15.2-30.0	51	16.5	10.6-22.4	44	7.8	04.3-11.3	33	6.1	03.4-08.8
Hispanic	520	209,039	137	39.8	33.5-46.1	145	31.4	25.5-37.3	115	18.8	14.7-22.9	61	6.5	04.3-08.7	37	1.5	00.9-02.1	25	2.0	01.0-03.0
Less Than H.S.	704	204,512	141	42.7	36.6-48.8	106	19.0	14.3-23.7	113	15.6	11.9-19.3	87	7.8	05.6-10.0	89	4.5	03.1-05.9	168	10.4	08.2-12.6
H.S. or G.E.D.	2224	589,335	286	31.2	27.7-34.7	283	18.7	16.2-21.2	405	18.2	16.0-20.4	435	14.4	12.6-16.2	377	7.9	06.7-09.1	438	9.6	08.4-10.8
Some Post-H.S.	2574	679,924	253	24.5	21.2-27.8	312	18.4	16.0-20.8	447	19.8	17.6-22.0	659	18.8	16.8-20.8	502	10.7	09.5-11.9	401	7.8	06.8-08.8
College Graduate	3453	897,009	158	9.6	07.8-11.4	452	22.2	20.0-24.4	599	23.1	21.1-25.1	910	22.1	20.3-23.9	736	13.0	11.8-14.2	598	10.0	09.0-11.0
Less than \$15,000	542	127,260	86	41.0	32.6-49.4	55	18.9	12.4-25.4	88	13.2	09.3-17.1	140	15.0	11.1-18.9	87	5.5	03.7-07.3	86	6.4	04.4-08.4
\$15,000- 24,999	1297	330,592	199	38.5	33.8-43.2	155	17.5	14.2-20.8	182	14.5	11.8-17.2	238	11.1	09.1-13.1	228	7.6	06.2-09.0	295	10.8	09.0-12.6
\$25,000- 34,999	1118	236,132	115	24.8	20.1-29.5	123	18.1	14.4-21.8	132	13.9	11.2-16.6	155	11.4	09.0-13.8	258	13.0	10.8-15.2	335	18.9	16.4-21.4
\$35,000- 49,999	1545	349,983	134	19.0	15.3-22.7	194	19.1	16.2-22.0	249	18.8	16.1-21.5	333	17.3	14.9-19.7	329	13.2	11.4-15.0	306	12.6	10.8-14.4
\$50,000- 74,999	1583	402,225	93	13.4	10.5-16.3	230	20.8	18.1-23.5	316	23.7	21.0-26.4	436	22.4	19.9-24.9	295	12.0	10.2-13.8	213	7.9	06.5-09.3
\$75,000+	2051	682,138	96	12.3	09.6-15.0	315	22.9	20.4-25.4	475	27.0	24.5-29.5	652	24.6	22.4-26.8	361	9.8	08.6-11.0	152	3.4	02.8-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14766	2,431,026	1392	20.4	19.2-21.6	2003	18.7	17.7-19.7	2583	19.0	18.2-19.8	3226	18.6	17.8-19.4	2541	10.7	10.1-11.3	3021	12.6	12.0-13.2
White/Non-Hisp	12822	2,017,457	1012	17.7	16.5-18.9	1557	17.2	16.2-18.2	2202	19.3	18.3-20.3	2915	20.0	19.2-20.8	2313	11.6	11.0-12.2	2823	14.1	13.5-14.7
Black or Afr. Am./Non-Hisp	146	40,101				32	21.5	13.7-29.3	36	20.9	13.3-28.5	24	11.5	06.0-17.0	11	3.9	01.4-06.4	13	4.4	01.7-07.1
Oth. Race/Non-Hisp.	487	108,806	71	23.9	17.4-30.4	114	28.0	22.7-33.3	108	21.8	17.1-26.5	92	14.2	10.7-17.7	61	7.9	05.4-10.4	41	4.2	02.6-05.8
MultiRacial/Non-Hisp.	393	68,664	61	31.7	23.1-40.3	42	13.7	08.8-18.6	74	18.9	13.6-24.2	83	16.7	11.6-21.8	75	9.7	06.6-12.8	58	9.3	06.4-12.2
Hispanic	806	176,231	207	39.5	34.6-44.4	249	31.3	27.0-35.6	147	13.9	11.2-16.6	89	8.6	06.2-11.0	61	3.9	02.5-05.3	53	2.9	01.9-03.9
Less Than H.S.	1141	188,392	189	36.0	30.9-41.1	184	20.4	16.9-23.9	157	13.8	11.1-16.5	136	9.4	07.2-11.6	152	6.7	05.1-08.3	323	13.8	11.6-16.0
H.S. or G.E.D.	3851	577,169	441	26.1	23.6-28.6	366	12.6	11.0-14.2	615	17.6	15.8-19.4	644	14.8	13.4-16.2	678	10.7	09.7-11.7	1107	18.2	16.8-19.6
Some Post-H.S.	5050	821,772	456	21.4	19.2-23.6	621	16.3	14.9-17.7	829	17.7	16.3-19.1	1245	20.3	18.9-21.7	920	11.8	10.8-12.8	979	12.4	11.4-13.4
College Graduate	4701	839,897	303	11.9	10.3-13.5	831	24.8	23.0-26.6	979	22.6	21.0-24.2	1195	21.6	20.2-23.0	790	10.7	09.7-11.7	603	8.5	07.7-09.3
Less than \$15,000	1320	165,105	160	30.6	25.5-35.7	128	11.9	09.4-14.4	184	14.7	12.2-17.2	260	15.4	12.9-17.9	223	10.7	08.7-12.7	365	16.7	14.3-19.1
\$15,000- 24,999	2485	345,668	326	31.6	28.1-35.1	285	15.4	13.2-17.6	318	13.1	11.3-14.9	379	11.9	10.3-13.5	423	9.4	08.2-10.6	754	18.6	16.8-20.4
\$25,000- 34,999	1866	262,007	204	23.2	19.9-26.5	212	15.2	12.8-17.6	233	12.7	10.5-14.9	323	13.9	11.9-15.9	352	12.8	11.0-14.6	542	22.2	19.8-24.6
\$35,000- 49,999	2280	357,243	196	18.5	15.6-21.4	311	18.3	16.1-20.5	401	18.2	16.0-20.4	525	19.1	17.1-21.1	445	13.8	12.2-15.4	402	12.2	10.6-13.8
\$50,000- 74,999	2231	391,823	165	14.1	11.6-16.6	391	23.6	21.2-26.0	510	22.9	20.7-25.1	630	23.5	21.3-25.7	387	11.1	09.7-12.5	148	4.8	03.8-05.8
\$75,000+	2538	557,366	124	10.1	07.9-12.3	517	25.8	23.6-28.0	716	28.8	26.6-31.0	769	25.0	23.0-27.0	312	7.7	06.7-08.7	100	2.7	02.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23738	4,804,966	17117	84.7	84.3-85.1	6621	15.3	14.9-15.7
Male	8972	2,373,940	6562	86.6	85.8-87.4	2410	13.4	12.6-14.2
Female	14766	2,431,026	10555	83.0	82.4-83.6	4211	17.0	16.4-17.6
White/Non-Hisp	20548	3,928,094	14404	82.8	82.2-83.4	6144	17.2	16.6-17.8
Black or Afr. Am./Non-Hisp	247	87,557	225	96.1	94.1-98.1	22	3.9	01.9-05.9
Oth. Race/Non-Hisp.	789	234,097	677	92.7	90.9-94.5	112	7.3	05.5-09.1
MultiRacial/Non-Hisp.	620	133,248	474	88.5	86.0-91.0	146	11.5	09.0-14.0
Hispanic	1326	385,270	1204	96.7	95.9-97.5	122	3.3	02.5-04.1
Less Than H.S.	1845	392,903	1216	85.2	83.4-87.0	629	14.8	13.0-16.6
H.S. or G.E.D.	6075	1,166,504	3965	81.6	80.4-82.8	2110	18.4	17.2-19.6
Some Post-H.S.	7624	1,501,696	5640	85.5	84.7-86.3	1984	14.5	13.7-15.3
College Graduate	8154	1,736,907	6274	86.1	85.3-86.9	1880	13.9	13.1-14.7
Less than \$15,000	1862	292,365	1263	83.9	81.9-85.9	599	16.1	14.1-18.1
\$15,000- 24,999	3782	676,260	2404	81.4	80.0-82.8	1378	18.6	17.2-20.0
\$25,000- 34,999	2984	498,139	1762	72.6	70.6-74.6	1222	27.4	25.4-29.4
\$35,000- 49,999	3825	707,227	2750	82.0	80.6-83.4	1075	18.0	16.6-19.4
\$50,000- 74,999	3814	794,048	3172	89.2	88.2-90.2	642	10.8	09.8-11.8
\$75,000+	4589	1,239,504	4093	94.1	93.5-94.7	496	5.9	05.3-06.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	8972	2,373,940	6562	86.6	85.8-87.4	2410	13.4	12.6-14.2	
White/Non-Hisp	7726	1,910,637	5492	84.6	83.8-85.4	2234	15.4	14.6-16.2	
Black or Afr. Am./Non-Hisp	101	47,457	94	97.3	94.9-99.7	7	2.7	00.3-05.1	
Oth. Race/Non-Hisp.	302	125,291	260	93.5	91.0-96.0	42	6.5	04.0-09.0	
MultiRacial/Non-Hisp.	227	64,585	176	90.8	87.3-94.3	51	9.2	05.7-12.7	
Hispanic	520	209,039	478	97.4	96.4-98.4	42	2.6	01.6-03.6	
Less Than H.S.	704	204,512	483	87.1	84.7-89.5	221	12.9	10.5-15.3	
H.S. or G.E.D.	2224	589,335	1593	86.9	85.5-88.3	631	13.1	11.7-14.5	
Some Post-H.S.	2574	679,924	1960	88.1	86.9-89.3	614	11.9	10.7-13.1	
College Graduate	3453	897,009	2517	85.1	83.9-86.3	936	14.9	13.7-16.1	
Less than \$15,000	542	127,260	419	91.2	88.8-93.6	123	8.8	06.4-11.2	
\$15,000- 24,999	1297	330,592	889	86.1	84.1-88.1	408	13.9	11.9-15.9	
\$25,000- 34,999	1118	236,132	640	74.5	71.4-77.6	478	25.5	22.4-28.6	
\$35,000- 49,999	1545	349,983	1071	82.0	79.8-84.2	474	18.0	15.8-20.2	
\$50,000- 74,999	1583	402,225	1239	87.2	85.4-89.0	344	12.8	11.0-14.6	
\$75,000+	2051	682,138	1764	93.5	92.5-94.5	287	6.5	05.5-07.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14766	2,431,026	10555	83.0	82.4-83.6	4211	17.0	16.4-17.6
White/Non-Hisp	12822	2,017,457	8912	81.1	80.3-81.9	3910	18.9	18.1-19.7
Black or Afr. Am./Non-Hisp	146	40,101	131	94.8	91.9-97.7	15	5.2	02.3-08.1
Oth. Race/Non-Hisp.	487	108,806	417	91.8	89.3-94.3	70	8.2	05.7-10.7
MultiRacial/Non-Hisp.	393	68,664	298	86.3	82.6-90.0	95	13.7	10.0-17.4
Hispanic	806	176,231	726	95.9	94.7-97.1	80	4.1	02.9-05.3
Less Than H.S.	1141	188,392	733	83.0	80.6-85.4	408	17.0	14.6-19.4
H.S. or G.E.D.	3851	577,169	2372	76.2	74.6-77.8	1479	23.8	22.2-25.4
Some Post-H.S.	5050	821,772	3680	83.4	82.2-84.6	1370	16.6	15.4-17.8
College Graduate	4701	839,897	3757	87.3	86.3-88.3	944	12.7	11.7-13.7
Less than \$15,000	1320	165,105	844	78.4	75.7-81.1	476	21.6	18.9-24.3
\$15,000- 24,999	2485	345,668	1515	76.9	74.9-78.9	970	23.1	21.1-25.1
\$25,000- 34,999	1866	262,007	1122	71.0	68.5-73.5	744	29.0	26.5-31.5
\$35,000- 49,999	2280	357,243	1679	82.0	80.2-83.8	601	18.0	16.2-19.8
\$50,000- 74,999	2231	391,823	1933	91.3	90.1-92.5	298	8.7	07.5-09.9
\$75,000+	2538	557,366	2329	94.9	94.1-95.7	209	5.1	04.3-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	23361	4,711,349	16	0.1	00.1-00.1	1109	4.0	03.6-04.4	10869	38.5	37.5-39.5	9406	45.6	44.6-46.6	1959	11.8	11.0-12.6	2	0.0	00.0-00.0	
Male	8853	2,328,903	6	0.1	00.1-00.1	31	0.5	00.3-00.7	812	9.5	08.5-10.5	6086	66.4	65.0-67.8	1916	23.5	22.1-24.9	2	0.0	00.0-00.0	
Female	14508	2,382,446	10	0.1	00.1-00.1	1078	7.5	06.9-08.1	10057	66.9	65.7-68.1	3320	25.3	24.3-26.3	43	0.3	00.1-00.5				
White/Non-Hisp	20394	3,899,653	6	0.0	00.0-00.0	802	3.0	02.6-03.4	9357	37.2	36.2-38.2	8440	47.0	46.0-48.0	1787	12.8	12.0-13.6	2	0.0	00.0-00.0	
Black or Afr. Am./Non-Hisp	242	86,603				16	6.3	01.6-11.0	93	27.3	20.2-34.4	95	47.3	37.5-57.1	38	19.0	11.7-26.3				
Oth. Race/Non-Hisp.	772	227,569				88	8.8	06.3-11.3	412	47.1	42.2-52.0	245	40.7	35.6-45.8	27	3.4	01.6-05.2				
MultiRacial/Non-Hisp.	615	132,325				26	3.1	01.5-04.7	299	40.4	34.5-46.3	235	44.6	38.5-50.7	55	11.9	07.6-16.2				
Hispanic	1145	331,558	9	0.7	00.1-01.3	171	13.0	10.3-15.7	620	50.1	45.8-54.4	309	31.9	27.8-36.0	36	4.3	02.3-06.3				
18-24	1040	613,722	2	0.1	00.0-00.3	58	4.9	03.3-06.5	432	35.1	31.4-38.8	442	47.0	42.9-51.1	106	12.8	09.9-15.7				
25-34	2476	823,353	3	0.1	00.0-00.3	116	4.3	03.3-05.3	1089	35.6	33.2-38.0	1016	45.8	43.3-48.3	252	14.2	12.2-16.2				
35-44	3583	927,931	3	0.0	00.0-00.0	140	3.0	02.4-03.6	1575	36.1	34.1-38.1	1512	47.2	45.0-49.4	353	13.6	12.0-15.2				
45-54	4781	940,752	1	0.0	00.0-00.0	168	3.2	02.6-03.8	2104	37.7	35.9-39.5	2050	47.0	45.0-49.0	457	11.9	10.5-13.3	1	0.1	00.0-00.3	
55-64	4916	677,599	2	0.1	00.0-00.3	185	3.0	02.4-03.6	2308	40.5	38.7-42.3	1999	45.5	43.5-47.5	422	10.9	09.7-12.1				
65+	6551	725,722	5	0.0	00.0-00.0	442	6.3	05.5-07.1	3355	46.9	45.3-48.5	2381	40.3	38.7-41.9	367	6.5	05.7-07.3	1	0.0	00.0-00.0	
Less Than H.S.	1667	350,906	7	0.6	00.0-01.2	198	11.4	08.9-13.9	834	40.1	36.4-43.8	539	40.5	36.4-44.6	89	7.4	05.2-09.6				
H.S. or G.E.D.	5995	1,143,295	7	0.0	00.0-00.0	333	4.3	03.7-04.9	2972	42.0	40.0-44.0	2270	43.3	41.3-45.3	411	10.4	09.0-11.8	2	0.1	00.1-00.1	
Some Post-H.S.	7554	1,486,301	1	0.0	00.0-00.0	337	3.7	03.1-04.3	3662	39.1	37.5-40.7	2965	45.7	43.9-47.5	589	11.5	10.3-12.7				
College Graduate	8112	1,724,846				240	2.6	02.2-03.0	3383	35.4	34.0-36.8	3621	48.0	46.4-49.6	868	13.9	12.7-15.1				
Less than \$15,000	1757	268,284	3	0.3	00.0-00.7	158	8.9	06.4-11.4	922	41.9	37.8-46.0	580	39.1	34.6-43.6	94	9.7	06.8-12.6				
\$15,000- 24,999	3674	644,754	8	0.2	00.0-00.4	254	5.8	04.6-07.0	1894	43.8	41.3-46.3	1297	41.5	38.8-44.2	221	8.7	06.9-10.5				
\$25,000- 34,999	2963	492,955				150	5.0	03.8-06.2	1428	40.6	38.1-43.1	1163	44.4	41.7-47.1	221	10.0	08.0-12.0	1	0.0	00.0-00.0	
\$35,000- 49,999	3815	706,030				145	4.0	03.0-05.0	1723	38.4	36.2-40.6	1614	46.2	43.8-48.6	333	11.4	09.8-13.0				
\$50,000- 74,999	3796	789,416				100	2.1	01.5-02.7	1615	36.5	34.5-38.5	1706	48.4	46.2-50.6	375	13.0	11.4-14.6				
\$75,000+	4573	1,234,260				100	1.8	01.4-02.2	1811	33.1	31.3-34.9	2111	50.0	48.0-52.0	551	15.2	13.6-16.8				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		N	>48in, <=60in		N	>60in, <=66in		N	>66in, <=72in		N	>72in, <=84in		N	>84in	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	8853	2,328,903	6	0.1	00.1-00.1	31	0.5	00.3-00.7	812	9.5	08.5-10.5	6086	66.4	65.0-67.8	1916	23.5	22.1-24.9	2	0.0	00.0-00.0
White/Non-Hisp	7672	1,896,353	1	0.0	00.0-00.0	10	0.2	00.0-00.4	516	5.6	04.8-06.4	5391	68.2	66.6-69.8	1752	25.9	24.5-27.3	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	99	47,209				1	0.5	00.0-01.5	5	3.7	00.0-07.6									
Oth. Race/Non-Hisp.	296	120,375				2	0.4	00.0-01.0	78	26.7	20.0-33.4	191	66.7	59.6-73.8	25	6.3	03.2-09.4			
MultiRacial/Non-Hisp.	225	64,269							22	7.9	03.6-12.2	149	67.9	59.3-76.5	54	24.2	16.0-32.4			
Hispanic	469	184,337	5	0.8	00.0-01.6	18	3.6	01.4-05.8	175	40.0	33.5-46.5	238	48.0	41.5-54.5	33	7.6	04.3-10.9			
18-24	412	315,879	1	0.1	00.0-00.3	6	0.9	00.0-01.9	40	9.5	05.8-13.2	263	65.0	59.1-70.9	102	24.4	19.1-29.7			
25-34	904	423,045	1	0.2	00.0-00.6	8	1.0	00.2-01.8	97	11.0	08.5-13.5	555	60.6	56.7-64.5	243	27.2	23.7-30.7			
35-44	1314	469,979	2	0.1	00.1-00.1	5	0.3	00.0-00.7	126	9.6	07.6-11.6	843	63.8	60.7-66.9	338	26.3	23.4-29.2			
45-54	1838	468,171				6	0.3	00.0-00.7	141	8.5	06.7-10.3	1241	67.2	64.5-69.9	449	23.8	21.3-26.3	1	0.1	00.0-00.3
55-64	1989	334,354	2	0.1	00.0-00.3				158	7.3	05.9-08.7	1410	70.6	68.1-73.1	419	22.0	19.6-24.4			
65+	2391	316,692				6	0.3	00.1-00.5	250	11.5	09.7-13.3	1771	73.4	71.0-75.8	363	14.7	12.9-16.5	1	0.0	00.0-00.0
Less Than H.S.	652	186,897	2	0.6	00.0-01.4	14	3.4	01.2-05.6	152	22.9	18.0-27.8	395	59.2	53.3-65.1	89	13.9	09.8-18.0			
H.S. or G.E.D.	2190	574,088	3	0.1	00.1-00.1	8	0.5	00.1-00.9	237	13.0	10.6-15.4	1537	66.0	62.9-69.1	403	20.4	17.7-23.1	2	0.1	00.0-00.3
Some Post-H.S.	2559	674,222	1	0.1	00.0-00.3	5	0.2	00.0-00.6	177	5.5	04.5-06.5	1803	69.3	66.6-72.0	573	24.9	22.4-27.4			
College Graduate	3437	890,653				4	0.1	00.1-00.1	244	7.5	06.3-08.7	2340	65.8	63.6-68.0	849	26.5	24.5-28.5			
Less than \$15,000	502	114,407	2	0.5	00.0-01.3	7	2.2	00.0-04.4	85	16.4	10.3-22.5	321	59.2	51.2-67.2	87	21.7	15.0-28.4			
\$15,000- 24,999	1263	314,967	3	0.3	00.0-00.7	13	1.5	00.5-02.5	193	18.8	15.1-22.5	839	62.0	57.5-66.5	215	17.5	14.0-21.0			
\$25,000- 34,999	1109	232,729				2	0.5	00.0-01.5	107	9.0	06.6-11.4	785	69.4	65.3-73.5	214	20.9	17.2-24.6	1	0.1	00.0-00.3
\$35,000- 49,999	1540	349,108				2	0.3	00.0-00.9	120	7.8	06.0-09.6	1090	69.1	65.8-72.4	328	22.8	19.7-25.9			
\$50,000- 74,999	1578	399,223				2	0.2	00.0-00.6	111	7.2	05.4-09.0	1096	67.1	64.0-70.2	369	25.4	22.5-28.3			
\$75,000+	2047	680,640				1	0.0	00.0-00.0	123	6.8	05.2-08.4	1379	65.9	63.2-68.6	544	27.3	24.8-29.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14508	2,382,446	10	0.1	00.1-00.1	1078	7.5	06.9-08.1	10057	66.9	65.7-68.1	3320	25.3	24.3-26.3	43	0.3	00.1-00.5
White/Non-Hisp	12722	2,003,300	5	0.0	00.0-00.0	792	5.6	05.0-06.2	8841	67.1	65.9-68.3	3049	27.1	25.9-28.3	35	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	143	39,394				15	13.4	03.8-23.0							1	0.5	00.0-01.5
Oth. Race/Non-Hisp.	476	107,194				86	18.2	13.3-23.1	334	70.0	64.3-75.7	54	11.6	07.7-15.5	2	0.2	00.0-00.4
MultiRacial/Non-Hisp.	390	68,056				26	5.9	03.0-08.8	277	71.2	63.9-78.5	86	22.5	15.4-29.6	1	0.4	00.0-01.2
Hispanic	676	147,221	4	0.7	00.0-01.5	153	24.8	19.9-29.7	445	62.7	57.4-68.0	71	11.7	08.4-15.0	3	0.2	00.0-00.6
18-24	628	297,844	1	0.1	00.0-00.3	52	9.1	06.0-12.2	392	62.3	57.4-67.2	179	27.8	23.3-32.3	4	0.6	00.0-01.4
25-34	1572	400,308	2	0.1	00.0-00.3	108	7.7	05.9-09.5	992	61.7	58.8-64.6	461	30.1	27.4-32.8	9	0.4	00.0-00.8
35-44	2269	457,952	1	0.0	00.0-00.0	135	5.7	04.5-06.9	1449	63.4	60.9-65.9	669	30.2	27.8-32.6	15	0.6	00.2-01.0
45-54	2943	472,582	1	0.0	00.0-00.0	162	6.1	04.9-07.3	1963	66.7	64.5-68.9	809	27.0	25.0-29.0	8	0.2	00.0-00.4
55-64	2927	343,245				185	6.0	04.8-07.2	2150	72.9	70.7-75.1	589	21.0	19.0-23.0	3	0.2	00.0-00.4
65+	4160	409,030	5	0.0	00.0-00.0	436	10.9	09.7-12.1	3105	74.3	72.5-76.1	610	14.7	13.3-16.1	4	0.0	00.0-00.0
Less Than H.S.	1015	164,010	5	0.6	00.0-01.2	184	20.5	16.2-24.8	682	59.8	54.7-64.9	144	19.1	14.6-23.6			
H.S. or G.E.D.	3805	569,208	4	0.0	00.0-00.0	325	8.2	06.8-09.6	2735	71.1	68.9-73.3	733	20.4	18.4-22.4	8	0.3	00.1-00.5
Some Post-H.S.	4995	812,078				332	6.6	05.6-07.6	3485	67.0	65.0-69.0	1162	26.2	24.4-28.0	16	0.3	00.1-00.5
College Graduate	4675	834,193				236	5.3	04.3-06.3	3139	65.2	63.4-67.0	1281	29.0	27.2-30.8	19	0.5	00.1-00.9
Less than \$15,000	1255	153,877	1	0.1	00.0-00.3	151	14.0	10.1-17.9	837	60.9	56.2-65.6	259	24.2	20.1-28.3	7	0.8	00.2-01.4
\$15,000- 24,999	2411	329,787	5	0.1	00.0-00.3	241	10.0	08.0-12.0	1701	67.6	64.5-70.7	458	22.0	19.3-24.7	6	0.3	00.1-00.5
\$25,000- 34,999	1854	260,225				148	9.0	07.0-11.0	1321	68.8	65.7-71.9	378	21.9	19.2-24.6	7	0.2	00.0-00.4
\$35,000- 49,999	2275	356,922				143	7.6	06.0-09.2	1603	68.3	65.6-71.0	524	23.9	21.5-26.3	5	0.2	00.0-00.6
\$50,000- 74,999	2218	390,193				98	4.1	03.1-05.1	1504	66.4	63.9-68.9	610	29.2	26.7-31.7	6	0.3	00.0-00.7
\$75,000+	2526	553,620				99	4.0	03.0-05.0	1688	65.3	62.9-67.7	732	30.5	28.1-32.9	7	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23361	4,711,349	16	0.1	00.1-00.1	1107	4.0	03.6-04.4	10859	38.4	37.4-39.4	9414	45.6	44.6-46.6	1963	11.9	11.1-12.7	2	0.0	00.0-00.0
Male	8853	2,328,903	6	0.1	00.1-00.1	31	0.5	00.3-00.7	806	9.4	08.4-10.4	6088	66.4	65.0-67.8	1920	23.6	22.2-25.0	2	0.0	00.0-00.0
Female	14508	2,382,446	10	0.1	00.1-00.1	1076	7.4	06.8-08.0	10053	66.8	65.6-68.0	3326	25.3	24.3-26.3	43	0.3	00.1-00.5			
White/Non-Hisp	20394	3,899,653	6	0.0	00.0-00.0	802	3.0	02.6-03.4	9356	37.2	36.2-38.2	8441	47.1	46.1-48.1	1787	12.8	12.0-13.6	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	242	86,603				15	5.5	01.0-10.0	94	28.1	20.8-35.4	95	47.3	37.5-57.1	38	19.0	11.7-26.3			
Oth. Race/Non-Hisp.	772	227,569				88	8.8	06.3-11.3	412	47.1	42.2-52.0	245	40.7	35.6-45.8	27	3.4	01.6-05.2			
MultiRacial/Non-Hisp.	615	132,325				26	3.1	01.5-04.7	299	40.4	34.5-46.3	235	44.6	38.5-50.7	55	11.9	07.6-16.2			
Hispanic	1145	331,558	9	0.7	00.1-01.3	170	12.9	10.2-15.6	610	48.9	44.6-53.2	316	32.3	28.2-36.4	40	5.3	03.1-07.5			
18-24	1040	613,722	2	0.1	00.0-00.3	58	4.9	03.3-06.5	431	35.1	31.4-38.8	442	46.9	42.8-51.0	107	12.9	10.0-15.8			
25-34	2476	823,353	3	0.1	00.0-00.3	116	4.3	03.3-05.3	1082	35.3	32.9-37.7	1021	45.8	43.3-48.3	254	14.5	12.5-16.5			
35-44	3583	927,931	3	0.0	00.0-00.0	139	2.9	02.3-03.5	1573	36.1	34.1-38.1	1514	47.3	45.1-49.5	354	13.6	12.0-15.2			
45-54	4781	940,752	1	0.0	00.0-00.0	168	3.2	02.6-03.8	2103	37.6	35.8-39.4	2051	47.1	45.1-49.1	457	11.9	10.5-13.3	1	0.1	00.0-00.3
55-64	4916	677,599	2	0.1	00.0-00.3	185	3.0	02.4-03.6	2308	40.5	38.7-42.3	1999	45.5	43.5-47.5	422	10.9	09.7-12.1			
65+	6551	725,722	5	0.0	00.0-00.0	441	6.3	05.5-07.1	3356	46.9	45.3-48.5	2381	40.3	38.7-41.9	367	6.5	05.7-07.3	1	0.0	00.0-00.0
Less Than H.S.	1667	350,906	7	0.6	00.0-01.2	198	11.4	08.9-13.9	826	39.5	35.8-43.2	545	41.1	37.0-45.2	91	7.5	05.1-09.9			
H.S. or G.E.D.	5995	1,143,295	7	0.0	00.0-00.0	331	4.2	03.6-04.8	2972	41.9	39.9-43.9	2270	43.2	41.2-45.2	413	10.6	09.2-12.0	2	0.1	00.1-00.1
Some Post-H.S.	7554	1,486,301	1	0.0	00.0-00.0	337	3.7	03.1-04.3	3662	39.1	37.5-40.7	2965	45.7	43.9-47.5	589	11.5	10.3-12.7			
College Graduate	8112	1,724,846				240	2.6	02.2-03.0	3381	35.4	34.0-36.8	3623	48.1	46.5-49.7	868	13.9	12.7-15.1			
Less than \$15,000	1757	268,284	3	0.3	00.0-00.7	157	8.8	06.3-11.3	921	41.6	37.5-45.7	582	39.6	35.1-44.1	94	9.7	06.8-12.6			
\$15,000- 24,999	3674	644,754	8	0.2	00.0-00.4	254	5.8	04.6-07.0	1887	43.5	41.0-46.0	1301	41.7	39.0-44.4	224	8.8	07.0-10.6			
\$25,000- 34,999	2963	492,955				150	5.0	03.8-06.2	1428	40.6	38.1-43.1	1163	44.4	41.7-47.1	221	10.0	08.0-12.0	1	0.0	00.0-00.0
\$35,000- 49,999	3815	706,030				145	4.0	03.0-05.0	1722	38.3	36.1-40.5	1615	46.3	43.9-48.7	333	11.4	09.8-13.0			
\$50,000- 74,999	3796	789,416				100	2.1	01.5-02.7	1615	36.5	34.5-38.5	1706	48.4	46.2-50.6	375	13.0	11.4-14.6			
\$75,000+	4573	1,234,260				100	1.8	01.4-02.2	1811	33.1	31.3-34.9	2111	50.0	48.0-52.0	551	15.2	13.6-16.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8853	2,328,903	6	0.1	00.1-00.1	31	0.5	00.3-00.7	806	9.4	08.4-10.4	6088	66.4	65.0-67.8	1920	23.6	22.2-25.0	2	0.0	00.0-00.0
White/Non-Hisp	7672	1,896,353	1	0.0	00.0-00.0	10	0.2	00.0-00.4	516	5.6	04.8-06.4	5391	68.2	66.6-69.8	1752	25.9	24.5-27.3	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	99	47,209				1	0.5	00.0-01.5	5	3.7	00.0-07.6									
Oth. Race/Non-Hisp.	296	120,375				2	0.4	00.0-01.0	78	26.7	20.0-33.4	191	66.7	59.6-73.8	25	6.3	03.2-09.4			
MultiRacial/Non-Hisp.	225	64,269							22	7.9	03.6-12.2	149	67.9	59.3-76.5	54	24.2	16.0-32.4			
Hispanic	469	184,337	5	0.8	00.0-01.6	18	3.6	01.4-05.8	169	38.4	31.9-44.9	240	47.9	41.4-54.4	37	9.3	05.4-13.2			
18-24	412	315,879	1	0.1	00.0-00.3	6	0.9	00.0-01.9	40	9.5	05.8-13.2	262	64.9	59.0-70.8	103	24.6	19.3-29.9			
25-34	904	423,045	1	0.2	00.0-00.6	8	1.0	00.2-01.8	94	10.7	08.2-13.2	556	60.4	56.5-64.3	245	27.8	24.1-31.5			
35-44	1314	469,979	2	0.1	00.1-00.1	5	0.3	00.0-00.7	124	9.4	07.4-11.4	844	63.9	60.8-67.0	339	26.3	23.4-29.2			
45-54	1838	468,171				6	0.3	00.0-00.7	140	8.3	06.5-10.1	1242	67.4	64.7-70.1	449	23.8	21.3-26.3	1	0.1	00.0-00.3
55-64	1989	334,354	2	0.1	00.0-00.3				158	7.3	05.9-08.7	1410	70.6	68.1-73.1	419	22.0	19.6-24.4			
65+	2391	316,692				6	0.3	00.1-00.5	250	11.5	09.7-13.3	1771	73.4	71.0-75.8	363	14.7	12.9-16.5	1	0.0	00.0-00.0
Less Than H.S.	652	186,897	2	0.6	00.0-01.4	14	3.4	01.2-05.6	149	22.4	17.5-27.3	396	59.6	53.7-65.5	91	14.0	09.9-18.1			
H.S. or G.E.D.	2190	574,088	3	0.1	00.1-00.1	8	0.5	00.1-00.9	235	12.7	10.3-15.1	1537	65.8	62.7-68.9	405	20.8	18.1-23.5	2	0.1	00.0-00.3
Some Post-H.S.	2559	674,222	1	0.1	00.0-00.3	5	0.2	00.0-00.6	177	5.5	04.5-06.5	1803	69.3	66.6-72.0	573	24.9	22.4-27.4			
College Graduate	3437	890,653				4	0.1	00.1-00.1	243	7.5	06.3-08.7	2341	65.9	63.7-68.1	849	26.5	24.5-28.5			
Less than \$15,000	502	114,407	2	0.5	00.0-01.3	7	2.2	00.0-04.4	84	15.7	09.6-21.8	322	60.0	52.0-68.0	87	21.7	15.0-28.4			
\$15,000- 24,999	1263	314,967	3	0.3	00.0-00.7	13	1.5	00.5-02.5	189	18.3	14.6-22.0	840	62.2	57.7-66.7	218	17.8	14.3-21.3			
\$25,000- 34,999	1109	232,729				2	0.5	00.0-01.5	107	9.0	06.6-11.4	785	69.4	65.3-73.5	214	20.9	17.2-24.6	1	0.1	00.0-00.3
\$35,000- 49,999	1540	349,108				2	0.3	00.0-00.9	120	7.8	06.0-09.6	1090	69.1	65.8-72.4	328	22.8	19.7-25.9			
\$50,000- 74,999	1578	399,223				2	0.2	00.0-00.6	111	7.2	05.4-09.0	1096	67.1	64.0-70.2	369	25.4	22.5-28.3			
\$75,000+	2047	680,640				1	0.0	00.0-00.0	123	6.8	05.2-08.4	1379	65.9	63.2-68.6	544	27.3	24.8-29.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14508	2,382,446	10	0.1	00.1-00.1	1076	7.4	06.8-08.0	10053	66.8	65.6-68.0	3326	25.3	24.3-26.3	43	0.3	00.1-00.5
White/Non-Hisp	12722	2,003,300	5	0.0	00.0-00.0	792	5.6	05.0-06.2	8840	67.0	65.8-68.2	3050	27.1	25.9-28.3	35	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	143	39,394				14	11.6	02.4-20.8							1	0.5	00.0-01.5
Oth. Race/Non-Hisp.	476	107,194				86	18.2	13.3-23.1	334	70.0	64.3-75.7	54	11.6	07.7-15.5	2	0.2	00.0-00.4
MultiRacial/Non-Hisp.	390	68,056				26	5.9	03.0-08.8	277	71.2	63.9-78.5	86	22.5	15.4-29.6	1	0.4	00.0-01.2
Hispanic	676	147,221	4	0.7	00.0-01.5	152	24.6	19.7-29.5	441	61.9	56.6-67.2	76	12.6	09.1-16.1	3	0.2	00.0-00.6
18-24	628	297,844	1	0.1	00.0-00.3	52	9.1	06.0-12.2	391	62.2	57.3-67.1	180	27.9	23.4-32.4	4	0.6	00.0-01.4
25-34	1572	400,308	2	0.1	00.0-00.3	108	7.7	05.9-09.5	988	61.4	58.5-64.3	465	30.4	27.7-33.1	9	0.4	00.0-00.8
35-44	2269	457,952	1	0.0	00.0-00.0	134	5.6	04.4-06.8	1449	63.5	61.0-66.0	670	30.3	27.9-32.7	15	0.6	00.2-01.0
45-54	2943	472,582	1	0.0	00.0-00.0	162	6.1	04.9-07.3	1963	66.7	64.5-68.9	809	27.0	25.0-29.0	8	0.2	00.0-00.4
55-64	2927	343,245				185	6.0	04.8-07.2	2150	72.9	70.7-75.1	589	21.0	19.0-23.0	3	0.2	00.0-00.4
65+	4160	409,030	5	0.0	00.0-00.0	435	10.9	09.7-12.1	3106	74.3	72.5-76.1	610	14.7	13.3-16.1	4	0.0	00.0-00.0
Less Than H.S.	1015	164,010	5	0.6	00.0-01.2	184	20.5	16.2-24.8	677	59.0	53.9-64.1	149	20.0	15.5-24.5			
H.S. or G.E.D.	3805	569,208	4	0.0	00.0-00.0	323	8.0	06.8-09.2	2737	71.3	69.1-73.5	733	20.4	18.4-22.4	8	0.3	00.1-00.5
Some Post-H.S.	4995	812,078				332	6.6	05.6-07.6	3485	67.0	65.0-69.0	1162	26.2	24.4-28.0	16	0.3	00.1-00.5
College Graduate	4675	834,193				236	5.3	04.3-06.3	3138	65.1	63.3-66.9	1282	29.1	27.3-30.9	19	0.5	00.1-00.9
Less than \$15,000	1255	153,877	1	0.1	00.0-00.3	150	13.8	09.9-17.7	837	60.8	56.1-65.5	260	24.4	20.3-28.5	7	0.8	00.2-01.4
\$15,000- 24,999	2411	329,787	5	0.1	00.0-00.3	241	10.0	08.0-12.0	1698	67.5	64.4-70.6	461	22.1	19.4-24.8	6	0.3	00.1-00.5
\$25,000- 34,999	1854	260,225				148	9.0	07.0-11.0	1321	68.8	65.7-71.9	378	21.9	19.2-24.6	7	0.2	00.0-00.4
\$35,000- 49,999	2275	356,922				143	7.6	06.0-09.2	1602	68.1	65.4-70.8	525	24.0	21.6-26.4	5	0.2	00.0-00.6
\$50,000- 74,999	2218	390,193				98	4.1	03.1-05.1	1504	66.4	63.9-68.9	610	29.2	26.7-31.7	6	0.3	00.0-00.7
\$75,000+	2526	553,620				99	4.0	03.0-05.0	1688	65.3	62.9-67.7	732	30.5	28.1-32.9	7	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22668	4,604,395	202	0.8	00.6-01.0	7673	31.4	30.4-32.4	10250	45.9	44.9-46.9	3543	17.1	16.3-17.9	811	4.0	03.6-04.4	189	0.9	00.7-01.1
Male	8853	2,333,575	6	0.1	00.0-00.3	859	11.8	10.6-13.0	4943	54.8	53.2-56.4	2421	26.1	24.7-27.5	512	5.9	05.1-06.7	112	1.3	00.9-01.7
Female	13815	2,270,820	196	1.5	01.1-01.9	6814	51.6	50.4-52.8	5307	36.7	35.5-37.9	1122	7.8	07.2-08.4	299	2.0	01.6-02.4	77	0.5	00.3-00.7
White/Non-Hisp	19662	3,781,082	163	0.7	00.5-00.9	6561	30.5	29.5-31.5	8903	45.6	44.6-46.6	3158	18.1	17.3-18.9	709	4.1	03.7-04.5	168	1.0	00.8-01.2
Black or Afr. Am./Non-Hisp	235	83,691	1	0.2	00.0-00.6	62	25.2	17.0-33.4	119	53.8	44.0-63.6	45	18.0	10.9-25.1	6	2.1	00.3-03.9	2	0.8	00.0-01.8
Oth. Race/Non-Hisp.	762	225,534	16	1.6	00.6-02.6	360	46.9	41.8-52.0	275	38.4	33.3-43.5	86	10.6	07.3-13.9	23	2.4	01.0-03.8	2	0.1	00.0-00.3
MultiRacial/Non-Hisp.	592	128,130	4	0.9	00.0-01.9	180	30.4	24.7-36.1	259	43.0	36.7-49.3	106	17.8	12.9-22.7	38	6.9	03.8-10.0	5	1.0	00.0-02.2
Hispanic	1241	354,318	16	1.6	00.4-02.8	468	33.7	30.0-37.4	596	51.2	47.1-55.3	124	10.2	08.0-12.4	26	3.0	01.2-04.8	11	0.4	00.0-00.8
18-24	1034	607,085	20	1.8	00.8-02.8	487	45.3	41.4-49.2	401	39.1	35.2-43.0	96	10.5	08.0-13.0	26	3.2	01.6-04.8	4	0.2	00.0-00.4
25-34	2449	817,832	14	0.5	00.3-00.7	925	33.3	30.9-35.7	1049	44.8	42.3-47.3	349	16.2	14.2-18.2	89	4.1	02.9-05.3	23	1.2	00.4-02.0
35-44	3466	906,575	25	0.5	00.3-00.7	1167	28.5	26.7-30.3	1542	45.7	43.5-47.9	563	19.2	17.4-21.0	131	4.7	03.7-05.7	38	1.3	00.7-01.9
45-54	4600	911,239	28	0.6	00.4-00.8	1388	25.7	24.1-27.3	2089	47.1	45.1-49.1	831	20.7	19.1-22.3	206	4.7	03.9-05.5	58	1.3	00.9-01.7
55-64	4704	650,275	28	0.5	00.3-00.7	1345	25.6	24.0-27.2	2143	47.0	45.0-49.0	934	21.7	20.1-23.3	205	4.3	03.5-05.1	49	1.0	00.6-01.4
65+	6411	710,760	87	1.3	00.9-01.7	2360	33.7	32.1-35.3	3023	50.2	48.6-51.8	770	12.2	11.2-13.2	154	2.4	01.8-03.0	17	0.2	00.0-00.4
Less Than H.S.	1735	362,925	31	1.8	00.8-02.8	614	34.4	30.7-38.1	783	47.6	43.7-51.5	222	12.6	10.1-15.1	69	3.2	02.2-04.2	16	0.5	00.1-00.9
H.S. or G.E.D.	5787	1,113,561	62	0.8	00.4-01.2	1914	30.4	28.4-32.4	2652	45.3	43.3-47.3	919	18.4	16.8-20.0	193	4.1	03.3-04.9	47	1.0	00.4-01.6
Some Post-H.S.	7265	1,444,502	54	0.8	00.4-01.2	2414	30.3	28.7-31.9	3190	44.4	42.6-46.2	1206	17.8	16.4-19.2	317	5.4	04.4-06.4	84	1.3	00.9-01.7
College Graduate	7852	1,678,450	54	0.6	00.4-00.8	2721	32.4	31.0-33.8	3609	47.0	45.4-48.6	1195	16.6	15.4-17.8	231	2.9	02.5-03.3	42	0.6	00.4-00.8
Less than \$15,000	1732	265,835	29	1.1	00.5-01.7	599	31.8	27.9-35.7	735	46.7	42.2-51.2	253	14.6	11.9-17.3	83	4.0	02.8-05.2	33	1.8	00.8-02.8
\$15,000- 24,999	3626	642,653	39	1.0	00.4-01.6	1277	31.9	29.5-34.3	1610	45.7	43.0-48.4	517	16.1	13.9-18.3	143	4.4	03.2-05.6	40	1.0	00.4-01.6
\$25,000- 34,999	2876	482,967	24	0.9	00.3-01.5	995	31.8	29.3-34.3	1328	46.3	43.6-49.0	415	16.3	14.1-18.5	89	3.8	02.6-05.0	25	0.9	00.5-01.3
\$35,000- 49,999	3689	688,175	26	0.8	00.4-01.2	1113	28.2	26.0-30.4	1732	46.4	44.0-48.8	625	18.6	16.6-20.6	167	5.2	04.0-06.4	26	0.9	00.5-01.3
\$50,000- 74,999	3704	774,682	21	0.6	00.2-01.0	1108	27.8	25.8-29.8	1754	47.6	45.4-49.8	668	19.6	17.8-21.4	130	3.9	03.1-04.7	23	0.6	00.2-01.0
\$75,000+	4462	1,211,693	16	0.4	00.2-00.6	1462	30.5	28.7-32.3	2015	45.7	43.7-47.7	809	19.0	17.4-20.6	136	3.8	03.0-04.6	24	0.6	00.4-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8853	2,333,575	6	0.1	00.0-00.3	859	11.8	10.6-13.0	4943	54.8	53.2-56.4	2421	26.1	24.7-27.5	512	5.9	05.1-06.7	112	1.3	00.9-01.7
White/Non-Hisp	7654	1,892,663	3	0.1	00.0-00.3	653	9.8	08.6-11.0	4276	54.2	52.6-55.8	2173	28.3	26.9-29.7	452	6.2	05.4-07.0	97	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	100	47,324				6	8.4	00.0-17.2							4	2.6	00.0-05.3	2	1.3	00.0-03.3
Oth. Race/Non-Hisp.	297	121,835	1	0.0	00.0-00.0	72	29.2	22.1-36.3	151	50.6	42.8-58.4	63	17.0	11.3-22.7	10	3.1	00.9-05.3			
MultiRacial/Non-Hisp.	226	64,312				23	11.3	05.2-17.4	114	50.7	41.3-60.1	60	24.4	16.2-32.6	24	11.6	05.7-17.5	5	2.0	00.0-04.4
Hispanic	487	190,840	2	0.5	00.0-01.1	99	20.7	15.6-25.8	283	61.1	55.0-67.2	81	13.5	09.8-17.2	15	3.9	01.0-06.8	7	0.3	00.1-00.5
18-24	414	314,894	1	0.3	00.0-00.9	116	27.5	22.0-33.0	217	51.2	44.9-57.5	62	15.7	11.2-20.2	16	5.0	02.3-07.7	2	0.2	00.0-00.6
25-34	914	429,768	1	0.1	00.0-00.3	115	14.0	11.1-16.9	509	53.9	49.8-58.0	210	23.9	20.4-27.4	62	6.4	04.2-08.6	17	1.7	00.5-02.9
35-44	1316	472,086				120	9.4	07.4-11.4	706	52.9	49.6-56.2	385	29.4	26.5-32.3	85	6.8	05.0-08.6	20	1.5	00.7-02.3
45-54	1839	467,054	1	0.1	00.0-00.3	125	6.5	05.1-07.9	1022	55.3	52.4-58.2	544	30.1	27.4-32.8	116	6.3	04.9-07.7	31	1.8	01.0-02.6
55-64	1978	332,727	2	0.1	00.0-00.3	135	6.3	04.9-07.7	1025	52.9	50.0-55.8	658	33.2	30.5-35.9	129	6.0	04.6-07.4	29	1.4	00.8-02.0
65+	2389	316,498	1	0.1	00.0-00.3	248	10.3	08.7-11.9	1461	63.8	61.3-66.3	562	21.5	19.5-23.5	104	4.1	03.1-05.1	13	0.3	00.1-00.5
Less Than H.S.	661	187,182	4	1.1	00.0-02.5	114	20.5	15.4-25.6	358	56.1	50.2-62.0	135	17.2	13.1-21.3	44	4.9	02.9-06.9	6	0.3	00.0-00.7
H.S. or G.E.D.	2200	579,380	1	0.0	00.0-00.0	225	13.6	11.1-16.1	1221	52.4	49.1-55.7	601	26.6	23.9-29.3	120	5.8	04.2-07.4	32	1.6	00.6-02.6
Some Post-H.S.	2553	675,179				207	9.7	07.7-11.7	1323	51.7	48.8-54.6	790	28.3	25.8-30.8	188	8.5	06.7-10.3	45	1.7	01.1-02.3
College Graduate	3427	889,540	1	0.0	00.0-00.0	311	10.3	08.7-11.9	2032	58.5	56.3-60.7	894	26.1	24.1-28.1	160	4.2	03.4-05.0	29	0.9	00.5-01.3
Less than \$15,000	503	114,684	1	0.5	00.0-01.5	77	16.7	10.8-22.6	260	58.4	50.6-66.2	116	17.3	12.2-22.4	33	4.7	02.5-06.9	16	2.3	00.5-04.1
\$15,000- 24,999	1277	319,673	1	0.0	00.0-00.0	184	15.9	12.8-19.0	688	52.9	48.4-57.4	300	23.5	19.6-27.4	85	6.4	04.0-08.8	19	1.3	00.3-02.3
\$25,000- 34,999	1113	234,621	1	0.4	00.0-01.2	117	11.3	08.4-14.2	633	54.3	49.8-58.8	290	27.1	23.0-31.2	58	5.5	03.3-07.7	14	1.3	00.5-02.1
\$35,000- 49,999	1539	349,405	1	0.1	00.0-00.3	120	9.8	07.3-12.3	860	53.3	49.8-56.8	429	27.5	24.2-30.8	107	7.8	05.6-10.0	22	1.6	00.8-02.4
\$50,000- 74,999	1580	401,488				93	7.1	05.1-09.1	902	57.0	53.7-60.3	480	29.1	26.2-32.0	87	5.8	04.2-07.4	18	0.9	00.3-01.5
\$75,000+	2043	678,908	1	0.0	00.0-00.0	154	10.5	08.1-12.9	1129	54.1	51.2-57.0	639	28.8	26.3-31.3	105	5.7	04.3-07.1	15	0.8	00.4-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13815	2,270,820	196	1.5	01.1-01.9	6814	51.6	50.4-52.8	5307	36.7	35.5-37.9	1122	7.8	07.2-08.4	299	2.0	01.6-02.4	77	0.5	00.3-00.7
White/Non-Hisp	12008	1,888,419	160	1.3	01.1-01.5	5908	51.1	49.9-52.3	4627	37.0	35.8-38.2	985	8.0	07.4-08.6	257	2.0	01.6-02.4	71	0.6	00.4-00.8
Black or Afr. Am./Non-Hisp	135	36,367	1	0.4	00.0-01.2							18	12.3	05.8-18.8	2	1.4	00.0-03.4			
Oth. Race/Non-Hisp.	465	103,699	15	3.5	01.3-05.7	288	67.6	61.9-73.3	124	24.0	18.7-29.3	23	3.0	01.2-04.8	13	1.7	00.5-02.9	2	0.3	00.0-00.7
MultiRacial/Non-Hisp.	366	63,817	4	1.7	00.0-03.7	157	49.7	41.5-57.9	145	35.2	27.4-43.0	46	11.1	06.8-15.4	14	2.2	00.8-03.6			
Hispanic	754	163,478	14	2.9	00.5-05.3	369	48.9	44.0-53.8	313	39.6	34.7-44.5	43	6.3	03.9-08.7	11	1.9	00.5-03.3	4	0.4	00.0-01.0
18-24	620	292,191	19	3.3	01.5-05.1	371	64.4	59.7-69.1	184	26.0	21.7-30.3	34	4.9	02.7-07.1	10	1.2	00.4-02.0	2	0.2	00.0-00.6
25-34	1535	388,064	13	0.8	00.2-01.4	810	54.7	51.6-57.8	540	34.9	32.0-37.8	139	7.6	06.0-09.2	27	1.5	00.7-02.3	6	0.5	00.0-01.1
35-44	2150	434,489	25	1.1	00.5-01.7	1047	49.3	46.8-51.8	836	38.0	35.5-40.5	178	8.2	06.6-09.8	46	2.4	01.4-03.4	18	1.0	00.4-01.6
45-54	2761	444,185	27	1.1	00.5-01.7	1263	45.9	43.5-48.3	1067	38.5	36.1-40.9	287	10.8	09.2-12.4	90	3.0	02.2-03.8	27	0.8	00.4-01.2
55-64	2726	317,549	26	0.9	00.5-01.3	1210	45.7	43.3-48.1	1118	40.9	38.5-43.3	276	9.6	08.2-11.0	76	2.5	01.7-03.3	20	0.5	00.3-00.7
65+	4022	394,262	86	2.3	01.7-02.9	2112	52.5	50.5-54.5	1562	39.4	37.4-41.4	208	4.7	03.9-05.5	50	1.1	00.7-01.5	4	0.0	00.0-00.0
Less Than H.S.	1074	175,743	27	2.6	01.2-04.0	500	49.2	44.3-54.1	425	38.5	34.0-43.0	87	7.8	05.1-10.5	25	1.3	00.5-02.1	10	0.7	00.1-01.3
H.S. or G.E.D.	3587	534,181	61	1.7	00.9-02.5	1689	48.6	46.2-51.0	1431	37.7	35.3-40.1	318	9.5	08.1-10.9	73	2.1	01.5-02.7	15	0.5	00.1-00.9
Some Post-H.S.	4712	769,323	54	1.5	00.9-02.1	2207	48.4	46.2-50.6	1867	38.1	36.1-40.1	416	8.6	07.6-09.6	129	2.6	02.0-03.2	39	0.9	00.5-01.3
College Graduate	4425	788,910	53	1.2	00.8-01.6	2410	57.2	55.2-59.2	1577	34.2	32.4-36.0	301	5.8	05.0-06.6	71	1.4	01.0-01.8	13	0.2	00.0-00.4
Less than \$15,000	1229	151,151	28	1.6	00.8-02.4	522	43.2	38.5-47.9	475	37.7	33.2-42.2	137	12.5	09.4-15.6	50	3.5	02.3-04.7	17	1.4	00.4-02.4
\$15,000- 24,999	2349	322,980	38	2.0	00.8-03.2	1093	47.6	44.5-50.7	922	38.5	35.6-41.4	217	8.8	07.2-10.4	58	2.4	01.4-03.4	21	0.8	00.4-01.2
\$25,000- 34,999	1763	248,346	23	1.4	00.8-02.0	878	51.2	47.9-54.5	695	38.7	35.6-41.8	125	6.1	04.7-07.5	31	2.2	01.0-03.4	11	0.5	00.1-00.9
\$35,000- 49,999	2150	338,770	25	1.5	00.7-02.3	993	47.1	44.2-50.0	872	39.3	36.4-42.2	196	9.5	07.7-11.3	60	2.5	01.7-03.3	4	0.1	00.0-00.3
\$50,000- 74,999	2124	373,194	21	1.2	00.6-01.8	1015	50.0	47.3-52.7	852	37.4	34.7-40.1	188	9.2	07.6-10.8	43	1.9	01.3-02.5	5	0.3	00.1-00.5
\$75,000+	2419	532,785	15	0.8	00.2-01.4	1308	56.0	53.5-58.5	886	34.9	32.5-37.3	170	6.5	05.3-07.7	31	1.5	00.9-02.1	9	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18		N	> 18, <= 25		N	25 >, <= 30		N	30 >, <= 35		N	35 >	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	22465	4,550,597	210	0.9	00.7-01.1	8247	38.4	37.4-39.4	8215	36.5	35.5-37.5	3689	15.6	15.0-16.2	2104	8.6	08.0-09.2
Male	8791	2,308,182	35	0.5	00.3-00.7	2452	31.0	29.6-32.4	4043	43.8	42.2-45.4	1576	17.1	15.9-18.3	685	7.7	06.9-08.5
Female	13674	2,242,414	175	1.3	01.1-01.5	5795	46.1	44.9-47.3	4172	29.0	28.0-30.0	2113	14.1	13.3-14.9	1419	9.5	08.9-10.1
White/Non-Hisp	19616	3,772,052	184	0.9	00.7-01.1	7268	38.6	37.6-39.6	7204	36.6	35.6-37.6	3168	15.4	14.6-16.2	1792	8.5	07.9-09.1
Black or Afr. Am./Non-Hisp	233	83,371	2	0.4	00.0-01.0	74	34.6	25.4-43.8				52	20.2	12.8-27.6	24	6.6	03.7-09.5
Oth. Race/Non-Hisp.	756	222,633	7	0.5	00.1-00.9	344	49.3	44.2-54.4	238	31.8	27.1-36.5	103	13.2	09.5-16.9	64	5.2	03.4-07.0
MultiRacial/Non-Hisp.	591	128,086	5	1.3	00.1-02.5	186	35.1	29.0-41.2	204	35.4	29.3-41.5	112	17.6	12.7-22.5	84	10.6	07.5-13.7
Hispanic	1095	313,217	10	1.2	00.0-02.4	332	30.9	27.0-34.8	404	38.4	34.1-42.7	223	18.3	15.2-21.4	126	11.2	08.5-13.9
18-24	1010	596,256	27	2.3	01.1-03.5	559	56.0	51.9-60.1	265	27.0	23.3-30.7	104	9.8	07.4-12.2	55	4.9	03.3-06.5
25-34	2384	795,692	23	0.8	00.4-01.2	1002	41.7	39.2-44.2	786	34.2	31.7-36.7	342	14.4	12.6-16.2	231	8.8	07.2-10.4
35-44	3420	894,900	27	0.6	00.4-00.8	1348	37.7	35.7-39.7	1152	35.7	33.5-37.9	558	16.4	14.8-18.0	335	9.7	08.3-11.1
45-54	4572	906,571	21	0.3	00.1-00.5	1578	32.6	30.8-34.4	1658	39.0	37.0-41.0	811	17.5	16.1-18.9	504	10.6	09.4-11.8
55-64	4692	648,755	31	0.5	00.3-00.7	1405	29.3	27.5-31.1	1798	40.0	38.0-42.0	896	19.7	18.1-21.3	562	10.5	09.3-11.7
65+	6383	707,796	81	1.2	00.8-01.6	2352	36.6	35.0-38.2	2555	41.7	40.1-43.3	978	14.8	13.6-16.0	417	5.7	04.9-06.5
Less Than H.S.	1621	337,476	34	2.6	01.0-04.2	519	35.9	32.0-39.8	536	32.2	28.5-35.9	319	19.0	15.9-22.1	213	10.2	08.0-12.4
H.S. or G.E.D.	5740	1,097,688	64	1.0	00.6-01.4	1977	36.2	34.2-38.2	2076	35.2	33.2-37.2	1035	17.7	16.1-19.3	588	10.0	08.8-11.2
Some Post-H.S.	7237	1,437,041	54	0.7	00.5-00.9	2478	35.5	33.7-37.3	2662	36.8	35.0-38.6	1258	16.4	15.2-17.6	785	10.5	09.3-11.7
College Graduate	7839	1,673,498	57	0.6	00.4-00.8	3264	43.0	41.4-44.6	2931	37.9	36.5-39.3	1070	12.9	11.9-13.9	517	5.7	05.1-06.3
Less than \$15,000	1697	257,136	32	2.1	00.3-03.9	559	34.4	30.3-38.5	524	34.0	29.3-38.7	313	16.3	13.6-19.0	269	13.2	10.7-15.7
\$15,000- 24,999	3535	618,751	46	1.2	00.6-01.8	1217	35.9	33.4-38.4	1200	33.2	30.7-35.7	625	18.0	15.8-20.2	447	11.7	09.9-13.5
\$25,000- 34,999	2864	479,949	30	1.2	00.6-01.8	1050	36.9	34.4-39.4	1074	36.9	34.2-39.6	473	17.0	14.8-19.2	237	8.0	06.6-09.4
\$35,000- 49,999	3683	687,342	23	0.7	00.3-01.1	1272	34.8	32.6-37.0	1379	37.3	34.9-39.7	640	16.9	15.3-18.5	369	10.3	08.9-11.7
\$50,000- 74,999	3696	771,249	22	0.4	00.2-00.6	1308	36.5	34.3-38.7	1396	38.1	35.9-40.3	676	17.4	15.8-19.0	294	7.6	06.4-08.8
\$75,000+	4455	1,209,411	29	0.6	00.2-01.0	1720	40.0	38.0-42.0	1779	39.0	37.0-41.0	637	13.8	12.4-15.2	290	6.5	05.5-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18		N	> 18, <= 25		N	25 >, <= 30		N	30 >, <= 35		N	35 >	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	8791	2,308,182	35	0.5	00.3-00.7	2452	31.0	29.6-32.4	4043	43.8	42.2-45.4	1576	17.1	15.9-18.3	685	7.7	06.9-08.5
White/Non-Hisp	7632	1,886,344	30	0.5	00.1-00.9	2133	30.9	29.3-32.5	3524	43.8	42.2-45.4	1368	17.1	15.9-18.3	577	7.7	06.7-08.7
Black or Afr. Am./Non-Hisp	99	47,209													7	4.4	00.9-07.9
Oth. Race/Non-Hisp.	295	119,711	2	0.3	00.0-00.7	99	39.6	32.0-47.2	130	40.4	33.0-47.8	49	15.3	09.4-21.2	15	4.5	02.0-07.0
MultiRacial/Non-Hisp.	225	64,269	2	1.0	00.0-02.4	59	29.9	21.1-38.7	96	39.7	30.7-48.7	39	18.7	10.7-26.7	29	10.6	05.5-15.7
Hispanic	453	174,451	1	0.3	00.0-00.9	120	27.1	21.4-32.8	193	45.2	38.5-51.9	88	17.9	13.4-22.4	51	9.5	05.6-13.4
18-24	406	309,860	9	2.2	00.4-04.0	221	52.6	46.3-58.9	116	29.9	23.8-36.0	43	11.2	07.3-15.1	17	4.1	01.7-06.5
25-34	896	418,970	4	0.4	00.0-00.8	292	33.6	29.7-37.5	376	41.4	37.5-45.3	150	15.9	13.0-18.8	74	8.7	06.2-11.2
35-44	1303	466,163	3	0.1	00.0-00.3	355	27.9	25.0-30.8	600	45.0	41.7-48.3	228	17.5	15.0-20.0	117	9.4	07.4-11.4
45-54	1828	465,174	2	0.0	00.0-00.0	465	23.8	21.4-26.2	857	48.4	45.5-51.3	348	18.9	16.5-21.3	156	8.8	07.0-10.6
55-64	1974	331,984	7	0.4	00.0-00.8	417	21.8	19.4-24.2	924	46.5	43.6-49.4	439	22.7	20.2-25.2	187	8.6	07.0-10.2
65+	2381	315,484	10	0.4	00.2-00.6	700	30.8	28.4-33.2	1169	49.2	46.7-51.7	368	14.9	13.1-16.7	134	4.7	03.7-05.7
Less Than H.S.	640	180,512	8	2.7	00.0-05.4	196	34.0	28.3-39.7	247	37.1	31.2-43.0	125	18.6	13.9-23.3	64	7.7	05.0-10.4
H.S. or G.E.D.	2180	568,304	9	0.4	00.0-00.8	599	31.4	28.3-34.5	988	40.8	37.7-43.9	393	18.5	16.0-21.0	191	8.8	07.0-10.6
Some Post-H.S.	2541	671,387	7	0.3	00.1-00.5	609	27.5	24.8-30.2	1158	43.9	41.0-46.8	525	18.4	16.2-20.6	242	9.9	08.1-11.7
College Graduate	3418	885,684	11	0.3	00.1-00.5	1043	32.7	30.5-34.9	1644	46.9	44.7-49.1	532	14.8	13.2-16.4	188	5.3	04.3-06.3
Less than \$15,000	496	110,551	4	2.7	00.0-06.6	153	32.1	24.8-39.4	190	42.7	34.1-51.3	94	16.1	11.2-21.0	55	6.5	03.8-09.2
\$15,000- 24,999	1250	309,608	7	0.5	00.0-01.1	380	31.6	27.5-35.7	504	37.9	33.6-42.2	219	18.8	15.3-22.3	140	11.1	08.2-14.0
\$25,000- 34,999	1106	232,234	4	0.7	00.0-01.7	324	30.7	26.6-34.8	512	43.3	39.0-47.6	183	18.0	14.3-21.7	83	7.4	05.2-09.6
\$35,000- 49,999	1535	348,619	4	0.3	00.0-00.7	423	29.7	26.4-33.0	691	43.1	39.6-46.6	281	16.7	14.2-19.2	136	10.2	07.8-12.6
\$50,000- 74,999	1575	398,486	6	0.2	00.0-00.4	374	26.6	23.7-29.5	764	47.0	43.7-50.3	333	20.1	17.4-22.8	98	6.2	04.6-07.8
\$75,000+	2038	677,378	5	0.2	00.0-00.4	508	29.6	26.7-32.5	1049	47.5	44.6-50.4	360	16.7	14.5-18.9	116	6.1	04.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13674	2,242,414	175	1.3	01.1-01.5	5795	46.1	44.9-47.3	4172	29.0	28.0-30.0	2113	14.1	13.3-14.9	1419	9.5	08.9-10.1
White/Non-Hisp	11984	1,885,708	154	1.2	01.0-01.4	5135	46.4	45.2-47.6	3680	29.3	28.1-30.5	1800	13.7	12.9-14.5	1215	9.4	08.6-10.2
Black or Afr. Am./Non-Hisp	134	36,162	2	1.0	00.0-02.4							35	24.1	14.9-33.3	17	9.5	04.6-14.4
Oth. Race/Non-Hisp.	461	102,922	5	0.9	00.0-01.9	245	60.5	54.4-66.6	108	21.8	16.5-27.1	54	10.7	07.0-14.4	49	6.1	03.9-08.3
MultiRacial/Non-Hisp.	366	63,817	3	1.6	00.0-03.6	127	40.3	32.1-48.5	108	31.1	23.3-38.9	73	16.5	11.2-21.8	55	10.5	06.8-14.2
Hispanic	642	138,766	9	2.4	00.0-04.8	212	35.8	30.7-40.9	211	29.8	25.1-34.5	135	18.7	14.6-22.8	75	13.2	09.3-17.1
18-24	604	286,396	18	2.6	01.0-04.2	338	59.8	54.7-64.9	149	23.8	19.3-28.3	61	8.2	05.8-10.6	38	5.7	03.3-08.1
25-34	1488	376,721	19	1.3	00.7-01.9	710	50.8	47.7-53.9	410	26.2	23.5-28.9	192	12.8	10.6-15.0	157	8.9	07.1-10.7
35-44	2117	428,737	24	1.0	00.4-01.6	993	48.3	45.8-50.8	552	25.6	23.2-28.0	330	15.1	13.1-17.1	218	9.9	08.1-11.7
45-54	2744	441,397	19	0.6	00.2-01.0	1113	41.9	39.5-44.3	801	29.1	26.9-31.3	463	16.1	14.3-17.9	348	12.4	10.8-14.0
55-64	2718	316,770	24	0.6	00.2-01.0	988	37.2	34.8-39.6	874	33.2	30.8-35.6	457	16.4	14.6-18.2	375	12.5	10.9-14.1
65+	4002	392,312	71	1.9	01.3-02.5	1652	41.2	39.2-43.2	1386	35.6	33.6-37.6	610	14.7	13.3-16.1	283	6.5	05.5-07.5
Less Than H.S.	981	156,964	26	2.6	01.2-04.0	323	38.2	32.9-43.5	289	26.6	22.3-30.9	194	19.6	15.5-23.7	149	13.1	09.8-16.4
H.S. or G.E.D.	3560	529,384	55	1.5	00.7-02.3	1378	41.2	38.8-43.6	1088	29.1	26.9-31.3	642	16.9	15.1-18.7	397	11.3	09.7-12.9
Some Post-H.S.	4696	765,653	47	1.1	00.5-01.7	1869	42.6	40.4-44.8	1504	30.6	28.6-32.6	733	14.6	13.2-16.0	543	11.0	09.8-12.2
College Graduate	4421	787,814	46	1.0	00.6-01.4	2221	54.5	52.5-56.5	1287	27.8	26.0-29.6	538	10.7	09.5-11.9	329	6.0	05.2-06.8
Less than \$15,000	1201	146,584	28	1.6	00.8-02.4	406	36.1	31.4-40.8	334	27.5	23.2-31.8	219	16.5	13.6-19.4	214	18.3	14.6-22.0
\$15,000- 24,999	2285	309,142	39	1.9	00.7-03.1	837	40.2	37.1-43.3	696	28.4	25.7-31.1	406	17.2	14.8-19.6	307	12.2	10.2-14.2
\$25,000- 34,999	1758	247,715	26	1.8	01.0-02.6	726	42.7	39.4-46.0	562	30.9	27.8-34.0	290	16.1	13.7-18.5	154	8.5	06.5-10.5
\$35,000- 49,999	2148	338,722	19	1.1	00.3-01.9	849	40.1	37.2-43.0	688	31.2	28.5-33.9	359	17.2	15.0-19.4	233	10.3	08.5-12.1
\$50,000- 74,999	2121	372,763	16	0.7	00.3-01.1	934	47.0	44.1-49.9	632	28.6	26.1-31.1	343	14.6	12.6-16.6	196	9.1	07.5-10.7
\$75,000+	2417	532,033	24	1.2	00.6-01.8	1212	53.2	50.7-55.7	730	28.3	26.1-30.5	277	10.2	08.8-11.6	174	7.1	05.7-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22465	4,550,597	8457	39.3	38.3-40.3	8213	36.5	35.5-37.5	5795	24.2	23.4-25.0
Male	8791	2,308,182	2487	31.5	29.9-33.1	4043	43.8	42.2-45.4	2261	24.7	23.3-26.1
Female	13674	2,242,414	5970	47.4	46.2-48.6	4170	29.0	28.0-30.0	3534	23.6	22.6-24.6
White/Non-Hisp	19616	3,772,052	7452	39.5	38.5-40.5	7202	36.5	35.5-37.5	4962	23.9	23.1-24.7
Black or Afr. Am./Non-Hisp	233	83,371	76	35.0	25.8-44.2				76	26.8	18.8-34.8
Oth. Race/Non-Hisp.	756	222,633	351	49.8	44.7-54.9	238	31.8	27.1-36.5	167	18.4	14.5-22.3
MultiRacial/Non-Hisp.	591	128,086	191	36.4	30.3-42.5	204	35.4	29.3-41.5	196	28.2	22.7-33.7
Hispanic	1095	313,217	342	32.2	28.3-36.1	404	38.4	34.1-42.7	349	29.4	25.5-33.3
18-24	1010	596,256	586	58.4	54.3-62.5	265	27.0	23.3-30.7	159	14.6	11.9-17.3
25-34	2384	795,692	1025	42.5	40.0-45.0	785	34.2	31.7-36.7	574	23.3	21.1-25.5
35-44	3420	894,900	1375	38.3	36.3-40.3	1152	35.7	33.5-37.9	893	26.0	24.0-28.0
45-54	4572	906,571	1599	32.9	31.1-34.7	1658	39.0	37.0-41.0	1315	28.1	26.3-29.9
55-64	4692	648,755	1436	29.8	28.0-31.6	1798	40.0	38.0-42.0	1458	30.1	28.3-31.9
65+	6383	707,796	2433	37.8	36.2-39.4	2554	41.7	40.1-43.3	1396	20.5	19.3-21.7
Less Than H.S.	1621	337,476	553	38.6	34.7-42.5	536	32.2	28.5-35.9	532	29.2	25.7-32.7
H.S. or G.E.D.	5740	1,097,688	2041	37.1	35.1-39.1	2075	35.1	33.1-37.1	1624	27.8	26.0-29.6
Some Post-H.S.	7237	1,437,041	2532	36.3	34.5-38.1	2661	36.8	35.0-38.6	2044	26.9	25.3-28.5
College Graduate	7839	1,673,498	3321	43.6	42.0-45.2	2931	37.9	36.5-39.3	1587	18.5	17.3-19.7
Less than \$15,000	1697	257,136	591	36.4	32.1-40.7	524	34.0	29.3-38.7	582	29.5	26.0-33.0
\$15,000- 24,999	3535	618,751	1263	37.1	34.4-39.8	1200	33.2	30.7-35.7	1072	29.7	27.2-32.2
\$25,000- 34,999	2864	479,949	1080	38.1	35.6-40.6	1073	36.9	34.2-39.6	711	25.0	22.6-27.4
\$35,000- 49,999	3683	687,342	1295	35.5	33.1-37.9	1379	37.3	34.9-39.7	1009	27.2	25.2-29.2
\$50,000- 74,999	3696	771,249	1330	36.9	34.7-39.1	1396	38.1	35.9-40.3	970	25.0	23.0-27.0
\$75,000+	4455	1,209,411	1749	40.6	38.6-42.6	1779	39.0	37.0-41.0	927	20.4	18.8-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8791	2,308,182	2487	31.5	30.1-32.9	4043	43.8	42.2-45.4	2261	24.7	23.3-26.1
White/Non-Hisp	7632	1,886,344	2163	31.4	29.8-33.0	3524	43.8	42.2-45.4	1945	24.8	23.4-26.2
Oth. Race/Non-Hisp.	295	119,711	101	39.8	32.2-47.4	130	40.4	33.0-47.8	64	19.8	13.5-26.1
MultiRacial/Non-Hisp.	225	64,269	61	31.0	22.2-39.8	96	39.7	30.7-48.7	68	29.3	20.5-38.1
Hispanic	453	174,451	121	27.4	21.7-33.1	193	45.2	38.5-51.9	139	27.4	21.9-32.9
18-24	406	309,860	230	54.8	48.5-61.1	116	29.9	23.8-36.0	60	15.3	11.0-19.6
25-34	896	418,970	296	33.9	30.0-37.8	376	41.4	37.5-45.3	224	24.6	21.1-28.1
35-44	1303	466,163	358	28.1	25.2-31.0	600	45.0	41.7-48.3	345	27.0	24.1-29.9
45-54	1828	465,174	467	23.9	21.5-26.3	857	48.4	45.5-51.3	504	27.8	25.1-30.5
55-64	1974	331,984	424	22.2	19.8-24.6	924	46.5	43.6-49.4	626	31.3	28.6-34.0
65+	2381	315,484	710	31.1	28.7-33.5	1169	49.2	46.7-51.7	502	19.6	17.6-21.6
Less Than H.S.	640	180,512	204	36.7	30.8-42.6	247	37.1	31.2-43.0	189	26.3	21.2-31.4
H.S. or G.E.D.	2180	568,304	608	31.9	28.8-35.0	988	40.8	37.7-43.9	584	27.3	24.4-30.2
Some Post-H.S.	2541	671,387	616	27.7	25.0-30.4	1158	43.9	41.0-46.8	767	28.3	25.8-30.8
College Graduate	3418	885,684	1054	32.9	30.7-35.1	1644	46.9	44.7-49.1	720	20.1	18.3-21.9
Less than \$15,000	496	110,551	157	34.7	27.1-42.3	190	42.7	34.1-51.3	149	22.6	16.9-28.3
\$15,000- 24,999	1250	309,608	387	32.1	28.0-36.2	504	37.9	33.6-42.2	359	29.9	25.6-34.2
\$25,000- 34,999	1106	232,234	328	31.3	27.2-35.4	512	43.3	39.0-47.6	266	25.4	21.5-29.3
\$35,000- 49,999	1535	348,619	427	29.9	26.6-33.2	691	43.1	39.6-46.6	417	26.9	23.8-30.0
\$50,000- 74,999	1575	398,486	380	26.8	23.9-29.7	764	47.0	43.7-50.3	431	26.2	23.3-29.1
\$75,000+	2038	677,378	513	29.8	26.9-32.7	1049	47.5	44.6-50.4	476	22.7	20.3-25.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	13674	2,242,414	5970	47.4	46.2-48.6	4170	29.0	28.0-30.0	3534	23.6	22.6-24.6
White/Non-Hisp	11984	1,885,708	5289	47.6	46.4-48.8	3678	29.3	28.1-30.5	3017	23.1	22.1-24.1
Black or Afr. Am./Non-Hisp	134	36,162							52	33.6	23.6-43.6
Oth. Race/Non-Hisp.	461	102,922	250	61.4	55.3-67.5	108	21.8	16.5-27.1	103	16.8	12.5-21.1
MultiRacial/Non-Hisp.	366	63,817	130	41.8	33.6-50.0	108	31.1	23.3-38.9	128	27.0	20.7-33.3
Hispanic	642	138,766	221	38.2	32.9-43.5	211	29.8	25.1-34.5	210	32.0	26.9-37.1
18-24	604	286,396	356	62.3	57.4-67.2	149	23.8	19.3-28.3	99	13.9	10.6-17.2
25-34	1488	376,721	729	52.1	49.0-55.2	409	26.1	23.4-28.8	350	21.8	19.3-24.3
35-44	2117	428,737	1017	49.4	46.9-51.9	552	25.6	23.2-28.0	548	25.0	22.6-27.4
45-54	2744	441,397	1132	42.4	40.0-44.8	801	29.1	26.9-31.3	811	28.5	26.3-30.7
55-64	2718	316,770	1012	37.9	35.5-40.3	874	33.2	30.8-35.6	832	28.9	26.7-31.1
65+	4002	392,312	1723	43.2	41.2-45.2	1385	35.6	33.6-37.6	894	21.2	19.6-22.8
Less Than H.S.	981	156,964	349	40.8	35.5-46.1	289	26.6	22.3-30.9	343	32.6	27.9-37.3
H.S. or G.E.D.	3560	529,384	1433	42.7	40.3-45.1	1087	29.0	26.8-31.2	1040	28.3	26.1-30.5
Some Post-H.S.	4696	765,653	1916	43.8	41.6-46.0	1503	30.6	28.6-32.6	1277	25.6	23.8-27.4
College Graduate	4421	787,814	2267	55.5	53.5-57.5	1287	27.8	26.0-29.6	867	16.7	15.3-18.1
Less than \$15,000	1201	146,584	434	37.7	33.0-42.4	334	27.5	23.2-31.8	433	34.7	30.4-39.0
\$15,000- 24,999	2285	309,142	876	42.2	38.9-45.5	696	28.4	25.7-31.1	713	29.4	26.7-32.1
\$25,000- 34,999	1758	247,715	752	44.5	41.2-47.8	561	30.8	27.7-33.9	445	24.7	22.0-27.4
\$35,000- 49,999	2148	338,722	868	41.3	38.4-44.2	688	31.2	28.5-33.9	592	27.5	25.0-30.0
\$50,000- 74,999	2121	372,763	950	47.8	45.1-50.5	632	28.6	26.1-31.1	539	23.6	21.2-26.0
\$75,000+	2417	532,033	1236	54.4	51.9-56.9	730	28.3	26.1-30.5	451	17.3	15.5-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	22465	4,550,597	8457	39.3	38.3-40.3	14008	60.7	59.7-61.7
Male	8791	2,308,182	2487	31.5	29.9-33.1	6304	68.5	66.9-70.1
Female	13674	2,242,414	5970	47.4	46.2-48.6	7704	52.6	51.4-53.8
White/Non-Hisp	19616	3,772,052	7452	39.5	38.5-40.5	12164	60.5	59.5-61.5
Black or Afr. Am./Non-Hisp	233	83,371	76	35.0	25.8-44.2	157	65.0	55.8-74.2
Oth. Race/Non-Hisp.	756	222,633	351	49.8	44.7-54.9	405	50.2	45.1-55.3
MultiRacial/Non-Hisp.	591	128,086	191	36.4	30.3-42.5	400	63.6	57.5-69.7
Hispanic	1095	313,217	342	32.2	28.3-36.1	753	67.8	63.9-71.7
18-24	1010	596,256	586	58.4	54.3-62.5	424	41.6	37.5-45.7
25-34	2384	795,692	1025	42.5	40.0-45.0	1359	57.5	55.0-60.0
35-44	3420	894,900	1375	38.3	36.3-40.3	2045	61.7	59.7-63.7
45-54	4572	906,571	1599	32.9	31.1-34.7	2973	67.1	65.3-68.9
55-64	4692	648,755	1436	29.8	28.0-31.6	3256	70.2	68.4-72.0
65+	6383	707,796	2433	37.8	36.2-39.4	3950	62.2	60.6-63.8
Less Than H.S.	1621	337,476	553	38.6	34.7-42.5	1068	61.4	57.5-65.3
H.S. or G.E.D.	5740	1,097,688	2041	37.1	35.1-39.1	3699	62.9	60.9-64.9
Some Post-H.S.	7237	1,437,041	2532	36.3	34.5-38.1	4705	63.7	61.9-65.5
College Graduate	7839	1,673,498	3321	43.6	42.0-45.2	4518	56.4	54.8-58.0
Less than \$15,000	1697	257,136	591	36.4	32.1-40.7	1106	63.6	59.3-67.9
\$15,000- 24,999	3535	618,751	1263	37.1	34.4-39.8	2272	62.9	60.2-65.6
\$25,000- 34,999	2864	479,949	1080	38.1	35.6-40.6	1784	61.9	59.4-64.4
\$35,000- 49,999	3683	687,342	1295	35.5	33.1-37.9	2388	64.5	62.1-66.9
\$50,000- 74,999	3696	771,249	1330	36.9	34.7-39.1	2366	63.1	60.9-65.3
\$75,000+	4455	1,209,411	1749	40.6	38.6-42.6	2706	59.4	57.4-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8791	2,308,182	2487	31.5	30.1-32.9	6304	68.5	67.1-69.9
White/Non-Hisp	7632	1,886,344	2163	31.4	29.8-33.0	5469	68.6	67.0-70.2
Oth. Race/Non-Hisp.	295	119,711	101	39.8	32.2-47.4	194	60.2	52.6-67.8
MultiRacial/Non-Hisp.	225	64,269	61	31.0	22.2-39.8	164	69.0	60.2-77.8
Hispanic	453	174,451	121	27.4	21.7-33.1	332	72.6	66.9-78.3
18-24	406	309,860	230	54.8	48.5-61.1	176	45.2	38.9-51.5
25-34	896	418,970	296	33.9	30.0-37.8	600	66.1	62.2-70.0
35-44	1303	466,163	358	28.1	25.2-31.0	945	71.9	69.0-74.8
45-54	1828	465,174	467	23.9	21.5-26.3	1361	76.1	73.7-78.5
55-64	1974	331,984	424	22.2	19.8-24.6	1550	77.8	75.4-80.2
65+	2381	315,484	710	31.1	28.7-33.5	1671	68.9	66.5-71.3
Less Than H.S.	640	180,512	204	36.7	30.8-42.6	436	63.3	57.4-69.2
H.S. or G.E.D.	2180	568,304	608	31.9	28.8-35.0	1572	68.1	65.0-71.2
Some Post-H.S.	2541	671,387	616	27.7	25.0-30.4	1925	72.3	69.6-75.0
College Graduate	3418	885,684	1054	32.9	30.7-35.1	2364	67.1	64.9-69.3
Less than \$15,000	496	110,551	157	34.7	27.1-42.3	339	65.3	57.7-72.9
\$15,000- 24,999	1250	309,608	387	32.1	28.0-36.2	863	67.9	63.8-72.0
\$25,000- 34,999	1106	232,234	328	31.3	27.2-35.4	778	68.7	64.6-72.8
\$35,000- 49,999	1535	348,619	427	29.9	26.6-33.2	1108	70.1	66.8-73.4
\$50,000- 74,999	1575	398,486	380	26.8	23.9-29.7	1195	73.2	70.3-76.1
\$75,000+	2038	677,378	513	29.8	26.9-32.7	1525	70.2	67.3-73.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 11: DEMOGRAPHICS

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DRINK-OCCASSIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	83
2 MALES ONLY	84
3 FEMALES ONLY	85
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	86
5 MALES ONLY	87
6 FEMALES ONLY	88
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	89
8 MALES ONLY	90
9 FEMALES ONLY	91
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	92
11 MALES ONLY	93
12 FEMALES ONLY	94
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	95
14 MALES ONLY	96
15 FEMALES ONLY	97

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	98

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	99

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION
TABLE 1: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23293	4,713,786	7283	34.4	33.4-35.4	2629	12.9	12.3-13.5	1107	4.7	04.3-05.1	1864	6.7	06.3-07.1	10410	41.3	40.3-42.3
Male	8756	2,319,838	2609	33.9	32.3-35.5	1264	15.8	14.6-17.0	585	5.9	05.3-06.5	1038	8.8	08.0-09.6	3260	35.5	33.9-37.1
Female	14537	2,393,948	4674	34.9	33.7-36.1	1365	10.1	09.3-10.9	522	3.5	03.1-03.9	826	4.7	04.3-05.1	7150	46.8	45.6-48.0
White/Non-Hisp	20189	3,860,549	6371	34.6	33.6-35.6	2411	14.0	13.2-14.8	1041	5.3	04.9-05.7	1744	7.3	06.9-07.7	8622	38.7	37.7-39.7
Black or Afr. Am./Non-Hisp	235	84,480	76	28.4	20.8-36.0	24	14.4	07.1-21.7	6	2.3	00.3-04.3	7	3.7	00.4-07.0	122	51.1	41.3-60.9
Oth. Race/Non-Hisp.	774	227,419	241	34.0	29.1-38.9	62	7.8	05.1-10.5	13	1.6	00.4-02.8	27	3.8	01.6-06.0	431	52.7	47.6-57.8
MultiRacial/Non-Hisp.	607	131,083	179	35.2	29.3-41.1	46	10.1	06.4-13.8	15	2.3	00.5-04.1	31	4.9	02.5-07.3	336	47.5	41.4-53.6
Hispanic	1294	376,294	359	34.3	30.4-38.2	68	5.4	03.8-07.0	21	1.6	00.6-02.6	37	2.9	01.5-04.3	809	55.7	51.6-59.8
18-24	1056	618,930	377	35.3	31.4-39.2	109	11.8	09.1-14.5	21	1.5	00.7-02.3	21	2.2	01.0-03.4	528	49.2	45.1-53.3
25-34	2538	842,692	1030	40.8	38.3-43.3	318	13.8	12.0-15.6	77	3.6	02.6-04.6	63	3.1	02.1-04.1	1050	38.7	36.2-41.2
35-44	3591	926,686	1443	40.4	38.2-42.6	511	15.2	13.6-16.8	156	5.2	04.2-06.2	126	4.0	03.2-04.8	1355	35.2	33.2-37.2
45-54	4770	935,890	1615	34.3	32.5-36.1	649	14.8	13.4-16.2	277	6.3	05.3-07.3	339	6.9	05.9-07.9	1890	37.7	35.9-39.5
55-64	4864	671,181	1428	29.9	28.1-31.7	560	12.3	11.1-13.5	287	6.3	05.3-07.3	501	11.4	10.2-12.6	2088	40.2	38.4-42.0
65+	6459	716,048	1381	22.7	21.3-24.1	482	8.2	07.2-09.2	289	4.7	04.1-05.3	813	13.5	12.3-14.7	3494	50.9	49.3-52.5
Less Than H.S.	1768	375,111	380	28.3	24.8-31.8	74	3.8	02.6-05.0	20	0.9	00.3-01.5	94	5.8	04.0-07.6	1200	61.1	57.4-64.8
H.S. or G.E.D.	5944	1,142,491	1706	32.4	30.4-34.4	539	10.0	08.6-11.4	192	3.1	02.5-03.7	427	6.0	05.2-06.8	3080	48.5	46.5-50.5
Some Post-H.S.	7504	1,478,745	2436	35.5	33.7-37.3	793	12.4	11.2-13.6	317	4.2	03.6-04.8	508	5.5	04.7-06.3	3450	42.4	40.6-44.2
College Graduate	8043	1,711,388	2752	36.2	34.8-37.6	1221	17.3	16.1-18.5	578	7.0	06.2-07.8	835	8.4	07.6-09.2	2657	31.0	29.6-32.4
Less than \$15,000	1778	274,896	384	25.7	21.8-29.6	106	6.8	04.6-09.0	35	1.5	00.7-02.3	58	2.2	01.4-03.0	1195	63.8	59.7-67.9
\$15,000- 24,999	3736	669,542	959	30.5	28.0-33.0	246	7.6	06.0-09.2	97	2.7	01.9-03.5	226	4.7	03.7-05.7	2208	54.6	51.9-57.3
\$25,000- 34,999	2941	490,525	908	32.6	30.1-35.1	277	10.3	08.5-12.1	115	3.2	02.4-04.0	223	5.9	04.9-06.9	1418	48.0	45.3-50.7
\$35,000- 49,999	3777	697,756	1218	34.4	32.2-36.6	453	12.8	11.0-14.6	184	3.9	03.1-04.7	315	7.1	06.1-08.1	1607	41.9	39.5-44.3
\$50,000- 74,999	3776	785,553	1429	39.8	37.6-42.0	498	14.0	12.4-15.6	214	5.2	04.4-06.0	329	7.1	06.1-08.1	1306	33.8	31.8-35.8
\$75,000+	4543	1,227,302	1683	37.7	35.7-39.7	814	19.2	17.6-20.8	382	8.2	07.2-09.2	482	8.5	07.5-09.5	1182	26.4	24.6-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION
TABLE 2: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8756	2,319,838	2609	33.9	32.3-35.5	1264	15.8	14.6-17.0	585	5.9	05.3-06.5	1038	8.8	08.0-09.6	3260	35.5	33.9-37.1
White/Non-Hisp	7557	1,872,991	2195	32.6	31.0-34.2	1148	17.2	15.8-18.6	545	6.7	05.9-07.5	965	9.7	08.9-10.5	2704	33.7	32.1-35.3
Black or Afr. Am./Non-Hisp	96	45,917							5	3.2	00.3-06.1	3	2.4	00.0-05.5			
Oth. Race/Non-Hisp.	293	119,424	99	38.3	30.5-46.1	35	10.5	06.0-15.0	5	1.7	00.0-03.5	19	5.9	02.2-09.6	135	43.7	36.1-51.3
MultiRacial/Non-Hisp.	222	63,470	71	39.2	29.6-48.8	23	14.8	08.1-21.5	9	3.7	00.4-07.0	17	5.7	01.8-09.6	102	36.6	27.8-45.4
Hispanic	499	202,447	185	43.4	37.1-49.7	39	6.5	04.0-09.0	11	1.9	00.5-03.3	24	3.8	01.6-06.0	240	44.4	38.1-50.7
18-24	418	320,726	136	34.6	28.7-40.5	69	16.8	12.3-21.3	11	1.5	00.5-02.5	13	2.9	00.9-04.9	189	44.2	38.1-50.3
25-34	916	429,663	374	41.7	37.8-45.6	157	16.9	14.0-19.8	45	4.9	03.1-06.7	49	5.1	03.3-06.9	291	31.3	27.6-35.0
35-44	1302	466,090	485	38.1	34.8-41.4	238	18.2	15.7-20.7	83	6.8	05.0-08.6	73	5.6	04.0-07.2	423	31.4	28.3-34.5
45-54	1824	462,998	574	33.5	30.8-36.2	310	17.5	15.3-19.7	143	7.6	06.0-09.2	171	8.4	06.8-10.0	626	33.0	30.3-35.7
55-64	1944	327,926	532	28.5	26.0-31.0	269	13.6	11.6-15.6	148	7.7	06.1-09.3	293	15.0	12.8-17.2	702	35.2	32.5-37.9
65+	2349	311,886	507	22.5	20.3-24.7	221	9.9	08.3-11.5	155	6.4	05.2-07.6	439	18.6	16.6-20.6	1027	42.6	40.1-45.1
Less Than H.S.	664	193,459	194	37.7	31.8-43.6	42	5.1	02.9-07.3	13	1.4	00.4-02.4	68	7.6	04.9-10.3	347	48.2	42.1-54.3
H.S. or G.E.D.	2160	573,581	624	33.6	30.5-36.7	271	13.0	10.6-15.4	116	4.4	03.4-05.4	238	8.0	06.4-09.6	911	41.0	37.9-44.1
Some Post-H.S.	2522	668,147	761	33.9	31.0-36.8	361	16.4	14.2-18.6	163	5.8	04.6-07.0	235	7.2	05.8-08.6	1002	36.8	33.9-39.7
College Graduate	3395	881,549	1024	33.3	31.1-35.5	589	19.7	17.7-21.7	293	8.1	06.9-09.3	497	10.8	09.6-12.0	992	28.2	26.2-30.2
Less than \$15,000	499	116,201	125	28.0	20.7-35.3	42	6.2	03.3-09.1	13	2.1	00.5-03.7	26	2.3	01.1-03.5	293	61.4	53.6-69.2
\$15,000- 24,999	1273	325,604	342	33.5	29.2-37.8	124	10.4	07.5-13.3	47	3.0	01.8-04.2	122	5.9	04.3-07.5	638	47.2	42.7-51.7
\$25,000- 34,999	1091	230,208	312	32.7	28.4-37.0	131	12.7	09.8-15.6	70	4.6	03.0-06.2	119	7.4	05.6-09.2	459	42.7	38.2-47.2
\$35,000- 49,999	1523	344,807	442	32.6	29.3-35.9	214	15.2	12.3-18.1	103	4.8	03.6-06.0	183	9.9	07.9-11.9	581	37.5	34.0-41.0
\$50,000- 74,999	1563	396,377	542	39.4	36.1-42.7	246	16.5	14.0-19.0	97	5.4	04.0-06.8	188	9.1	07.3-10.9	490	29.5	26.6-32.4
\$75,000+	2022	674,070	642	33.7	30.8-36.6	408	21.7	19.3-24.1	216	10.3	08.5-12.1	295	10.8	09.2-12.4	461	23.5	21.0-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION
TABLE 3: DRINK-OCCASSIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14537	2,393,948	4674	34.9	33.7-36.1	1365	10.1	09.3-10.9	522	3.5	03.1-03.9	826	4.7	04.3-05.1	7150	46.8	45.6-48.0
White/Non-Hisp	12632	1,987,559	4176	36.5	35.3-37.7	1263	11.0	10.2-11.8	496	4.0	03.6-04.4	779	5.1	04.7-05.5	5918	43.5	42.3-44.7
Black or Afr. Am./Non-Hisp	139	38,562	42	25.7	17.3-34.1	13	12.8	04.4-21.2	1	1.2	00.0-03.6	4	5.4	00.0-11.7			
Oth. Race/Non-Hisp.	481	107,995	142	29.4	23.9-34.9	27	4.8	02.3-07.3	8	1.6	00.2-03.0	8	1.4	00.2-02.6	296	62.8	56.9-68.7
MultiRacial/Non-Hisp.	385	67,613	108	31.5	24.6-38.4	23	5.6	02.5-08.7	6	1.0	00.0-02.0	14	4.1	01.4-06.8	234	57.7	50.3-65.1
Hispanic	795	173,847	174	23.8	19.7-27.9	29	4.3	02.5-06.1	10	1.1	00.1-02.1	13	2.0	00.4-03.6	569	68.9	64.6-73.2
18-24	638	298,204	241	36.1	31.4-40.8	40	6.4	03.9-08.9	10	1.5	00.3-02.7	8	1.4	00.2-02.6	339	54.6	49.5-59.7
25-34	1622	413,029	656	39.8	36.9-42.7	161	10.6	08.6-12.6	32	2.2	01.2-03.2	14	1.0	00.4-01.6	759	46.3	43.4-49.2
35-44	2289	460,595	958	42.9	40.4-45.4	273	12.1	10.5-13.7	73	3.5	02.5-04.5	53	2.4	01.6-03.2	932	39.1	36.6-41.6
45-54	2946	472,892	1041	35.1	32.9-37.3	339	12.1	10.5-13.7	134	5.0	04.0-06.0	168	5.5	04.5-06.5	1264	42.3	39.9-44.7
55-64	2920	343,255	896	31.2	29.0-33.4	291	11.0	09.4-12.6	139	4.9	03.9-05.9	208	7.8	06.6-09.0	1386	45.0	42.6-47.4
65+	4110	404,161	874	22.8	21.0-24.6	261	6.8	05.8-07.8	134	3.3	02.5-04.1	374	9.7	08.5-10.9	2467	57.4	55.4-59.4
Less Than H.S.	1104	181,652	186	18.3	15.0-21.6	32	2.4	01.2-03.6	7	0.4	00.0-00.8	26	3.9	01.7-06.1	853	74.9	71.0-78.8
H.S. or G.E.D.	3784	568,910	1082	31.3	29.1-33.5	268	6.9	05.7-08.1	76	1.9	01.3-02.5	189	3.9	03.1-04.7	2169	56.0	53.6-58.4
Some Post-H.S.	4982	810,597	1675	36.8	34.8-38.8	432	9.2	08.0-10.4	154	3.0	02.4-03.6	273	4.1	03.5-04.7	2448	47.0	45.0-49.0
College Graduate	4648	829,838	1728	39.3	37.5-41.1	632	14.9	13.5-16.3	285	5.8	05.0-06.6	338	5.9	05.1-06.7	1665	34.0	32.2-35.8
Less than \$15,000	1279	158,696	259	24.1	20.2-28.0	64	7.3	04.4-10.2	22	1.0	00.2-01.8	32	2.2	01.2-03.2	902	65.5	61.0-70.0
\$15,000- 24,999	2463	343,937	617	27.6	24.9-30.3	122	4.9	03.5-06.3	50	2.3	01.5-03.1	104	3.7	02.5-04.9	1570	61.5	58.6-64.4
\$25,000- 34,999	1850	260,316	596	32.5	29.6-35.4	146	8.2	06.2-10.2	45	2.0	01.2-02.8	104	4.5	03.3-05.7	959	52.7	49.6-55.8
\$35,000- 49,999	2254	352,949	776	36.0	33.1-38.9	239	10.4	08.6-12.2	81	3.1	02.3-03.9	132	4.3	03.3-05.3	1026	46.2	43.3-49.1
\$50,000- 74,999	2213	389,176	887	40.3	37.6-43.0	252	11.5	09.7-13.3	117	5.0	03.8-06.2	141	4.9	03.9-05.9	816	38.2	35.5-40.9
\$75,000+	2521	553,232	1041	42.6	40.2-45.0	406	16.1	14.3-17.9	166	5.8	04.8-06.8	187	5.6	04.6-06.6	721	29.9	27.5-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23032	4,658,587	20568	85.8	85.0-86.6	2464	14.2	13.4-15.0
Male	8622	2,286,730	7256	81.1	79.7-82.5	1366	18.9	17.5-20.3
Female	14410	2,371,858	13312	90.4	89.6-91.2	1098	9.6	08.8-10.4
White/Non-Hisp	19970	3,822,374	17825	85.9	85.1-86.7	2145	14.1	13.3-14.9
Black or Afr. Am./Non-Hisp	230	82,389	209	87.5	80.4-94.6	21	12.5	05.4-19.6
Oth. Race/Non-Hisp.	766	224,176	691	86.5	82.4-90.6	75	13.5	09.4-17.6
MultiRacial/Non-Hisp.	601	130,247	533	84.0	79.5-88.5	68	16.0	11.5-20.5
Hispanic	1273	365,859	1138	85.0	81.9-88.1	135	15.0	11.9-18.1
18-24	1032	604,087	812	77.3	73.8-80.8	220	22.7	19.2-26.2
25-34	2506	831,387	2042	79.2	77.0-81.4	464	20.8	18.6-23.0
35-44	3552	918,309	2996	84.0	82.4-85.6	556	16.0	14.4-17.6
45-54	4720	926,870	4158	87.6	86.2-89.0	562	12.4	11.0-13.8
55-64	4814	666,130	4381	90.6	89.4-91.8	433	9.4	08.2-10.6
65+	6394	709,808	6165	96.5	95.9-97.1	229	3.5	02.9-04.1
Less Than H.S.	1736	366,629	1564	85.8	83.1-88.5	172	14.2	11.5-16.9
H.S. or G.E.D.	5844	1,117,617	5133	83.3	81.5-85.1	711	16.7	14.9-18.5
Some Post-H.S.	7435	1,465,686	6647	85.1	83.7-86.5	788	14.9	13.5-16.3
College Graduate	7983	1,702,603	7192	88.1	87.1-89.1	791	11.9	10.9-12.9
Less than \$15,000	1761	272,766	1606	88.8	85.9-91.7	155	11.2	08.3-14.1
\$15,000- 24,999	3681	655,622	3325	85.1	82.7-87.5	356	14.9	12.5-17.3
\$25,000- 34,999	2909	484,242	2597	85.1	82.9-87.3	312	14.9	12.7-17.1
\$35,000- 49,999	3738	690,707	3314	84.4	82.4-86.4	424	15.6	13.6-17.6
\$50,000- 74,999	3737	777,184	3301	86.7	85.1-88.3	436	13.3	11.7-14.9
\$75,000+	4512	1,221,733	3883	83.8	82.2-85.4	629	16.2	14.6-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	8622	2,286,730	7256	81.1	79.7-82.5	1366	18.9	17.5-20.3
White/Non-Hisp	7450	1,852,479	6272	81.5	80.1-82.9	1178	18.5	17.1-19.9
Oth. Race/Non-Hisp.	288	117,438	239	78.6	71.5-85.7	49	21.4	14.3-28.5
MultiRacial/Non-Hisp.	218	63,197	179	76.6	68.6-84.6	39	23.4	15.4-31.4
Hispanic	483	193,183	404	80.0	74.7-85.3	79	20.0	14.7-25.3
18-24	410	312,500	289	71.5	66.0-77.0	121	28.5	23.0-34.0
25-34	896	421,185	643	72.4	68.7-76.1	253	27.6	23.9-31.3
35-44	1287	461,999	1013	79.6	76.9-82.3	274	20.4	17.7-23.1
45-54	1795	457,118	1488	83.8	81.6-86.0	307	16.2	14.0-18.4
55-64	1918	325,301	1648	87.1	85.1-89.1	270	12.9	10.9-14.9
65+	2313	308,080	2172	94.8	93.6-96.0	141	5.2	04.0-06.4
Less Than H.S.	648	188,483	537	79.4	74.5-84.3	111	20.6	15.7-25.5
H.S. or G.E.D.	2099	554,774	1686	76.2	73.3-79.1	413	23.8	20.9-26.7
Some Post-H.S.	2497	662,789	2084	79.5	77.0-82.0	413	20.5	18.0-23.0
College Graduate	3363	877,582	2936	85.9	84.3-87.5	427	14.1	12.5-15.7
Less than \$15,000	495	115,519	432	89.3	85.0-93.6	63	10.7	06.4-15.0
\$15,000- 24,999	1240	315,691	1051	79.1	75.0-83.2	189	20.9	16.8-25.0
\$25,000- 34,999	1075	226,634	894	78.1	74.2-82.0	181	21.9	18.0-25.8
\$35,000- 49,999	1498	340,061	1234	78.3	75.0-81.6	264	21.7	18.4-25.0
\$50,000- 74,999	1543	391,885	1310	84.0	81.3-86.7	233	16.0	13.3-18.7
\$75,000+	2006	670,720	1647	79.9	77.5-82.3	359	20.1	17.7-22.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	14410	2,371,858	13312	90.4	89.6-91.2	1098	9.6	08.8-10.4	
White/Non-Hisp	12520	1,969,894	11553	90.1	89.3-90.9	967	9.9	09.1-10.7	
Black or Afr. Am./Non-Hisp	136	37,545	126	88.9	80.7-97.1	10	11.1	02.9-19.3	
Oth. Race/Non-Hisp.	478	106,738	452	95.1	92.7-97.5	26	4.9	02.5-07.3	
MultiRacial/Non-Hisp.	383	67,050	354	91.0	86.9-95.1	29	9.0	04.9-13.1	
Hispanic	790	172,676	734	90.5	87.4-93.6	56	9.5	06.4-12.6	
18-24	622	291,587	523	83.5	79.6-87.4	99	16.5	12.6-20.4	
25-34	1610	410,202	1399	86.1	83.9-88.3	211	13.9	11.7-16.1	
35-44	2265	456,310	1983	88.4	86.8-90.0	282	11.6	10.0-13.2	
45-54	2925	469,751	2670	91.3	89.9-92.7	255	8.7	07.3-10.1	
55-64	2896	340,830	2733	93.9	92.7-95.1	163	6.1	04.9-07.3	
65+	4081	401,728	3993	97.9	97.3-98.5	88	2.1	01.5-02.7	
Less Than H.S.	1088	178,146	1027	92.6	90.1-95.1	61	7.4	04.9-09.9	
H.S. or G.E.D.	3745	562,843	3447	90.2	88.8-91.6	298	9.8	08.4-11.2	
Some Post-H.S.	4938	802,898	4563	89.8	88.4-91.2	375	10.2	08.8-11.6	
College Graduate	4620	825,021	4256	90.5	89.3-91.7	364	9.5	08.3-10.7	
Less than \$15,000	1266	157,247	1174	88.5	84.8-92.2	92	11.5	07.8-15.2	
\$15,000- 24,999	2441	339,931	2274	90.6	88.6-92.6	167	9.4	07.4-11.4	
\$25,000- 34,999	1834	257,609	1703	91.2	89.2-93.2	131	8.8	06.8-10.8	
\$35,000- 49,999	2240	350,646	2080	90.3	87.9-92.7	160	9.7	07.3-12.1	
\$50,000- 74,999	2194	385,300	1991	89.5	87.7-91.3	203	10.5	08.7-12.3	
\$75,000+	2506	551,013	2236	88.6	86.8-90.4	270	11.4	09.6-13.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	>0, <=1		N	>1, <=2		N	>2, <=5		N	>5, <=10		N	>10		N	None	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	23105	4,667,448	10630	48.6	47.6-49.6	1425	6.6	06.0-07.2	522	2.4	02.0-02.8	91	0.6	00.4-00.8	27	0.1	00.1-00.1	10410	41.7	40.7-42.7
Male	8653	2,287,717	4031	49.2	47.6-50.8	886	9.6	08.6-10.6	388	4.1	03.5-04.7	70	0.9	00.5-01.3	18	0.1	00.1-00.1	3260	36.0	34.4-37.6
Female	14452	2,379,732	6599	48.0	46.8-49.2	539	3.7	03.3-04.1	134	0.8	00.6-01.0	21	0.3	00.1-00.5	9	0.1	00.1-00.1	7150	47.1	45.9-48.3
White/Non-Hisp	20036	3,827,265	9539	50.7	49.7-51.7	1307	7.1	06.5-07.7	469	2.5	02.1-02.9	77	0.6	00.4-00.8	22	0.1	00.1-00.1	8622	39.1	38.1-40.1
Black or Afr. Am./Non-Hisp	233	84,053	96	37.8	29.0-46.6	11	7.5	01.4-13.6	1	0.5	00.0-01.5	2	1.6	00.0-03.8	1	1.2	00.0-03.6	122	51.4	41.6-61.2
Oth. Race/Non-Hisp.	767	225,045	295	41.1	36.0-46.2	28	3.8	01.6-06.0	11	1.6	00.0-03.2	2	0.2	00.0-00.4				431	53.3	48.2-58.4
MultiRacial/Non-Hisp.	597	128,553	215	43.1	36.8-49.4	30	5.4	02.7-08.1	11	2.2	00.4-04.0	3	0.3	00.0-00.7	2	0.5	00.0-01.5	336	48.5	42.2-54.8
Hispanic	1280	369,385	404	36.4	32.5-40.3	40	3.5	02.1-04.9	20	2.4	01.0-03.8	6	0.7	00.0-01.5	1	0.1	00.0-00.3	809	56.8	52.7-60.9
18-24	1031	602,262	402	37.9	34.0-41.8	54	7.2	04.8-09.6	30	2.5	01.3-03.7	14	1.6	00.6-02.6	3	0.3	00.0-00.7	528	50.6	46.5-54.7
25-34	2515	833,327	1280	52.2	49.7-54.7	120	5.7	04.5-06.9	49	2.3	01.5-03.1	10	0.5	00.1-00.9	6	0.2	00.0-00.4	1050	39.1	36.6-41.6
35-44	3576	922,860	1934	55.6	53.4-57.8	190	5.7	04.7-06.7	83	2.8	02.0-03.6	12	0.4	00.0-00.8	2	0.1	00.0-00.3	1355	35.3	33.3-37.3
45-54	4748	932,214	2406	52.6	50.6-54.6	316	6.7	05.7-07.7	109	2.3	01.7-02.9	20	0.5	00.3-00.7	7	0.1	00.1-00.1	1890	37.9	36.1-39.7
55-64	4828	665,795	2219	47.9	45.9-49.9	370	8.4	07.4-09.4	123	2.6	02.0-03.2	22	0.5	00.1-00.9	6	0.1	00.1-00.1	2088	40.5	38.7-42.3
65+	6392	708,631	2380	39.9	38.3-41.5	374	6.5	05.7-07.3	128	2.0	01.6-02.4	13	0.2	00.0-00.4	3	0.0	00.0-00.0	3494	51.5	49.9-53.1
Less Than H.S.	1737	363,296	432	29.5	26.0-33.0	44	2.7	01.5-03.9	40	2.7	01.3-04.1	13	1.3	00.3-02.3	8	0.8	00.0-01.6	1200	63.1	59.4-66.8
H.S. or G.E.D.	5884	1,125,019	2284	40.6	38.6-42.6	315	6.0	05.0-07.0	154	3.2	02.4-04.0	43	0.9	00.5-01.3	8	0.1	00.1-00.1	3080	49.2	47.2-51.2
Some Post-H.S.	7450	1,469,417	3375	47.5	45.7-49.3	435	6.9	05.9-07.9	160	2.3	01.7-02.9	22	0.6	00.2-01.0	8	0.1	00.1-00.1	3450	42.6	40.8-44.4
College Graduate	8002	1,704,245	4530	59.1	57.7-60.5	631	7.6	06.8-08.4	168	1.9	01.5-02.3	13	0.2	00.0-00.4	3	0.0	00.0-00.0	2657	31.1	29.7-32.5
Less than \$15,000	1755	270,419	472	31.0	26.9-35.1	42	2.1	00.9-03.3	27	0.9	00.3-01.5	12	0.8	00.2-01.4	7	0.4	00.0-00.8	1195	64.8	60.7-68.9
\$15,000- 24,999	3703	660,637	1231	36.0	33.5-38.5	155	4.9	03.7-06.1	85	2.7	01.7-03.7	18	0.9	00.3-01.5	6	0.2	00.0-00.6	2208	55.3	52.6-58.0
\$25,000- 34,999	2918	486,055	1250	41.8	39.1-44.5	174	7.0	05.4-08.6	60	2.2	01.4-03.0	15	0.5	00.1-00.9	1	0.1	00.0-00.3	1418	48.5	45.8-51.2
\$35,000- 49,999	3753	692,050	1794	48.2	45.8-50.6	239	6.0	04.6-07.4	87	2.6	01.8-03.4	18	0.8	00.4-01.2	8	0.2	00.0-00.4	1607	42.2	39.8-44.6
\$50,000- 74,999	3754	779,763	2067	55.9	53.7-58.1	279	7.1	05.9-08.3	90	2.3	01.7-02.9	11	0.6	00.0-01.2	1	0.0	00.0-00.0	1306	34.1	32.1-36.1
\$75,000+	4523	1,222,802	2782	61.2	59.2-63.2	425	9.1	07.9-10.3	122	2.8	02.2-03.4	10	0.3	00.0-00.7	2	0.0	00.0-00.0	1182	26.5	24.7-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		>10		None	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8653	2,287,717	4031	49.2	47.6-50.8	886	9.6	08.6-10.6	388	4.1	03.5-04.7	70	0.9	00.5-01.3
White/Non-Hisp	7474	1,849,046	3539	50.2	48.6-51.8	804	10.4	09.4-11.4	353	4.2	03.6-04.8	60	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	94	45,490							1	0.9	00.0-02.7	1	1.3	00.0-03.8
Oth. Race/Non-Hisp.	289	118,666	125	47.1	39.3-54.9	19	5.9	02.0-09.8	9	3.0	00.3-05.7	1	0.0	00.0-00.0
MultiRacial/Non-Hisp.	218	62,237	84	49.3	39.7-58.9	22	9.2	03.9-14.5	5	2.6	00.0-05.3	3	0.5	00.0-01.3
Hispanic	490	197,351	204	44.8	38.5-51.1	27	5.2	02.7-07.7	14	3.8	01.4-06.2	4	0.5	00.0-01.1
18-24	406	309,505	147	36.5	30.4-42.6	38	11.5	07.4-15.6	22	4.1	01.9-06.3	9	2.1	00.3-03.9
25-34	899	421,352	472	54.2	50.1-58.3	84	8.8	06.6-11.0	37	3.8	02.2-05.4	9	1.0	00.2-01.8
35-44	1291	463,045	679	54.7	51.4-58.0	114	8.0	06.2-09.8	65	5.0	03.6-06.4	9	0.6	00.2-01.0
45-54	1810	460,327	911	53.7	50.8-56.6	181	8.8	07.2-10.4	75	3.7	02.5-04.9	13	0.6	00.2-01.0
55-64	1928	325,181	879	47.5	44.6-50.4	229	11.8	10.0-13.6	94	4.1	02.9-05.3	20	1.1	00.3-01.9
65+	2316	307,759	942	42.5	40.0-45.0	240	10.4	08.8-12.0	95	3.6	02.6-04.6	10	0.4	00.0-00.8
Less Than H.S.	642	183,760	224	39.1	33.2-45.0	30	4.3	02.1-06.5	28	4.2	01.8-06.6	7	0.7	00.0-01.7
H.S. or G.E.D.	2132	561,751	858	41.9	38.6-45.2	209	9.2	07.2-11.2	116	5.5	03.9-07.1	34	1.5	00.7-02.3
Some Post-H.S.	2497	663,279	1111	46.8	43.9-49.7	250	10.8	08.8-12.8	109	3.9	02.9-04.9	19	1.3	00.5-02.1
College Graduate	3369	876,407	1833	58.0	55.8-60.2	397	10.2	08.8-11.6	135	3.2	02.4-04.0	10	0.3	00.1-00.5
Less than \$15,000	488	112,830	149	30.7	23.3-38.1	19	2.8	00.4-05.2	16	1.1	00.3-01.9	7	1.5	00.0-03.1
\$15,000- 24,999	1257	319,899	448	39.1	34.6-43.6	94	7.3	04.9-09.7	58	4.3	02.5-06.1	14	1.1	00.3-01.9
\$25,000- 34,999	1075	227,254	452	41.8	37.5-46.1	110	10.6	07.7-13.5	41	3.6	01.8-05.4	13	0.7	00.1-01.3
\$35,000- 49,999	1508	340,177	677	46.2	42.7-49.7	150	9.2	06.8-11.6	76	4.6	03.2-06.0	17	1.5	00.5-02.5
\$50,000- 74,999	1552	393,112	813	55.8	52.5-59.1	175	9.6	07.6-11.6	66	3.8	02.4-05.2	8	1.0	00.0-02.0
\$75,000+	2010	670,996	1172	59.3	56.4-62.2	276	12.1	10.3-13.9	92	4.4	03.2-05.6	8	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14452	2,379,732	6599	48.0	46.8-49.2	539	3.7	03.3-04.1	134	0.8	00.6-01.0	21	0.3	00.1-00.5	9	0.1	00.1-00.1	7150	47.1	45.9-48.3
White/Non-Hisp	12562	1,978,219	6000	51.1	49.9-52.3	503	4.1	03.7-04.5	116	0.8	00.6-01.0	17	0.2	00.0-00.4	8	0.1	00.1-00.1	5918	43.7	42.5-44.9
Black or Afr. Am./Non-Hisp	139	38,562				3	3.5	00.0-08.8				1	1.9	00.0-05.6	1	2.7	00.0-07.8			
Oth. Race/Non-Hisp.	478	106,378	170	34.5	28.8-40.2	9	1.4	00.2-02.6	2	0.0	00.0-00.0	1	0.3	00.0-00.9				296	63.7	58.0-69.4
MultiRacial/Non-Hisp.	379	66,315	131	37.3	30.0-44.6	8	2.0	00.4-03.6	6	1.8	00.0-03.6							234	58.9	51.5-66.3
Hispanic	790	172,034	200	26.8	22.7-30.9	13	1.6	00.6-02.6	6	0.9	00.0-01.9	2	1.1	00.0-02.7				569	69.6	65.3-73.9
18-24	625	292,757	255	39.4	34.5-44.3	16	2.8	01.2-04.4	8	0.7	00.1-01.3	5	1.0	00.0-02.0	2	0.5	00.0-01.3	339	55.6	50.5-60.7
25-34	1616	411,975	808	50.2	47.3-53.1	36	2.5	01.5-03.5	12	0.8	00.2-01.4	1	0.0	00.0-00.0				759	46.4	43.5-49.3
35-44	2285	459,815	1255	56.4	53.9-58.9	76	3.4	02.4-04.4	18	0.7	00.3-01.1	3	0.3	00.0-00.7	1	0.0	00.0-00.0	932	39.1	36.6-41.6
45-54	2938	471,887	1495	51.6	49.2-54.0	135	4.6	03.6-05.6	34	0.9	00.5-01.3	7	0.3	00.1-00.5	3	0.1	00.0-00.3	1264	42.4	40.0-44.8
55-64	2900	340,614	1340	48.3	45.9-50.7	141	5.1	04.1-06.1	29	1.2	00.6-01.8	2	0.0	00.0-00.0	2	0.1	00.1-00.1	1386	45.3	42.9-47.7
65+	4076	400,871	1438	37.9	35.9-39.9	134	3.5	02.7-04.3	33	0.8	00.4-01.2	3	0.0	00.0-00.0	1	0.0	00.0-00.0	2467	57.8	55.8-59.8
Less Than H.S.	1095	179,536	208	19.7	16.2-23.2	14	1.0	00.4-01.6	12	1.1	00.1-02.1	6	1.8	00.0-03.6	2	0.7	00.0-01.9	853	75.8	71.9-79.7
H.S. or G.E.D.	3752	563,268	1426	39.2	36.8-41.6	106	2.8	02.0-03.6	38	1.0	00.6-01.4	9	0.3	00.1-00.5	4	0.1	00.0-00.3	2169	56.6	54.2-59.0
Some Post-H.S.	4953	806,138	2264	48.1	46.1-50.1	185	3.7	02.9-04.5	51	0.9	00.5-01.3	3	0.0	00.0-00.0	2	0.0	00.0-00.0	2448	47.2	45.2-49.2
College Graduate	4633	827,839	2697	60.2	58.4-62.0	234	4.9	04.1-05.7	33	0.6	00.4-00.8	3	0.1	00.0-00.3	1	0.0	00.0-00.0	1665	34.1	32.3-35.9
Less than \$15,000	1267	157,590	323	31.2	26.9-35.5	23	1.6	00.6-02.6	11	0.7	00.1-01.3	5	0.3	00.0-00.7	3	0.3	00.0-00.7	902	65.9	61.4-70.4
\$15,000- 24,999	2446	340,738	783	33.2	30.3-36.1	61	2.6	01.8-03.4	27	1.2	00.4-02.0	4	0.6	00.0-01.4	1	0.3	00.0-00.9	1570	62.1	59.2-65.0
\$25,000- 34,999	1843	258,801	798	41.9	38.8-45.0	64	3.7	02.5-04.9	19	1.0	00.4-01.6	2	0.2	00.0-00.6	1	0.1	00.0-00.3	959	53.0	49.9-56.1
\$35,000- 49,999	2245	351,873	1117	50.1	47.2-53.0	89	3.0	02.2-03.8	11	0.6	00.2-01.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1026	46.3	43.4-49.2
\$50,000- 74,999	2202	386,650	1254	56.0	53.3-58.7	104	4.5	03.3-05.7	24	0.8	00.4-01.2	3	0.2	00.0-00.4	1	0.0	00.0-00.0	816	38.5	35.8-41.2
\$75,000+	2513	551,806	1610	63.6	61.2-66.0	149	5.3	04.3-06.3	30	0.9	00.5-01.3	2	0.1	00.0-00.3	1	0.0	00.0-00.0	721	30.0	27.6-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	>0, <=5		N	>5, <=15		N	>15, <=30		N	>30, <=60		N	>60		N	None	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	23105	4,667,448	5068	22.2	21.4-23.0	2835	14.2	13.4-15.0	2727	12.2	11.6-12.8	1425	6.6	06.0-07.2	640	3.1	02.7-03.5	10410	41.7	40.7-42.7
Male	8653	2,287,717	1549	18.6	17.4-19.8	1197	16.0	14.8-17.2	1285	14.7	13.7-15.7	886	9.6	08.6-10.6	476	5.1	04.5-05.7	3260	36.0	34.4-37.6
Female	14452	2,379,732	3519	25.7	24.7-26.7	1638	12.5	11.7-13.3	1442	9.8	09.0-10.6	539	3.7	03.3-04.1	164	1.2	01.0-01.4	7150	47.1	45.9-48.3
White/Non-Hisp	20036	3,827,265	4495	22.9	22.1-23.7	2535	14.6	13.8-15.4	2509	13.2	12.4-14.0	1307	7.1	06.5-07.7	568	3.1	02.7-03.5	8622	39.1	38.1-40.1
Black or Afr. Am./Non-Hisp	233	84,053	57	21.3	14.6-28.0	22	8.1	04.0-12.2	17	8.4	03.7-13.1	11	7.5	01.4-13.6	4	3.3	00.0-06.6	122	51.4	41.6-61.2
Oth. Race/Non-Hisp.	767	225,045	160	20.8	16.7-24.9	77	10.6	07.5-13.7	58	9.7	06.6-12.8	28	3.8	01.6-06.0	13	1.8	00.2-03.4	431	53.3	48.2-58.4
MultiRacial/Non-Hisp.	597	128,553	115	20.0	15.3-24.7	56	13.6	08.7-18.5	44	9.6	05.9-13.3	30	5.4	02.7-08.1	16	3.0	01.0-05.0	336	48.5	42.2-54.8
Hispanic	1280	369,385	196	16.0	13.1-18.9	129	15.0	11.7-18.3	79	5.4	03.8-07.0	40	3.5	02.1-04.9	27	3.3	01.7-04.9	809	56.8	52.7-60.9
18-24	1031	602,262	195	17.5	14.6-20.4	131	12.8	09.9-15.7	76	7.6	05.4-09.8	54	7.2	04.8-09.6	47	4.3	02.7-05.9	528	50.6	46.5-54.7
25-34	2515	833,327	621	23.5	21.3-25.7	384	16.2	14.2-18.2	275	12.5	10.7-14.3	120	5.7	04.5-06.9	65	3.0	02.0-04.0	1050	39.1	36.6-41.6
35-44	3576	922,860	937	25.8	24.0-27.6	582	17.5	15.9-19.1	415	12.2	10.8-13.6	190	5.7	04.7-06.7	97	3.4	02.6-04.2	1355	35.3	33.3-37.3
45-54	4748	932,214	1122	23.2	21.6-24.8	672	15.5	14.1-16.9	612	13.9	12.5-15.3	316	6.7	05.7-07.7	136	2.8	02.2-03.4	1890	37.9	36.1-39.7
55-64	4828	665,795	1089	22.9	21.3-24.5	547	12.0	10.8-13.2	583	13.0	11.8-14.2	370	8.4	07.4-09.4	151	3.2	02.4-04.0	2088	40.5	38.7-42.3
65+	6392	708,631	1097	18.0	16.8-19.2	517	9.1	08.1-10.1	766	12.8	11.6-14.0	374	6.5	05.7-07.3	144	2.2	01.8-02.6	3494	51.5	49.9-53.1
Less Than H.S.	1737	363,296	224	13.6	11.1-16.1	115	10.0	07.5-12.5	93	5.9	04.1-07.7	44	2.7	01.5-03.9	61	4.7	02.9-06.5	1200	63.1	59.4-66.8
H.S. or G.E.D.	5884	1,125,019	1099	18.9	17.3-20.5	603	11.7	10.3-13.1	582	10.0	08.8-11.2	315	6.0	05.0-07.0	205	4.2	03.4-05.0	3080	49.2	47.2-51.2
Some Post-H.S.	7450	1,469,417	1722	23.5	22.1-24.9	881	13.5	12.3-14.7	772	10.5	09.5-11.5	435	6.9	05.9-07.9	190	2.9	02.3-03.5	3450	42.6	40.8-44.4
College Graduate	8002	1,704,245	2018	25.2	23.8-26.6	1232	17.4	16.2-18.6	1280	16.5	15.3-17.7	631	7.6	06.8-08.4	184	2.2	01.8-02.6	2657	31.1	29.7-32.5
Less than \$15,000	1755	270,419	245	15.4	12.5-18.3	130	9.5	06.8-12.2	97	6.0	04.2-07.8	42	2.1	00.9-03.3	46	2.1	01.1-03.1	1195	64.8	60.7-68.9
\$15,000- 24,999	3703	660,637	666	18.2	16.2-20.2	269	10.1	08.1-12.1	296	7.7	06.3-09.1	155	4.9	03.7-06.1	109	3.8	02.6-05.0	2208	55.3	52.6-58.0
\$25,000- 34,999	2918	486,055	635	19.6	17.6-21.6	320	12.3	10.3-14.3	295	10.0	08.4-11.6	174	7.0	05.4-08.6	76	2.7	01.7-03.7	1418	48.5	45.8-51.2
\$35,000- 49,999	3753	692,050	835	22.3	20.3-24.3	480	13.2	11.6-14.8	479	12.7	10.9-14.5	239	6.0	04.6-07.4	113	3.6	02.8-04.4	1607	42.2	39.8-44.6
\$50,000- 74,999	3754	779,763	1003	26.4	24.4-28.4	565	16.6	14.8-18.4	499	12.9	11.5-14.3	279	7.1	05.9-08.3	102	2.9	02.1-03.7	1306	34.1	32.1-36.1
\$75,000+	4523	1,222,802	1161	24.7	23.1-26.3	802	18.4	16.8-20.0	819	18.1	16.5-19.7	425	9.1	07.9-10.3	134	3.2	02.4-04.0	1182	26.5	24.7-28.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8653	2,287,717	1549	18.6	17.4-19.8	1197	16.0	14.8-17.2	1285	14.7	13.7-15.7	886	9.6	08.6-10.6	476	5.1	04.5-05.7	3260	36.0	34.4-37.6
White/Non-Hisp	7474	1,849,046	1334	18.7	17.5-19.9	1040	15.7	14.5-16.9	1165	15.8	14.6-17.0	804	10.4	09.4-11.4	427	5.3	04.5-06.1	2704	34.1	32.5-35.7
Black or Afr. Am./Non-Hisp	94	45,490				11	9.7	02.8-16.6	6	6.3	00.4-12.2				2	2.2	00.0-05.3			
Oth. Race/Non-Hisp.	289	118,666	53	18.5	12.2-24.8	36	14.0	08.5-19.5	36	14.6	09.1-20.1	19	5.9	02.0-09.8	10	3.1	00.4-05.8	135	44.0	36.4-51.6
MultiRacial/Non-Hisp.	218	62,237	38	18.6	10.8-26.4	26	17.0	08.8-25.2	20	13.7	07.0-20.4	22	9.2	03.9-14.5	10	4.2	00.7-07.7	102	37.4	28.4-46.4
Hispanic	490	197,351	84	16.8	12.3-21.3	72	20.9	15.2-26.6	48	7.1	04.6-09.6	27	5.2	02.7-07.7	19	4.4	01.9-06.9	240	45.6	39.1-52.1
18-24	406	309,505	58	13.8	09.7-17.9	46	13.9	09.2-18.6	43	8.8	05.7-11.9	38	11.5	07.4-15.6	32	6.3	03.6-09.0	189	45.8	39.5-52.1
25-34	899	421,352	177	19.9	16.6-23.2	152	18.2	15.1-21.3	143	16.1	13.2-19.0	84	8.8	06.6-11.0	52	5.1	03.3-06.9	291	31.9	28.0-35.8
35-44	1291	463,045	260	20.6	17.9-23.3	234	18.9	16.2-21.6	185	15.2	12.8-17.6	114	8.0	06.2-09.8	75	5.7	04.1-07.3	423	31.6	28.5-34.7
45-54	1810	460,327	329	19.4	17.0-21.8	293	17.7	15.3-20.1	289	16.6	14.4-18.8	181	8.8	07.2-10.4	92	4.3	03.1-05.5	626	33.2	30.5-35.9
55-64	1928	325,181	360	19.5	17.1-21.9	247	13.5	11.5-15.5	272	14.5	12.3-16.7	229	11.8	10.0-13.6	118	5.3	03.9-06.7	702	35.5	32.8-38.2
65+	2316	307,759	365	16.3	14.3-18.3	224	10.6	08.8-12.4	353	15.5	13.5-17.5	240	10.4	08.8-12.0	107	4.0	03.0-05.0	1027	43.2	40.7-45.7
Less Than H.S.	642	183,760	92	14.9	10.8-19.0	69	14.5	10.2-18.8	63	9.6	06.3-12.9	30	4.3	02.1-06.5	41	5.9	03.2-08.6	347	50.7	44.6-56.8
H.S. or G.E.D.	2132	561,751	330	16.0	13.6-18.4	253	13.3	10.9-15.7	275	12.6	10.4-14.8	209	9.2	07.2-11.2	154	7.1	05.5-08.7	911	41.9	38.6-45.2
Some Post-H.S.	2497	663,279	459	19.4	17.0-21.8	324	15.2	12.8-17.6	328	12.2	10.4-14.0	250	10.8	08.8-12.8	134	5.3	03.9-06.7	1002	37.1	34.2-40.0
College Graduate	3369	876,407	665	20.4	18.6-22.2	549	18.5	16.7-20.3	619	19.1	17.3-20.9	397	10.2	08.8-11.6	147	3.5	02.7-04.3	992	28.3	26.3-30.3
Less than \$15,000	488	112,830	69	14.3	08.8-19.8	50	11.9	06.4-17.4	30	4.5	02.1-06.9	19	2.8	00.4-05.2	27	3.2	01.2-05.2	293	63.3	55.5-71.1
\$15,000- 24,999	1257	319,899	206	17.3	14.0-20.6	115	11.9	08.6-15.2	127	9.9	07.2-12.6	94	7.3	04.9-09.7	77	5.5	03.7-07.3	638	48.1	43.6-52.6
\$25,000- 34,999	1075	227,254	171	14.5	11.6-17.4	126	13.9	10.6-17.2	155	13.3	10.4-16.2	110	10.6	07.7-13.5	54	4.3	02.5-06.1	459	43.2	38.7-47.7
\$35,000- 49,999	1508	340,177	250	18.6	15.7-21.5	196	13.5	11.1-15.9	231	14.1	11.6-16.6	150	9.2	06.8-11.6	100	6.6	04.8-08.4	581	38.0	34.5-41.5
\$50,000- 74,999	1552	393,112	325	22.0	19.3-24.7	260	19.6	16.9-22.3	228	14.3	11.9-16.7	175	9.6	07.6-11.6	74	4.8	03.2-06.4	490	29.8	26.9-32.7
\$75,000+	2010	670,996	391	19.2	16.8-21.6	356	18.9	16.5-21.3	425	21.2	18.8-23.6	276	12.1	10.3-13.9	101	4.9	03.7-06.1	461	23.6	21.1-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14452	2,379,732	3519	25.7	24.7-26.7	1638	12.5	11.7-13.3	1442	9.8	09.0-10.6	539	3.7	03.3-04.1	164	1.2	01.0-01.4	7150	47.1	45.9-48.3
White/Non-Hisp	12562	1,978,219	3161	26.9	25.7-28.1	1495	13.5	12.7-14.3	1344	10.8	10.0-11.6	503	4.1	03.7-04.5	141	1.1	00.9-01.3	5918	43.7	42.5-44.9
Black or Afr. Am./Non-Hisp	139	38,562	33	19.9	12.3-27.5	11	6.2	01.9-10.5	11	10.9	03.6-18.2	3	3.5	00.0-08.8	2	4.6	00.0-10.9			
Oth. Race/Non-Hisp.	478	106,378	107	23.3	18.2-28.4	41	6.8	04.3-09.3	22	4.3	02.1-06.5	9	1.4	00.2-02.6	3	0.4	00.0-01.0	296	63.7	58.0-69.4
MultiRacial/Non-Hisp.	379	66,315	77	21.3	15.6-27.0	30	10.3	05.0-15.6	24	5.7	02.8-08.6	8	2.0	00.4-03.6	6	1.8	00.0-03.6	234	58.9	51.5-66.3
Hispanic	790	172,034	112	15.2	11.7-18.7	57	8.2	05.7-10.7	31	3.4	02.0-04.8	13	1.6	00.6-02.6	8	1.9	00.1-03.7	569	69.6	65.3-73.9
18-24	406	309,505	137	20.2	16.1-24.3	85	11.0	08.1-13.9	33	6.0	03.1-08.9	16	2.6	01.0-04.2	15	2.1	00.7-03.5	339	52.6	47.5-57.7
25-34	899	421,352	444	26.5	23.8-29.2	232	13.9	11.7-16.1	132	8.7	06.9-10.5	36	2.5	01.5-03.5	13	0.8	00.2-01.4	759	45.4	42.5-48.3
35-44	1291	463,045	677	30.9	28.5-33.3	348	16.0	14.2-17.8	230	9.2	07.8-10.6	76	3.4	02.4-04.4	22	1.0	00.4-01.6	932	38.9	36.4-41.4
45-54	1810	460,327	793	27.6	25.6-29.6	379	13.8	12.2-15.4	323	11.5	10.1-12.9	135	4.7	03.7-05.7	44	1.4	00.8-02.0	1264	43.5	41.1-45.9
55-64	1928	325,181	729	27.3	25.1-29.5	300	11.1	09.7-12.5	311	12.2	10.6-13.8	141	5.3	04.3-06.3	33	1.3	00.7-01.9	1386	47.5	45.1-49.9
65+	2316	307,759	732	25.0	23.4-26.6	293	10.3	09.1-11.5	413	14.0	12.8-15.2	134	4.5	03.7-05.3	37	1.0	00.6-01.4	2467	75.3	73.3-77.3
Less Than H.S.	1095	179,536	132	12.3	09.4-15.2	46	5.3	03.3-07.3	30	2.1	01.1-03.1	14	1.0	00.4-01.6	20	3.6	01.4-05.8	853	75.8	71.9-79.7
H.S. or G.E.D.	3752	563,268	769	21.7	19.7-23.7	350	10.1	08.7-11.5	307	7.4	06.2-08.6	106	2.8	02.0-03.6	51	1.4	00.8-02.0	2169	56.6	54.2-59.0
Some Post-H.S.	4953	806,138	1263	26.8	25.0-28.6	557	12.1	10.9-13.3	444	9.2	08.0-10.4	185	3.7	02.9-04.5	56	1.0	00.6-01.4	2448	47.2	45.2-49.2
College Graduate	4633	827,839	1353	30.3	28.5-32.1	683	16.2	14.8-17.6	661	13.8	12.4-15.2	234	4.9	04.1-05.7	37	0.8	00.4-01.2	1665	34.1	32.3-35.9
Less than \$15,000	1267	157,590	176	16.2	12.9-19.5	80	7.8	04.9-10.7	67	7.1	04.6-09.6	23	1.6	00.6-02.6	19	1.4	00.6-02.2	902	65.9	61.4-70.4
\$15,000- 24,999	2446	340,738	460	19.2	16.8-21.6	154	8.5	06.5-10.5	169	5.5	04.3-06.7	61	2.6	01.8-03.4	32	2.2	01.0-03.4	1570	62.1	59.2-65.0
\$25,000- 34,999	1843	258,801	464	24.0	21.3-26.7	194	10.8	08.8-12.8	140	7.2	05.6-08.8	64	3.7	02.5-04.9	22	1.3	00.5-02.1	959	53.0	49.9-56.1
\$35,000- 49,999	2245	351,873	585	25.9	23.4-28.4	284	13.0	11.0-15.0	248	11.2	09.0-13.4	89	3.0	02.2-03.8	13	0.7	00.3-01.1	1026	46.3	43.4-49.2
\$50,000- 74,999	2202	386,650	678	30.9	28.4-33.4	305	13.6	11.8-15.4	271	11.5	09.7-13.3	104	4.5	03.3-05.7	28	1.0	00.6-01.4	816	38.5	35.8-41.2
\$75,000+	2513	551,806	770	31.5	29.1-33.9	446	17.7	15.9-19.5	394	14.4	12.6-16.2	149	5.3	04.3-06.3	33	1.1	00.7-01.5	721	30.0	27.6-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23105	4,667,448	21926	95.0	94.6-95.4	1179	5.0	04.6-05.4
Male	8653	2,287,717	8177	94.9	94.3-95.5	476	5.1	04.5-05.7
Female	14452	2,379,732	13749	95.1	94.7-95.5	703	4.9	04.5-05.3
White/Non-Hisp	20036	3,827,265	18965	94.8	94.4-95.2	1071	5.2	04.8-05.6
Black or Afr. Am./Non-Hisp	233	84,053	226	95.1	91.0-99.2	7	4.9	00.8-09.0
Oth. Race/Non-Hisp.	767	225,045	745	97.5	95.9-99.1	22	2.5	00.9-04.1
MultiRacial/Non-Hisp.	597	128,553	573	96.0	93.8-98.2	24	4.0	01.8-06.2
Hispanic	1280	369,385	1240	96.0	94.4-97.6	40	4.0	02.4-05.6
18-24	1031	602,262	968	94.3	92.5-96.1	63	5.7	03.9-07.5
25-34	2515	833,327	2414	95.8	94.8-96.8	101	4.2	03.2-05.2
35-44	3576	922,860	3403	94.9	93.9-95.9	173	5.1	04.1-06.1
45-54	4748	932,214	4477	94.8	94.0-95.6	271	5.2	04.4-06.0
55-64	4828	665,795	4536	94.2	93.2-95.2	292	5.8	04.8-06.8
65+	6392	708,631	6114	95.8	95.2-96.4	278	4.2	03.6-04.8
Less Than H.S.	1737	363,296	1662	94.8	93.0-96.6	75	5.2	03.4-07.0
H.S. or G.E.D.	5884	1,125,019	5573	94.4	93.4-95.4	311	5.6	04.6-06.6
Some Post-H.S.	7450	1,469,417	7075	95.1	94.3-95.9	375	4.9	04.1-05.7
College Graduate	8002	1,704,245	7584	95.4	94.8-96.0	418	4.6	04.0-05.2
Less than \$15,000	1755	270,419	1686	97.0	96.0-98.0	69	3.0	02.0-04.0
\$15,000- 24,999	3703	660,637	3533	94.9	93.7-96.1	170	5.1	03.9-06.3
\$25,000- 34,999	2918	486,055	2778	95.3	94.1-96.5	140	4.7	03.5-05.9
\$35,000- 49,999	3753	692,050	3551	94.9	93.9-95.9	202	5.1	04.1-06.1
\$50,000- 74,999	3754	779,763	3548	94.8	93.8-95.8	206	5.2	04.2-06.2
\$75,000+	4523	1,222,802	4240	94.4	93.6-95.2	283	5.6	04.8-06.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDHRV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8653	2,287,717	8177	94.9	94.3-95.5	476	5.1	04.5-05.7
White/Non-Hisp	7474	1,849,046	7047	94.7	93.9-95.5	427	5.3	04.5-06.1
Black or Afr. Am./Non-Hisp	94	45,490	92	97.8	94.7-0100	2	2.2	00.0-05.3
Oth. Race/Non-Hisp.	289	118,666	279	96.9	94.2-99.6	10	3.1	00.4-05.8
MultiRacial/Non-Hisp.	218	62,237	208	95.8	92.3-99.3	10	4.2	00.7-07.7
Hispanic	490	197,351	471	95.6	93.1-98.1	19	4.4	01.9-06.9
18-24	406	309,505	374	93.7	91.0-96.4	32	6.3	03.6-09.0
25-34	899	421,352	847	94.9	93.1-96.7	52	5.1	03.3-06.9
35-44	1291	463,045	1216	94.3	92.7-95.9	75	5.7	04.1-07.3
45-54	1810	460,327	1718	95.7	94.5-96.9	92	4.3	03.1-05.5
55-64	1928	325,181	1810	94.7	93.3-96.1	118	5.3	03.9-06.7
65+	2316	307,759	2209	96.0	95.0-97.0	107	4.0	03.0-05.0
Less Than H.S.	642	183,760	601	94.1	91.4-96.8	41	5.9	03.2-08.6
H.S. or G.E.D.	2132	561,751	1978	92.9	91.3-94.5	154	7.1	05.5-08.7
Some Post-H.S.	2497	663,279	2363	94.7	93.3-96.1	134	5.3	03.9-06.7
College Graduate	3369	876,407	3222	96.5	95.7-97.3	147	3.5	02.7-04.3
Less than \$15,000	488	112,830	461	96.8	94.8-98.8	27	3.2	01.2-05.2
\$15,000- 24,999	1257	319,899	1180	94.5	92.7-96.3	77	5.5	03.7-07.3
\$25,000- 34,999	1075	227,254	1021	95.7	93.9-97.5	54	4.3	02.5-06.1
\$35,000- 49,999	1508	340,177	1408	93.4	91.6-95.2	100	6.6	04.8-08.4
\$50,000- 74,999	1552	393,112	1478	95.2	93.6-96.8	74	4.8	03.2-06.4
\$75,000+	2010	670,996	1909	95.1	93.9-96.3	101	4.9	03.7-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDHRV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	14452	2,379,732	13749	95.1	94.7-95.5	703	4.9	04.5-05.3	
White/Non-Hisp	12562	1,978,219	11918	94.8	94.2-95.4	644	5.2	04.6-05.8	
Black or Afr. Am./Non-Hisp	139	38,562	134	91.9	83.9-99.9	5	8.1	00.1-16.1	
Oth. Race/Non-Hisp.	478	106,378	466	98.2	97.0-99.4	12	1.8	00.6-03.0	
MultiRacial/Non-Hisp.	379	66,315	365	96.2	93.8-98.6	14	3.8	01.4-06.2	
Hispanic	790	172,034	769	96.4	94.4-98.4	21	3.6	01.6-05.6	
18-24	625	292,757	594	95.0	92.8-97.2	31	5.0	02.8-07.2	
25-34	1616	411,975	1567	96.6	95.4-97.8	49	3.4	02.2-04.6	
35-44	2285	459,815	2187	95.6	94.6-96.6	98	4.4	03.4-05.4	
45-54	2938	471,887	2759	94.0	93.0-95.0	179	6.0	05.0-07.0	
55-64	2900	340,614	2726	93.6	92.4-94.8	174	6.4	05.2-07.6	
65+	4076	400,871	3905	95.7	94.9-96.5	171	4.3	03.5-05.1	
Less Than H.S.	1095	179,536	1061	95.5	93.1-97.9	34	4.5	02.1-06.9	
H.S. or G.E.D.	3752	563,268	3595	95.8	95.0-96.6	157	4.2	03.4-05.0	
Some Post-H.S.	4953	806,138	4712	95.3	94.5-96.1	241	4.7	03.9-05.5	
College Graduate	4633	827,839	4362	94.3	93.5-95.1	271	5.7	04.9-06.5	
Less than \$15,000	1267	157,590	1225	97.1	95.9-98.3	42	2.9	01.7-04.1	
\$15,000- 24,999	2446	340,738	2353	95.2	93.8-96.6	93	4.8	03.4-06.2	
\$25,000- 34,999	1843	258,801	1757	94.9	93.5-96.3	86	5.1	03.7-06.5	
\$35,000- 49,999	2245	351,873	2143	96.4	95.4-97.4	102	3.6	02.6-04.6	
\$50,000- 74,999	2202	386,650	2070	94.5	93.3-95.7	132	5.5	04.3-06.7	
\$75,000+	2513	551,806	2331	93.6	92.4-94.8	182	6.4	05.2-07.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8653	2,287,717	8177	94.9	94.3-95.5	476	5.1	04.5-05.7
White/Non-Hisp	7474	1,849,046	7047	94.7	93.9-95.5	427	5.3	04.5-06.1
Black or Afr. Am./Non-Hisp	94	45,490	92	97.8	94.7-0100	2	2.2	00.0-05.3
Oth. Race/Non-Hisp.	289	118,666	279	96.9	94.2-99.6	10	3.1	00.4-05.8
MultiRacial/Non-Hisp.	218	62,237	208	95.8	92.3-99.3	10	4.2	00.7-07.7
Hispanic	490	197,351	471	95.6	93.1-98.1	19	4.4	01.9-06.9
18-24	406	309,505	374	93.7	91.0-96.4	32	6.3	03.6-09.0
25-34	899	421,352	847	94.9	93.1-96.7	52	5.1	03.3-06.9
35-44	1291	463,045	1216	94.3	92.7-95.9	75	5.7	04.1-07.3
45-54	1810	460,327	1718	95.7	94.5-96.9	92	4.3	03.1-05.5
55-64	1928	325,181	1810	94.7	93.3-96.1	118	5.3	03.9-06.7
65+	2316	307,759	2209	96.0	95.0-97.0	107	4.0	03.0-05.0
Less Than H.S.	642	183,760	601	94.1	91.4-96.8	41	5.9	03.2-08.6
H.S. or G.E.D.	2132	561,751	1978	92.9	91.3-94.5	154	7.1	05.5-08.7
Some Post-H.S.	2497	663,279	2363	94.7	93.3-96.1	134	5.3	03.9-06.7
College Graduate	3369	876,407	3222	96.5	95.7-97.3	147	3.5	02.7-04.3
Less than \$15,000	488	112,830	461	96.8	94.8-98.8	27	3.2	01.2-05.2
\$15,000- 24,999	1257	319,899	1180	94.5	92.7-96.3	77	5.5	03.7-07.3
\$25,000- 34,999	1075	227,254	1021	95.7	93.9-97.5	54	4.3	02.5-06.1
\$35,000- 49,999	1508	340,177	1408	93.4	91.6-95.2	100	6.6	04.8-08.4
\$50,000- 74,999	1552	393,112	1478	95.2	93.6-96.8	74	4.8	03.2-06.4
\$75,000+	2010	670,996	1909	95.1	93.9-96.3	101	4.9	03.7-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14452	2,379,732	13749	95.1	94.7-95.5	703	4.9	04.5-05.3
White/Non-Hisp	12562	1,978,219	11918	94.8	94.2-95.4	644	5.2	04.6-05.8
Black or Afr. Am./Non-Hisp	139	38,562	134	91.9	83.9-99.9	5	8.1	00.1-16.1
Oth. Race/Non-Hisp.	478	106,378	466	98.2	97.0-99.4	12	1.8	00.6-03.0
MultiRacial/Non-Hisp.	379	66,315	365	96.2	93.8-98.6	14	3.8	01.4-06.2
Hispanic	790	172,034	769	96.4	94.4-98.4	21	3.6	01.6-05.6
18-24	625	292,757	594	95.0	92.8-97.2	31	5.0	02.8-07.2
25-34	1616	411,975	1567	96.6	95.4-97.8	49	3.4	02.2-04.6
35-44	2285	459,815	2187	95.6	94.6-96.6	98	4.4	03.4-05.4
45-54	2938	471,887	2759	94.0	93.0-95.0	179	6.0	05.0-07.0
55-64	2900	340,614	2726	93.6	92.4-94.8	174	6.4	05.2-07.6
65+	4076	400,871	3905	95.7	94.9-96.5	171	4.3	03.5-05.1
Less Than H.S.	1095	179,536	1061	95.5	93.1-97.9	34	4.5	02.1-06.9
H.S. or G.E.D.	3752	563,268	3595	95.8	95.0-96.6	157	4.2	03.4-05.0
Some Post-H.S.	4953	806,138	4712	95.3	94.5-96.1	241	4.7	03.9-05.5
College Graduate	4633	827,839	4362	94.3	93.5-95.1	271	5.7	04.9-06.5
Less than \$15,000	1267	157,590	1225	97.1	95.9-98.3	42	2.9	01.7-04.1
\$15,000- 24,999	2446	340,738	2353	95.2	93.8-96.6	93	4.8	03.4-06.2
\$25,000- 34,999	1843	258,801	1757	94.9	93.5-96.3	86	5.1	03.7-06.5
\$35,000- 49,999	2245	351,873	2143	96.4	95.4-97.4	102	3.6	02.6-04.6
\$50,000- 74,999	2202	386,650	2070	94.5	93.3-95.7	132	5.5	04.3-06.7
\$75,000+	2513	551,806	2331	93.6	92.4-94.8	182	6.4	05.2-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	101
2	MALES ONLY	102
3	FEMALES ONLY	103
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	104
5	MALES ONLY	105
6	FEMALES ONLY	106

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	6546	724,521	4510	70.6	69.2-72.0	2036	29.4	28.0-30.8
Male	2382	315,241	1620	69.2	66.8-71.6	762	30.8	28.4-33.2
Female	4164	409,280	2890	71.7	69.9-73.5	1274	28.3	26.5-30.1
White/Non-Hisp	6083	669,001	4219	71.1	69.5-72.7	1864	28.9	27.3-30.5
Oth. Race/Non-Hisp.	112	17,144	81	78.7	69.5-87.9	31	21.3	12.1-30.5
65+	6546	724,521	4510	70.6	69.2-72.0	2036	29.4	28.0-30.8
Less Than H.S.	613	56,810	388	66.7	61.8-71.6	225	33.3	28.4-38.2
H.S. or G.E.D.	2089	212,090	1435	69.6	67.1-72.1	654	30.4	27.9-32.9
Some Post-H.S.	1961	215,096	1326	68.4	65.7-71.1	635	31.6	28.9-34.3
College Graduate	1867	239,010	1349	74.3	71.8-76.8	518	25.7	23.2-28.2
Less than \$15,000	574	44,641	335	60.8	55.5-66.1	239	39.2	33.9-44.5
\$15,000- 24,999	1371	125,259	922	69.2	66.1-72.3	449	30.8	27.7-33.9
\$25,000- 34,999	1218	135,746	866	71.5	68.2-74.8	352	28.5	25.2-31.8
\$35,000- 49,999	1072	126,576	774	73.7	70.4-77.0	298	26.3	23.0-29.6
\$50,000- 74,999	637	84,467	452	68.7	64.0-73.4	185	31.3	26.6-36.0
\$75,000+	491	71,616	366	78.0	73.7-82.3	125	22.0	17.7-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	2382	315,241	1620	69.2	66.8-71.6	762	30.8	28.4-33.2
White/Non-Hisp	2210	290,628	1505	69.3	66.8-71.8	705	30.7	28.2-33.2
65+	2382	315,241	1620	69.2	66.8-71.6	762	30.8	28.4-33.2
Less Than H.S.	216	25,753	136	69.0	61.4-76.6	80	31.0	23.4-38.6
H.S. or G.E.D.	621	75,712	433	69.3	64.6-74.0	188	30.7	26.0-35.4
Some Post-H.S.	609	80,014	389	63.7	58.8-68.6	220	36.3	31.4-41.2
College Graduate	928	133,023	657	72.6	68.9-76.3	271	27.4	23.7-31.1
\$15,000- 24,999	404	45,730	265	65.8	59.7-71.9	139	34.2	28.1-40.3
\$25,000- 34,999	474	59,655	328	71.3	66.0-76.6	146	28.7	23.4-34.0
\$35,000- 49,999	473	62,668	330	73.7	69.0-78.4	143	26.3	21.6-31.0
\$50,000- 74,999	342	50,901	240	65.0	58.3-71.7	102	35.0	28.3-41.7
\$75,000+	284	43,752	211	76.3	70.4-82.2	73	23.7	17.8-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	4164	409,280	2890	71.7	69.9-73.5	1274	28.3	26.5-30.1
White/Non-Hisp	3873	378,373	2714	72.4	70.6-74.2	1159	27.6	25.8-29.4
65+	4164	409,280	2890	71.7	69.9-73.5	1274	28.3	26.5-30.1
Less Than H.S.	397	31,057	252	64.8	58.5-71.1	145	35.2	28.9-41.5
H.S. or G.E.D.	1468	136,378	1002	69.8	66.7-72.9	466	30.2	27.1-33.3
Some Post-H.S.	1352	135,081	937	71.2	68.3-74.1	415	28.8	25.9-31.7
College Graduate	939	105,987	692	76.5	73.2-79.8	247	23.5	20.2-26.8
Less than \$15,000	460	34,380	276	63.3	57.6-69.0	184	36.7	31.0-42.4
\$15,000- 24,999	967	79,529	657	71.1	67.4-74.8	310	28.9	25.2-32.6
\$25,000- 34,999	744	76,091	538	71.7	67.6-75.8	206	28.3	24.2-32.4
\$35,000- 49,999	599	63,907	444	73.7	69.2-78.2	155	26.3	21.8-30.8
\$50,000- 74,999	295	33,566	212	74.2	67.9-80.5	83	25.8	19.5-32.1
\$75,000+	207	27,864	155	80.8	74.9-86.7	52	19.2	13.3-25.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6335	696,168	4335	69.6	68.2-71.0	2000	30.4	29.0-31.8
Male	2261	296,385	1450	65.4	62.9-67.9	811	34.6	32.1-37.1
Female	4074	399,783	2885	72.8	71.0-74.6	1189	27.2	25.4-29.0
White/Non-Hisp	5891	642,955	4055	70.3	68.7-71.9	1836	29.7	28.1-31.3
65+	6335	696,168	4335	69.6	68.2-71.0	2000	30.4	29.0-31.8
Less Than H.S.	597	55,398	389	69.5	64.6-74.4	208	30.5	25.6-35.4
H.S. or G.E.D.	2036	205,768	1409	70.6	68.1-73.1	627	29.4	26.9-31.9
Some Post-H.S.	1889	206,021	1297	69.9	67.4-72.4	592	30.1	27.6-32.6
College Graduate	1797	227,466	1231	68.7	66.0-71.4	566	31.3	28.6-34.0
Less than \$15,000	559	43,066	356	62.1	56.8-67.4	203	37.9	32.6-43.2
\$15,000- 24,999	1340	122,205	918	70.1	66.8-73.4	422	29.9	26.6-33.2
\$25,000- 34,999	1178	131,199	870	76.7	73.6-79.8	308	23.3	20.2-26.4
\$35,000- 49,999	1034	121,214	719	70.4	66.9-73.9	315	29.6	26.1-33.1
\$50,000- 74,999	618	81,886	417	68.4	63.7-73.1	201	31.6	26.9-36.3
\$75,000+	471	67,696	299	63.4	58.1-68.7	172	36.6	31.3-41.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2261	296,385	1450	65.4	62.9-67.9	811	34.6	32.1-37.1	
White/Non-Hisp	2103	273,663	1357	65.8	63.3-68.3	746	34.2	31.7-36.7	
65+	2261	296,385	1450	65.4	62.9-67.9	811	34.6	32.1-37.1	
Less Than H.S.	208	24,913	128	69.7	61.9-77.5	80	30.3	22.5-38.1	
H.S. or G.E.D.	592	71,456	389	67.0	62.1-71.9	203	33.0	28.1-37.9	
Some Post-H.S.	576	75,814	372	66.0	61.1-70.9	204	34.0	29.1-38.9	
College Graduate	877	123,464	557	63.3	59.2-67.4	320	36.7	32.6-40.8	
\$15,000- 24,999	384	43,659	255	67.4	61.3-73.5	129	32.6	26.5-38.7	
\$25,000- 34,999	444	55,699	312	73.7	68.6-78.8	132	26.3	21.2-31.4	
\$35,000- 49,999	453	59,676	289	65.7	60.2-71.2	164	34.3	28.8-39.8	
\$50,000- 74,999	329	48,700	206	62.9	56.2-69.6	123	37.1	30.4-43.8	
\$75,000+	269	41,038	171	61.2	54.1-68.3	98	38.8	31.7-45.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4074	399,783	2885	72.8	71.0-74.6	1189	27.2	25.4-29.0	
White/Non-Hisp	3788	369,291	2698	73.5	71.7-75.3	1090	26.5	24.7-28.3	
65+	4074	399,783	2885	72.8	71.0-74.6	1189	27.2	25.4-29.0	
Less Than H.S.	389	30,486	261	69.3	63.2-75.4	128	30.7	24.6-36.8	
H.S. or G.E.D.	1444	134,311	1020	72.6	69.5-75.7	424	27.4	24.3-30.5	
Some Post-H.S.	1313	130,207	925	72.3	69.4-75.2	388	27.7	24.8-30.6	
College Graduate	920	104,002	674	75.1	71.6-78.6	246	24.9	21.4-28.4	
Less than \$15,000	451	33,765	304	66.1	60.4-71.8	147	33.9	28.2-39.6	
\$15,000- 24,999	956	78,546	663	71.5	67.8-75.2	293	28.5	24.8-32.2	
\$25,000- 34,999	734	75,500	558	78.9	75.2-82.6	176	21.1	17.4-24.8	
\$35,000- 49,999	581	61,538	430	75.0	70.7-79.3	151	25.0	20.7-29.3	
\$50,000- 74,999	289	33,186	211	76.5	70.6-82.4	78	23.5	17.6-29.4	
\$75,000+	202	26,658	128	66.8	59.2-74.4	74	33.2	25.6-40.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 16: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	108
2	MALES ONLY	109
3	FEMALES ONLY	110
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	111
5	MALES ONLY	112
6	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23504	4,750,172	23060	98.0	97.6-98.4	444	2.0	01.6-02.4
Male	8858	2,337,137	8599	97.2	96.6-97.8	259	2.8	02.2-03.4
Female	14646	2,413,035	14461	98.7	98.5-98.9	185	1.3	01.1-01.5
White/Non-Hisp	20381	3,895,619	20009	98.2	97.8-98.6	372	1.8	01.4-02.2
Black or Afr. Am./Non-Hisp	239	85,646	227	94.1	90.0-98.2	12	5.9	01.8-10.0
Oth. Race/Non-Hisp.	773	227,562	759	97.8	96.0-99.6	14	2.2	00.4-04.0
MultiRacial/Non-Hisp.	615	132,007	605	97.6	95.1-0100	10	2.4	00.0-04.9
Hispanic	1296	374,250	1266	97.6	96.2-99.0	30	2.4	01.0-03.8
18-24	1061	623,113	1028	96.8	95.4-98.2	33	3.2	01.8-04.6
25-34	2538	841,694	2489	97.6	96.6-98.6	49	2.4	01.4-03.4
35-44	3622	935,972	3549	98.4	97.8-99.0	73	1.6	01.0-02.2
45-54	4805	941,913	4722	98.4	97.8-99.0	83	1.6	01.0-02.2
55-64	4918	678,472	4823	98.3	97.7-98.9	95	1.7	01.1-02.3
65+	6542	725,753	6431	98.3	97.9-98.7	111	1.7	01.3-02.1
Less Than H.S.	1786	377,200	1729	96.7	95.3-98.1	57	3.3	01.9-04.7
H.S. or G.E.D.	6000	1,149,271	5864	97.0	96.2-97.8	136	3.0	02.2-03.8
Some Post-H.S.	7567	1,489,694	7433	98.1	97.5-98.7	134	1.9	01.3-02.5
College Graduate	8113	1,727,055	7996	98.8	98.4-99.2	117	1.2	00.8-01.6
Less than \$15,000	1786	273,712	1736	96.6	95.0-98.2	50	3.4	01.8-05.0
\$15,000- 24,999	3753	669,326	3676	97.1	96.1-98.1	77	2.9	01.9-03.9
\$25,000- 34,999	2964	493,629	2897	97.8	97.2-98.4	67	2.2	01.6-02.8
\$35,000- 49,999	3802	699,553	3730	97.9	97.1-98.7	72	2.1	01.3-02.9
\$50,000- 74,999	3797	788,982	3740	98.3	97.5-99.1	57	1.7	00.9-02.5
\$75,000+	4573	1,235,102	4506	98.7	98.3-99.1	67	1.3	00.9-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8858	2,337,137	8599	97.2	96.6-97.8	259	2.8	02.2-03.4
White/Non-Hisp	7646	1,890,431	7429	97.4	96.8-98.0	217	2.6	02.0-03.2
Black or Afr. Am./Non-Hisp	97	46,295	90	93.7	88.0-99.4	7	6.3	00.6-12.0
Oth. Race/Non-Hisp.	294	120,097	289	97.5	94.4-0100	5	2.5	00.0-05.6
MultiRacial/Non-Hisp.	226	64,066	218	96.0	91.1-0100	8	4.0	00.0-08.9
Hispanic	502	200,186	485	97.0	95.0-99.0	17	3.0	01.0-05.0
18-24	419	320,643	400	95.9	93.5-98.3	19	4.1	01.7-06.5
25-34	916	428,045	885	96.3	94.7-97.9	31	3.7	02.1-05.3
35-44	1316	471,520	1277	97.9	97.1-98.7	39	2.1	01.3-02.9
45-54	1839	466,645	1789	97.7	96.7-98.7	50	2.3	01.3-03.3
55-64	1982	333,450	1925	97.7	96.7-98.7	57	2.3	01.3-03.3
65+	2380	315,795	2317	97.5	96.7-98.3	63	2.5	01.7-03.3
Less Than H.S.	673	193,526	638	95.3	92.8-97.8	35	4.7	02.2-07.2
H.S. or G.E.D.	2180	575,846	2095	95.5	93.9-97.1	85	4.5	02.9-06.1
Some Post-H.S.	2560	674,728	2491	97.6	96.6-98.6	69	2.4	01.4-03.4
College Graduate	3429	889,684	3359	98.4	97.8-99.0	70	1.6	01.0-02.2
Less than \$15,000	505	115,408	479	95.6	92.9-98.3	26	4.4	01.7-07.1
\$15,000- 24,999	1281	325,318	1245	96.2	94.2-98.2	36	3.8	01.8-05.8
\$25,000- 34,999	1104	232,381	1069	97.7	96.7-98.7	35	2.3	01.3-03.3
\$35,000- 49,999	1533	344,137	1484	96.6	95.2-98.0	49	3.4	02.0-04.8
\$50,000- 74,999	1576	398,666	1538	97.3	95.9-98.7	38	2.7	01.3-04.1
\$75,000+	2042	679,576	1996	98.2	97.4-99.0	46	1.8	01.0-02.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14646	2,413,035	14461	98.7	98.5-98.9	185	1.3	01.1-01.5
White/Non-Hisp	12735	2,005,188	12580	98.9	98.7-99.1	155	1.1	00.9-01.3
Black or Afr. Am./Non-Hisp	142	39,351	137	94.6	88.7-0100	5	5.4	00.0-11.3
Oth. Race/Non-Hisp.	479	107,465	470	98.0	96.2-99.8	9	2.0	00.2-03.8
MultiRacial/Non-Hisp.	389	67,941	387	99.2	97.8-0100	2	0.8	00.0-02.2
Hispanic	794	174,064	781	98.2	96.4-0100	13	1.8	00.0-03.6
18-24	642	302,471	628	97.7	96.1-99.3	14	2.3	00.7-03.9
25-34	1622	413,650	1604	98.9	98.3-99.5	18	1.1	00.5-01.7
35-44	2306	464,452	2272	98.8	98.2-99.4	34	1.2	00.6-01.8
45-54	2966	475,268	2933	99.1	98.7-99.5	33	0.9	00.5-01.3
55-64	2936	345,022	2898	98.8	98.2-99.4	38	1.2	00.6-01.8
65+	4162	409,958	4114	98.8	98.4-99.2	48	1.2	00.8-01.6
Less Than H.S.	1113	183,674	1091	98.2	96.8-99.6	22	1.8	00.4-03.2
H.S. or G.E.D.	3820	573,425	3769	98.5	97.9-99.1	51	1.5	00.9-02.1
Some Post-H.S.	5007	814,966	4942	98.6	98.0-99.2	65	1.4	00.8-02.0
College Graduate	4684	837,372	4637	99.2	98.8-99.6	47	0.8	00.4-01.2
Less than \$15,000	1281	158,303	1257	97.3	95.1-99.5	24	2.7	00.5-04.9
\$15,000- 24,999	2472	344,008	2431	98.0	97.0-99.0	41	2.0	01.0-03.0
\$25,000- 34,999	1860	261,248	1828	98.0	97.0-99.0	32	2.0	01.0-03.0
\$35,000- 49,999	2269	355,415	2246	99.1	98.5-99.7	23	0.9	00.3-01.5
\$50,000- 74,999	2221	390,317	2202	99.3	98.9-99.7	19	0.7	00.3-01.1
\$75,000+	2531	555,526	2510	99.3	98.9-99.7	21	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23504	4,750,172	21545	91.5	90.9-92.1	1959	8.5	07.9-09.1
Male	8858	2,337,137	7767	88.4	87.4-89.4	1091	11.6	10.6-12.6
Female	14646	2,413,035	13778	94.5	93.9-95.1	868	5.5	04.9-06.1
White/Non-Hisp	20381	3,895,619	18670	91.4	90.8-92.0	1711	8.6	08.0-09.2
Black or Afr. Am./Non-Hisp	239	85,646	215	86.8	79.5-94.1	24	13.2	05.9-20.5
Oth. Race/Non-Hisp.	773	227,562	709	91.5	88.4-94.6	64	8.5	05.4-11.6
MultiRacial/Non-Hisp.	615	132,007	553	90.7	87.2-94.2	62	9.3	05.8-12.8
Hispanic	1296	374,250	1218	93.5	91.5-95.5	78	6.5	04.5-08.5
18-24	1061	623,113	925	86.5	83.8-89.2	136	13.5	10.8-16.2
25-34	2538	841,694	2295	90.5	88.9-92.1	243	9.5	07.9-11.1
35-44	3622	935,972	3283	91.7	90.5-92.9	339	8.3	07.1-09.5
45-54	4805	941,913	4397	92.2	91.2-93.2	408	7.8	06.8-08.8
55-64	4918	678,472	4529	93.6	92.6-94.6	389	6.4	05.4-07.4
65+	6542	725,753	6101	94.0	93.2-94.8	441	6.0	05.2-06.8
Less Than H.S.	1786	377,200	1623	89.4	86.9-91.9	163	10.6	08.1-13.1
H.S. or G.E.D.	6000	1,149,271	5503	90.6	89.2-92.0	497	9.4	08.0-10.8
Some Post-H.S.	7567	1,489,694	6935	91.2	90.0-92.4	632	8.8	07.6-10.0
College Graduate	8113	1,727,055	7448	92.8	92.0-93.6	665	7.2	06.4-08.0
Less than \$15,000	1786	273,712	1629	90.2	87.5-92.9	157	9.8	07.1-12.5
\$15,000- 24,999	3753	669,326	3459	91.7	90.1-93.3	294	8.3	06.7-09.9
\$25,000- 34,999	2964	493,629	2687	90.2	88.2-92.2	277	9.8	07.8-11.8
\$35,000- 49,999	3802	699,553	3441	90.9	89.5-92.3	361	9.1	07.7-10.5
\$50,000- 74,999	3797	788,982	3479	91.9	90.7-93.1	318	8.1	06.9-09.3
\$75,000+	4573	1,235,102	4227	92.3	91.1-93.5	346	7.7	06.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8858	2,337,137	7767	88.4	87.4-89.4	1091	11.6	10.6-12.6
White/Non-Hisp	7646	1,890,431	6696	88.2	87.0-89.4	950	11.8	10.6-13.0
Oth. Race/Non-Hisp.	294	120,097	265	89.8	84.7-94.9	29	10.2	05.1-15.3
MultiRacial/Non-Hisp.	226	64,066	190	86.6	79.9-93.3	36	13.4	06.7-20.1
Hispanic	502	200,186	454	91.1	88.0-94.2	48	8.9	05.8-12.0
18-24	419	320,643	350	83.7	79.2-88.2	69	16.3	11.8-20.8
25-34	916	428,045	774	86.5	83.8-89.2	142	13.5	10.8-16.2
35-44	1316	471,520	1129	88.1	85.9-90.3	187	11.9	09.7-14.1
45-54	1839	466,645	1607	89.7	87.9-91.5	232	10.3	08.5-12.1
55-64	1982	333,450	1767	91.8	90.2-93.4	215	8.2	06.6-09.8
65+	2380	315,795	2137	90.6	89.0-92.2	243	9.4	07.8-11.0
Less Than H.S.	673	193,526	574	85.3	81.2-89.4	99	14.7	10.6-18.8
H.S. or G.E.D.	2180	575,846	1892	86.5	84.1-88.9	288	13.5	11.1-15.9
Some Post-H.S.	2560	674,728	2234	87.6	85.6-89.6	326	12.4	10.4-14.4
College Graduate	3429	889,684	3053	90.9	89.7-92.1	376	9.1	07.9-10.3
Less than \$15,000	505	115,408	441	90.0	85.9-94.1	64	10.0	05.9-14.1
\$15,000- 24,999	1281	325,318	1148	89.1	86.2-92.0	133	10.9	08.0-13.8
\$25,000- 34,999	1104	232,381	944	85.4	81.9-88.9	160	14.6	11.1-18.1
\$35,000- 49,999	1533	344,137	1317	87.1	84.7-89.5	216	12.9	10.5-15.3
\$50,000- 74,999	1576	398,666	1389	88.8	86.6-91.0	187	11.2	09.0-13.4
\$75,000+	2042	679,576	1818	89.6	87.8-91.4	224	10.4	08.6-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 16: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14646	2,413,035	13778	94.5	93.9-95.1	868	5.5	04.9-06.1
White/Non-Hisp	12735	2,005,188	11974	94.5	93.9-95.1	761	5.5	04.9-06.1
Black or Afr. Am./Non-Hisp	142	39,351	133	88.9	78.9-98.9	9	11.1	01.1-21.1
Oth. Race/Non-Hisp.	479	107,465	444	93.4	90.1-96.7	35	6.6	03.3-09.9
MultiRacial/Non-Hisp.	389	67,941	363	94.5	91.8-97.2	26	5.5	02.8-08.2
Hispanic	794	174,064	764	96.2	94.0-98.4	30	3.8	01.6-06.0
18-24	642	302,471	575	89.4	86.1-92.7	67	10.6	07.3-13.9
25-34	1622	413,650	1521	94.5	92.9-96.1	101	5.5	03.9-07.1
35-44	2306	464,452	2154	95.2	94.2-96.2	152	4.8	03.8-05.8
45-54	2966	475,268	2790	94.7	93.7-95.7	176	5.3	04.3-06.3
55-64	2936	345,022	2762	95.3	94.3-96.3	174	4.7	03.7-05.7
65+	4162	409,958	3964	96.5	95.9-97.1	198	3.5	02.9-04.1
Less Than H.S.	1113	183,674	1049	93.7	91.0-96.4	64	6.3	03.6-09.0
H.S. or G.E.D.	3820	573,425	3611	94.8	93.8-95.8	209	5.2	04.2-06.2
Some Post-H.S.	5007	814,966	4701	94.3	93.3-95.3	306	5.7	04.7-06.7
College Graduate	4684	837,372	4395	94.7	93.7-95.7	289	5.3	04.3-06.3
Less than \$15,000	1281	158,303	1188	90.4	86.7-94.1	93	9.6	05.9-13.3
\$15,000- 24,999	2472	344,008	2311	94.3	92.9-95.7	161	5.7	04.3-07.1
\$25,000- 34,999	1860	261,248	1743	94.4	92.8-96.0	117	5.6	04.0-07.2
\$35,000- 49,999	2269	355,415	2124	94.6	92.8-96.4	145	5.4	03.6-07.2
\$50,000- 74,999	2221	390,317	2090	95.0	93.8-96.2	131	5.0	03.8-06.2
\$75,000+	2531	555,526	2409	95.6	94.6-96.6	122	4.4	03.4-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	115
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	116
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	11179	1,458,016	8428	76.0	75.0-77.0	2751	24.0	23.0-25.0
White/Non-Hisp	10100	1,295,631	7658	76.3	75.1-77.5	2442	23.7	22.5-24.9
Oth. Race/Non-Hisp.	292	50,657	222	75.6	69.1-82.1	70	24.4	17.9-30.9
MultiRacial/Non-Hisp.	284	36,268	184	67.8	60.4-75.2	100	32.2	24.8-39.6
Hispanic	342	49,772	245	72.9	66.4-79.4	97	27.1	20.6-33.6
40-44	1203	237,387	713	62.1	58.8-65.4	490	37.9	34.6-41.2
45-54	2945	472,818	2156	74.7	72.7-76.7	789	25.3	23.3-27.3
55-64	2925	343,609	2353	82.4	80.6-84.2	572	17.6	15.8-19.4
65+	4106	404,203	3206	80.1	78.5-81.7	900	19.9	18.3-21.5
Less Than H.S.	734	76,719	455	64.1	59.2-69.0	279	35.9	31.0-40.8
H.S. or G.E.D.	2983	347,569	2187	72.7	70.3-75.1	796	27.3	24.9-29.7
Some Post-H.S.	3915	503,627	2933	76.1	74.3-77.9	982	23.9	22.1-25.7
College Graduate	3531	528,177	2841	79.8	78.0-81.6	690	20.2	18.4-22.0
Less than \$15,000	985	88,959	610	63.8	59.7-67.9	375	36.2	32.1-40.3
\$15,000- 24,999	1852	181,338	1265	67.3	64.4-70.2	587	32.7	29.8-35.6
\$25,000- 34,999	1439	159,592	1064	72.6	69.5-75.7	375	27.4	24.3-30.5
\$35,000- 49,999	1758	223,750	1354	76.7	74.0-79.4	404	23.3	20.6-26.0
\$50,000- 74,999	1662	242,441	1338	79.6	77.1-82.1	324	20.4	17.9-22.9
\$75,000+	1886	355,660	1567	81.7	79.5-83.9	319	18.3	16.1-20.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8632	1,001,457	6764	80.1	78.9-81.3	1868	19.9	18.7-21.1
White/Non-Hisp	7922	908,776	6227	80.0	78.8-81.2	1695	20.0	18.8-21.2
Oth. Race/Non-Hisp.	187	27,746	154	84.1	77.4-90.8	33	15.9	09.2-22.6
MultiRacial/Non-Hisp.	213	23,993	147	72.7	64.9-80.5	66	27.3	19.5-35.1
Hispanic	195	25,331	146	78.9	71.6-86.2	49	21.1	13.8-28.4
50-54	1601	253,645	1205	76.8	74.3-79.3	396	23.2	20.7-25.7
55-64	2925	343,609	2353	82.4	80.6-84.2	572	17.6	15.8-19.4
65+	4106	404,203	3206	80.1	78.5-81.7	900	19.9	18.3-21.5
Less Than H.S.	582	51,754	372	66.8	61.5-72.1	210	33.2	27.9-38.5
H.S. or G.E.D.	2377	247,301	1833	78.8	76.6-81.0	544	21.2	19.0-23.4
Some Post-H.S.	3098	361,102	2398	79.3	77.5-81.1	700	20.7	18.9-22.5
College Graduate	2562	339,984	2151	83.8	81.8-85.8	411	16.2	14.2-18.2
Less than \$15,000	808	65,761	515	67.0	62.7-71.3	293	33.0	28.7-37.3
\$15,000- 24,999	1536	136,317	1114	73.0	70.1-75.9	422	27.0	24.1-29.9
\$25,000- 34,999	1208	126,508	926	76.6	73.5-79.7	282	23.4	20.3-26.5
\$35,000- 49,999	1362	159,498	1111	82.7	80.0-85.4	251	17.3	14.6-20.0
\$50,000- 74,999	1159	153,589	981	84.4	81.7-87.1	178	15.6	12.9-18.3
\$75,000+	1174	195,980	1022	85.6	83.1-88.1	152	14.4	11.9-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 18: WOMENS HEALTH**

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10158	1,878,938	8473	84.0	82.8-85.2	1685	16.0	14.8-17.2
White/Non-Hisp	8659	1,528,945	7204	84.2	83.0-85.4	1455	15.8	14.6-17.0
Oth. Race/Non-Hisp.	382	92,545	323	81.3	75.2-87.4	59	18.7	12.6-24.8
Hispanic	669	156,367	589	88.3	85.0-91.6	80	11.7	08.4-15.0
18-24	636	298,858	470	67.6	62.7-72.5	166	32.4	27.5-37.3
25-34	1568	397,882	1441	92.8	91.2-94.4	127	7.2	05.6-08.8
35-44	2057	420,516	1820	89.3	87.7-90.9	237	10.7	09.1-12.3
45-54	2177	353,053	1898	88.0	86.2-89.8	279	12.0	10.2-13.8
55-64	1741	207,238	1517	89.1	87.1-91.1	224	10.9	08.9-12.9
65+	1979	201,390	1327	67.2	64.5-69.9	652	32.8	30.1-35.5
Less Than H.S.	736	146,132	552	75.7	70.4-81.0	184	24.3	19.0-29.6
H.S. or G.E.D.	2408	418,673	1876	77.1	74.4-79.8	532	22.9	20.2-25.6
Some Post-H.S.	3354	608,964	2767	82.8	80.6-85.0	587	17.2	15.0-19.4
College Graduate	3647	702,660	3268	90.8	89.6-92.0	379	9.2	08.0-10.4
Less than \$15,000	826	117,929	595	73.2	67.7-78.7	231	26.8	21.3-32.3
\$15,000- 24,999	1592	260,808	1222	81.4	78.5-84.3	370	18.6	15.7-21.5
\$25,000- 34,999	1254	195,406	971	78.0	74.9-81.1	283	22.0	18.9-25.1
\$35,000- 49,999	1589	270,288	1346	84.2	81.7-86.7	243	15.8	13.3-18.3
\$50,000- 74,999	1630	309,511	1472	88.9	86.4-91.4	158	11.1	08.6-13.6
\$75,000+	2010	465,333	1880	92.3	90.5-94.1	130	7.7	05.9-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)	
1	MALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6472	1,278,167	3507	48.0	46.4-49.6	2965	52.0	50.4-53.6
White/Non-Hisp	5810	1,116,453	3218	49.7	47.9-51.5	2592	50.3	48.5-52.1
Oth. Race/Non-Hisp.	171	50,234	76	35.7	26.7-44.7	95	64.3	55.3-73.3
Hispanic	212	53,533	72	29.3	21.5-37.1	140	70.7	62.9-78.5
40-44	657	231,791	119	16.5	13.2-19.8	538	83.5	80.2-86.8
45-54	1722	438,916	612	36.7	33.8-39.6	1110	63.3	60.4-66.2
55-64	1873	314,018	1192	64.4	61.5-67.3	681	35.6	32.7-38.5
65+	2220	293,441	1584	72.2	69.8-74.6	636	27.8	25.4-30.2
Less Than H.S.	401	68,226	169	34.3	28.0-40.6	232	65.7	59.4-72.0
H.S. or G.E.D.	1526	277,170	725	41.4	38.1-44.7	801	58.6	55.3-61.9
Some Post-H.S.	1868	363,292	1022	48.4	45.3-51.5	846	51.6	48.5-54.7
College Graduate	2668	568,036	1586	52.6	50.1-55.1	1082	47.4	44.9-49.9
Less than \$15,000	332	41,103	129	32.2	25.1-39.3	203	67.8	60.7-74.9
\$15,000- 24,999	856	132,830	401	39.6	34.9-44.3	455	60.4	55.7-65.1
\$25,000- 34,999	806	124,498	446	49.2	44.7-53.7	360	50.8	46.3-55.3
\$35,000- 49,999	1158	204,749	650	48.8	44.9-52.7	508	51.2	47.3-55.1
\$50,000- 74,999	1205	252,520	677	49.1	45.4-52.8	528	50.9	47.2-54.6
\$75,000+	1556	416,516	897	50.3	47.2-53.4	659	49.7	46.6-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 20: COLORECTAL CANCER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST) .	
1	MALES AND FEMALES	121
2	MALES ONLY	122
3	FEMALES ONLY	123
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2) .	
4	MALES AND FEMALES	124
5	MALES ONLY	125
6	FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13700	1,852,907	4336	31.5	30.5-32.5	9364	68.5	67.5-69.5
Male	5223	866,812	1642	31.3	29.7-32.9	3581	68.7	67.1-70.3
Female	8477	986,095	2694	31.6	30.2-33.0	5783	68.4	67.0-69.8
White/Non-Hisp	12550	1,678,915	4012	32.0	30.8-33.2	8538	68.0	66.8-69.2
Oth. Race/Non-Hisp.	302	53,377	99	29.2	22.7-35.7	203	70.8	64.3-77.3
MultiRacial/Non-Hisp.	333	42,973	85	24.8	18.3-31.3	248	75.2	68.7-81.7
Hispanic	309	45,778	73	23.8	16.7-30.9	236	76.2	69.1-83.3
50-54	2560	484,805	465	18.7	16.7-20.7	2095	81.3	79.3-83.3
55-64	4827	667,227	1563	33.2	31.4-35.0	3264	66.8	65.0-68.6
65+	6313	700,875	2308	38.8	37.2-40.4	4005	61.2	59.6-62.8
Less Than H.S.	887	93,903	231	26.5	22.6-30.4	656	73.5	69.6-77.4
H.S. or G.E.D.	3538	423,994	1084	29.7	27.7-31.7	2454	70.3	68.3-72.3
Some Post-H.S.	4560	604,455	1467	32.7	30.9-34.5	3093	67.3	65.5-69.1
College Graduate	4693	727,682	1549	32.3	30.5-34.1	3144	67.7	65.9-69.5
Less than \$15,000	1075	95,830	262	23.4	20.1-26.7	813	76.6	73.3-79.9
\$15,000- 24,999	2239	226,828	654	28.9	26.4-31.4	1585	71.1	68.6-73.6
\$25,000- 34,999	1914	223,491	633	33.5	30.8-36.2	1281	66.5	63.8-69.2
\$35,000- 49,999	2297	306,813	790	35.1	32.6-37.6	1507	64.9	62.4-67.4
\$50,000- 74,999	2066	318,469	695	32.3	29.8-34.8	1371	67.7	65.2-70.2
\$75,000+	2297	446,210	713	30.5	28.1-32.9	1584	69.5	67.1-71.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5223	866,812	1642	31.3	29.7-32.9	3581	68.7	67.1-70.3
White/Non-Hisp	4768	783,689	1525	32.3	30.5-34.1	3243	67.7	65.9-69.5
Oth. Race/Non-Hisp.	120	26,843	30	23.3	14.3-32.3	90	76.7	67.7-85.7
Hispanic	117	20,110	25	18.3	08.5-28.1	92	81.7	71.9-91.5
50-54	975	233,482	176	20.2	16.9-23.5	799	79.8	76.5-83.1
55-64	1955	329,805	606	32.2	29.5-34.9	1349	67.8	65.1-70.5
65+	2293	303,526	860	38.9	36.4-41.4	1433	61.1	58.6-63.6
Less Than H.S.	320	42,547	91	27.5	21.0-34.0	229	72.5	66.0-79.0
H.S. or G.E.D.	1200	180,812	347	26.9	23.6-30.2	853	73.1	69.8-76.4
Some Post-H.S.	1514	248,333	484	31.5	28.4-34.6	1030	68.5	65.4-71.6
College Graduate	2179	393,443	717	33.8	31.3-36.3	1462	66.2	63.7-68.7
Less than \$15,000	284	30,568	63	18.0	12.5-23.5	221	82.0	76.5-87.5
\$15,000- 24,999	736	93,885	215	27.5	23.0-32.0	521	72.5	68.0-77.0
\$25,000- 34,999	722	98,342	232	31.7	27.4-36.0	490	68.3	64.0-72.6
\$35,000- 49,999	948	148,184	322	34.4	30.5-38.3	626	65.6	61.7-69.5
\$50,000- 74,999	925	166,963	300	32.2	28.5-35.9	625	67.8	64.1-71.5
\$75,000+	1136	252,362	368	32.1	28.6-35.6	768	67.9	64.4-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDST).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8477	986,095	2694	31.6	30.2-33.0	5783	68.4	67.0-69.8
White/Non-Hisp	7782	895,226	2487	31.7	30.3-33.1	5295	68.3	66.9-69.7
Oth. Race/Non-Hisp.	182	26,534	69	35.1	26.3-43.9	113	64.9	56.1-73.7
MultiRacial/Non-Hisp.	208	23,632	54	25.1	17.1-33.1	154	74.9	66.9-82.9
Hispanic	192	25,668	48	28.1	18.5-37.7	144	71.9	62.3-81.5
50-54	1585	251,323	289	17.3	14.9-19.7	1296	82.7	80.3-85.1
55-64	2872	337,423	957	34.1	31.9-36.3	1915	65.9	63.7-68.1
65+	4020	397,349	1448	38.6	36.6-40.6	2572	61.4	59.4-63.4
Less Than H.S.	567	51,356	140	25.7	20.8-30.6	427	74.3	69.4-79.2
H.S. or G.E.D.	2338	243,182	737	31.9	29.4-34.4	1601	68.1	65.6-70.6
Some Post-H.S.	3046	356,122	983	33.5	31.3-35.7	2063	66.5	64.3-68.7
College Graduate	2514	334,239	832	30.4	28.2-32.6	1682	69.6	67.4-71.8
Less than \$15,000	791	65,262	199	26.0	22.1-29.9	592	74.0	70.1-77.9
\$15,000- 24,999	1503	132,943	439	29.9	26.8-33.0	1064	70.1	67.0-73.2
\$25,000- 34,999	1192	125,149	401	35.0	31.5-38.5	791	65.0	61.5-68.5
\$35,000- 49,999	1349	158,629	468	35.8	32.5-39.1	881	64.2	60.9-67.5
\$50,000- 74,999	1141	151,505	395	32.3	29.0-35.6	746	67.7	64.4-71.0
\$75,000+	1161	193,848	345	28.4	25.3-31.5	816	71.6	68.5-74.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13925	1,880,390	8800	63.7	62.5-64.9	5125	36.3	35.1-37.5
Male	5293	878,528	3347	64.4	62.6-66.2	1946	35.6	33.8-37.4
Female	8632	1,001,862	5453	63.0	61.6-64.4	3179	37.0	35.6-38.4
White/Non-Hisp	12760	1,703,230	8140	64.4	63.2-65.6	4620	35.6	34.4-36.8
Oth. Race/Non-Hisp.	304	54,773	179	60.8	53.5-68.1	125	39.2	31.9-46.5
MultiRacial/Non-Hisp.	339	43,528	189	56.8	49.4-64.2	150	43.2	35.8-50.6
Hispanic	312	46,402	164	51.9	44.1-59.7	148	48.1	40.3-55.9
50-54	2581	487,553	1039	44.1	41.6-46.6	1542	55.9	53.4-58.4
55-64	4892	676,799	3068	65.6	63.8-67.4	1824	34.4	32.6-36.2
65+	6452	716,038	4693	75.2	73.8-76.6	1759	24.8	23.4-26.2
Less Than H.S.	901	96,049	491	54.6	49.9-59.3	410	45.4	40.7-50.1
H.S. or G.E.D.	3602	431,904	2220	61.4	59.2-63.6	1382	38.6	36.4-40.8
Some Post-H.S.	4629	610,918	2845	61.9	59.9-63.9	1784	38.1	36.1-40.1
College Graduate	4770	738,926	3233	67.8	66.0-69.6	1537	32.2	30.4-34.0
Less than \$15,000	1097	97,525	555	49.0	44.9-53.1	542	51.0	46.9-55.1
\$15,000- 24,999	2272	231,163	1318	57.6	54.9-60.3	954	42.4	39.7-45.1
\$25,000- 34,999	1938	227,025	1252	64.7	62.0-67.4	686	35.3	32.6-38.0
\$35,000- 49,999	2320	308,607	1491	63.4	60.9-65.9	829	36.6	34.1-39.1
\$50,000- 74,999	2098	322,479	1372	63.7	61.0-66.4	726	36.3	33.6-39.0
\$75,000+	2328	451,068	1559	67.4	65.0-69.8	769	32.6	30.2-35.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5293	878,528	3347	64.4	62.6-66.2	1946	35.6	33.8-37.4
White/Non-Hisp	4838	794,704	3093	65.5	63.7-67.3	1745	34.5	32.7-36.3
50-54	980	234,171	391	46.9	42.8-51.0	589	53.1	49.0-57.2
55-64	1970	332,816	1204	64.9	62.2-67.6	766	35.1	32.4-37.8
65+	2343	311,541	1752	77.2	75.0-79.4	591	22.8	20.6-25.0
Less Than H.S.	323	43,503	181	56.1	48.5-63.7	142	43.9	36.3-51.5
H.S. or G.E.D.	1215	183,847	694	59.0	55.1-62.9	521	41.0	37.1-44.9
Some Post-H.S.	1535	250,628	955	62.4	59.1-65.7	580	37.6	34.3-40.9
College Graduate	2210	399,290	1512	69.2	66.7-71.7	698	30.8	28.3-33.3
Less than \$15,000	286	31,068	118	40.4	32.2-48.6	168	59.6	51.4-67.8
\$15,000- 24,999	735	95,197	392	53.2	48.1-58.3	343	46.8	41.7-51.9
\$25,000- 34,999	733	100,119	471	64.0	59.3-68.7	262	36.0	31.3-40.7
\$35,000- 49,999	962	149,993	592	60.8	56.7-64.9	370	39.2	35.1-43.3
\$50,000- 74,999	939	168,929	628	64.4	60.3-68.5	311	35.6	31.5-39.7
\$75,000+	1151	254,965	809	71.5	68.2-74.8	342	28.5	25.2-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 20: COLORECTAL CANCER**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8632	1,001,862	5453	63.0	61.6-64.4	3179	37.0	35.6-38.4
50-54	1601	253,382	648	41.5	38.4-44.6	953	58.5	55.4-61.6
55-64	2922	343,983	1864	66.3	64.1-68.5	1058	33.7	31.5-35.9
65+	4109	404,497	2941	73.7	71.9-75.5	1168	26.3	24.5-28.1
Less Than H.S.	578	52,546	310	53.3	47.6-59.0	268	46.7	41.0-52.4
H.S. or G.E.D.	2387	248,058	1526	63.1	60.6-65.6	861	36.9	34.4-39.4
Some Post-H.S.	3094	360,289	1890	61.7	59.5-63.9	1204	38.3	36.1-40.5
College Graduate	2560	339,637	1721	66.1	63.7-68.5	839	33.9	31.5-36.3
Less than \$15,000	811	66,458	437	53.0	48.3-57.7	374	47.0	42.3-51.7
\$15,000- 24,999	1537	135,966	926	60.6	57.3-63.9	611	39.4	36.1-42.7
\$25,000- 34,999	1205	126,906	781	65.3	61.8-68.8	424	34.7	31.2-38.2
\$35,000- 49,999	1358	158,614	899	65.9	62.6-69.2	459	34.1	30.8-37.4
\$50,000- 74,999	1159	153,550	744	63.0	59.3-66.7	415	37.0	33.3-40.7
\$75,000+	1177	196,104	750	62.2	58.9-65.5	427	37.8	34.5-41.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006

SECTION 21: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	128
2	MALES ONLY	129
3	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16533	3,935,048	5841	36.6	35.6-37.6	10692	63.4	62.4-64.4
Male	6293	1,976,180	2076	34.6	33.0-36.2	4217	65.4	63.8-67.0
Female	10240	1,958,868	3765	38.7	37.3-40.1	6475	61.3	59.9-62.7
White/Non-Hisp	13945	3,153,756	4767	35.8	34.6-37.0	9178	64.2	63.0-65.4
Oth. Race/Non-Hisp.	641	204,776	249	36.2	31.1-41.3	392	63.8	58.7-68.9
MultiRacial/Non-Hisp.	458	114,019	207	46.2	39.5-52.9	251	53.8	47.1-60.5
Hispanic	1162	358,985	454	37.2	33.3-41.1	708	62.8	58.9-66.7
18-24	1052	619,086	354	26.5	23.2-29.8	698	73.5	70.2-76.8
25-34	2487	826,730	1293	50.4	47.9-52.9	1194	49.6	47.1-52.1
35-44	3548	915,892	1686	47.8	45.6-50.0	1862	52.2	50.0-54.4
45-54	4684	920,048	1511	31.1	29.3-32.9	3173	68.9	67.1-70.7
55-64	4762	653,292	997	21.1	19.5-22.7	3765	78.9	77.3-80.5
Less Than H.S.	1147	316,965	430	35.2	31.1-39.3	717	64.8	60.7-68.9
H.S. or G.E.D.	3818	915,210	1208	33.7	31.5-35.9	2610	66.3	64.1-68.5
Some Post-H.S.	5466	1,249,370	1925	36.1	34.1-38.1	3541	63.9	61.9-65.9
College Graduate	6085	1,449,344	2271	39.3	37.7-40.9	3814	60.7	59.1-62.3
Less than \$15,000	1174	226,494	542	41.6	36.7-46.5	632	58.4	53.5-63.3
\$15,000- 24,999	2344	536,212	908	38.1	35.0-41.2	1436	61.9	58.8-65.0
\$25,000- 34,999	1699	348,612	607	39.0	35.7-42.3	1092	61.0	57.7-64.3
\$35,000- 49,999	2676	564,147	895	36.6	33.9-39.3	1781	63.4	60.7-66.1
\$50,000- 74,999	3097	691,648	1000	35.3	32.9-37.7	2097	64.7	62.3-67.1
\$75,000+	3975	1,133,789	1391	36.9	34.9-38.9	2584	63.1	61.1-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	6293	1,976,180	2076	34.6	33.0-36.2	4217	65.4	63.8-67.0
White/Non-Hisp	5279	1,562,310	1698	33.8	32.0-35.6	3581	66.2	64.4-68.0
Oth. Race/Non-Hisp.	245	109,231	94	35.9	28.1-43.7	151	64.1	56.3-71.9
Hispanic	456	194,132	147	32.0	25.9-38.1	309	68.0	61.9-74.1
18-24	417	319,122	106	22.3	17.2-27.4	311	77.7	72.6-82.8
25-34	901	422,055	361	42.7	38.6-46.8	540	57.3	53.2-61.4
35-44	1290	460,772	566	45.4	42.1-48.7	724	54.6	51.3-57.9
45-54	1794	456,957	593	32.1	29.4-34.8	1201	67.9	65.2-70.6
55-64	1891	317,274	450	23.9	21.4-26.4	1441	76.1	73.6-78.6
Less Than H.S.	444	166,834	144	32.1	26.0-38.2	300	67.9	61.8-74.0
H.S. or G.E.D.	1521	487,959	452	30.8	27.5-34.1	1069	69.2	65.9-72.5
Some Post-H.S.	1889	582,505	659	35.6	32.5-38.7	1230	64.4	61.3-67.5
College Graduate	2433	737,056	817	36.7	34.2-39.2	1616	63.3	60.8-65.8
Less than \$15,000	376	104,713	150	32.4	24.8-40.0	226	67.6	60.0-75.2
\$15,000- 24,999	865	275,082	291	33.5	28.8-38.2	574	66.5	61.8-71.2
\$25,000- 34,999	599	165,584	193	34.5	29.2-39.8	406	65.5	60.2-70.8
\$35,000- 49,999	1038	277,955	329	36.1	31.8-40.4	709	63.9	59.6-68.2
\$50,000- 74,999	1205	341,370	361	33.0	29.5-36.5	844	67.0	63.5-70.5
\$75,000+	1710	620,307	596	37.1	34.0-40.2	1114	62.9	59.8-66.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006
SECTION 21: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	10240	1,958,868	3765	38.7	37.3-40.1	6475	61.3	59.9-62.7
White/Non-Hisp	8666	1,591,446	3069	37.7	36.3-39.1	5597	62.3	60.9-63.7
Oth. Race/Non-Hisp.	396	95,544	155	36.6	30.1-43.1	241	63.4	56.9-69.9
MultiRacial/Non-Hisp.	288	57,915	134	42.7	34.3-51.1	154	57.3	48.9-65.7
Hispanic	706	164,853	307	43.2	38.3-48.1	399	56.8	51.9-61.7
18-24	635	299,963	248	31.0	26.7-35.3	387	69.0	64.7-73.3
25-34	1586	404,676	932	58.4	55.5-61.3	654	41.6	38.7-44.5
35-44	2258	455,120	1120	50.2	47.7-52.7	1138	49.8	47.3-52.3
45-54	2890	463,091	918	30.0	27.8-32.2	1972	70.0	67.8-72.2
55-64	2871	336,018	547	18.3	16.5-20.1	2324	81.7	79.9-83.5
Less Than H.S.	703	150,132	286	38.6	33.5-43.7	417	61.4	56.3-66.5
H.S. or G.E.D.	2297	427,250	756	36.9	34.0-39.8	1541	63.1	60.2-66.0
Some Post-H.S.	3577	666,865	1266	36.4	34.2-38.6	2311	63.6	61.4-65.8
College Graduate	3652	712,288	1454	42.0	39.8-44.2	2198	58.0	55.8-60.2
Less than \$15,000	798	121,781	392	49.6	43.9-55.3	406	50.4	44.7-56.1
\$15,000- 24,999	1479	261,130	617	43.0	39.3-46.7	862	57.0	53.3-60.7
\$25,000- 34,999	1100	183,028	414	43.1	39.0-47.2	686	56.9	52.8-61.0
\$35,000- 49,999	1638	286,192	566	37.2	33.9-40.5	1072	62.8	59.5-66.1
\$50,000- 74,999	1892	350,278	639	37.6	34.7-40.5	1253	62.4	59.5-65.3
\$75,000+	2265	513,482	795	36.8	34.3-39.3	1470	63.2	60.7-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
WASHINGTON CALCULATED VARIABLE DATA REPORT, 2006**

End of Calculated Variable Data Report