

Appendix C: State and National Performance Measures, Outcome Measures and Health Status Indicators, Title V Block Grant

State Performance Measures

	Year*	Rate
SPM 1. The percent of pregnancies that are unintended.	2009	50.5%
SPM 2. Percent of children 6-8 years old with dental caries experience in primary and permanent teeth..	2010	48.5%
SPM 3. The percent of children who receive a standardized developmental screening.	2007	25.6%
SPM 4. The degree to which the state has assisted in planning and implementing comprehensive, coordinated care in order to develop an integrated system of care for children, birth to eight years of age.	2011	Process Measure
SPM 5. Percent of households with children (0-18 years) in which the reporting adult has an Adverse Childhood Experience (ACE) score of 3 or more.	2009	28.7%
SPM 6. Identify health disparities, develop and implement interventions to address disparities, and evaluate the effectiveness of interventions in achieving health equity.	2011	Process Measure
SPM 7. Decrease the rate of infant mortality among the Native American population. (per 1,000 births)	2009	11.1

*most recent year data is available

Federal National Performance Measures

	Year*	Rate
NPM 1. Percent of screen positive newborns who received timely follow up to definitive diagnosis and clinical management for condition(s) mandated by their State-sponsored newborn screening programs.	2009	100%
NPM 2. The percent of children with special health care needs age 0 to 18 whose families partner in decision-making at all levels and are satisfied with the services they receive	2007	55.7%
NPM 3. The percent of children with special health care needs age 0 to 18 who receive coordinated, ongoing, comprehensive care within a medical home.	2007	48.3%
NPM 4. The percent of children with special health care needs whose families have adequate private and/or public insurance to pay for the services they need.	2007	65.3%
NPM 5. The percent of children with special health care needs age 0 to 18 whose families report the community-based service system are organized so they can use them easily.	2007	85.4%

NPM 6. The percent of youth with special health care needs who receive the services necessary to make transitions to all aspects of adult life, including adult health care, work, and independence.	2007	47.3%
NPM 7. Percent of 19 to 35 month olds who have received full schedule of age appropriate immunizations against Measles, Mumps, Rubella, Polio, Diphtheria, Tetanus, Pertussis, Haemophilis Influenza, and Hepatitis B.	2009	75.4%
NPM 8. The birth rate (per 1,000) for teenagers ages 15 through 17 years.	2009	13.8
NPM 9. Percent of third grade children who have received protective sealants on at least one permanent molar tooth	2010	51.2%
NPM 10. The rate of deaths to children ages 1-14 caused by motor vehicle crashes per 100,000 children.	2009	1.5
NPM 11. The percent of mothers who breastfeed their infants at 6 months of age.	2009	59.9%
NPM 12. Percentage of newborns that have been screened for hearing impairment before hospital discharge.	2010	96.4%
NPM 13. Percent of children without health insurance.	2010	3.4%
NPM 14. Percent of children, ages 2 to 5 years, receiving WIC services with a Body Mass Index (BMI) at or above the 85 th percentile	2010	30.0%
NPM 15. Percent of women who smoke in the last three months of pregnancy.	2009	9.3%
NPM 16. The rate (per 100,000) of suicide deaths among youths 15-19.	2009	10.0
NPM 17. Percent of very low birth weight infants delivered at facilities for high-risk deliveries and neonates.	2009	82.4%
NPM 18. Percent of infants born to pregnant women receiving prenatal care beginning in the first trimester.	2009	77.6%

***most recent year data is available**

Federal Outcome Measures

	Year*	Rate
1. The infant mortality rate per 1,000 live births.	2009	4.9
2. The ratio of the black infant mortality rate to the white infant mortality rate.	2009	1.1
3. The neonatal mortality rate per 1,000 live births.	2009	2.8
4. The postneonatal mortality rate per 1,000 live births	2009	2.1
5. The perinatal mortality rate per 1,000 live births	2009	7.8
6. The child death rate per 100,000 for children ages 1-14	2009	13.4

***most recent year data is available**

HSCI	HSCI Description	Year*	Rate
01	The rate of children hospitalized for asthma (ICD-9 codes 493.0-493.9) per 10,000 children less than five years of age.	2009	21.1
02	The percent of Medicaid enrollees whose age is less than one year during the reporting year who received at least one initial periodic screen.	2010	99.4%
03	The percent of State Children's Health Insurance Program (SCHIP) enrollees whose age is less than one year who received at least one periodic screen. (A percent for this measure is not available due to data collection methods specific to WA State. However, there is no evidence that this percent would be significantly different from the percent of Medicaid children receiving at least one periodic screen reported in HSCI 02.)		
04	The percent of women (15 through 44) with a live birth during the reporting year whose observed to expected prenatal visits are greater than or equal to 80 percent on the Kotelchuck Index.	2009	67.4%
05	Comparison of health system capacity indicators for Medicaid, non-Medicaid, and all MCH populations in the State.	2009 (2008 for infant mortality data)	See matrix in Form 18 of MCH Block Grant application
06	The percent of poverty level for eligibility in the State's Medicaid and SCHIP programs for infants (0 to 1), children, and pregnant women	2010	Medicaid:200/200/185 SCHIP:300/300/NA
07A	The percent of potentially Medicaid eligible children who have received a service paid by the Medicaid Program.	2009	94.2%
07B	The percent of EPSDT eligible children aged 6 though 9 years who have received any dental services during the year.	2010	61.9%
08	The percent of State SSI beneficiaries less than 16 years old receiving rehabilitative services from the State Children with Special Health Care Needs Programs.	2010	4.9%
09A	The ability of States to assure that the Maternal and Child Health program and Title V agency have access to policy and program relevant information and data.	2010	See matrix in Form 19 of MCH Block Grant application



09B	The ability of States to determine the percent of adolescents in grades 9 through 12 who report using tobacco products in the past month.	2010	See matrix in Form 19 of MCH Block Grant application
-----	---	------	--

***most recent year data is available**

Health Status Indicators

HSI	Description	Year*	Rate
01A	Percent of live births weighing less than 2,500 grams	2009	6.3%
01B	Percent of live singleton births weighing less than 2,500 grams	2009	4.8%
02A	Percent of live births weighing less than 1,500 grams	2009	1.0%
02B	Percent of live singleton births weighing less than 1,500 grams	2009	0.7%
03A	Death rate per 100,000 due to unintentional injuries among children, aged 14 years and younger	2009	5.7
03B	Death rate per 100,000 for unintentional injuries among children aged 14 years and younger due to motor vehicle crashes	2009	1.5
03C	Death rate per 100,000 from unintentional injuries due to motor vehicle crashes among youth aged 15 through 24 years	2009	14.2
04A	Rate per 100,000 of all nonfatal injuries among children aged 14 years and younger	2009	159.8
04B	Rate per 100,000 of nonfatal injuries due to motor vehicle crashes among children aged 14 years and younger	2009	13.9
04C	Rate per 100,000 of nonfatal injuries to motor vehicle crashes among youth aged 15 through 24 years	2009	75.9
05A	Rate per 1,000 women aged 15 through 19 years with a reported case of Chlamydia	2010	23.1
05B	Rate per 1,000 women aged 20 through 44 years with a reported case of Chlamydia	2010	8.9
Remaining		Varied	See matrices in Form 21

***most recent year data is available**