

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
10	Record Type	R	R	
20	Patient ID Number	R	R	
40	Registry ID	R	R	
45	NPI-Registry ID	.	S	
50	NAACCR Record Version	R	R	
60	Tumor Record Number	.	R	
70	Addr at Dx--City	R	R	
80	Addr at Dx--State	R	R	
90	County at Dx	R	R	
100	Addr at Dx--Postal Code	R	R	
102	Addr at DX--Country	.	S	
160	Race 1	R	R	
161	Race 2	R	R	
162	Race 3	R	R	
163	Race 4	R	R	
164	Race 5	R	R	
190	Spanish/Hispanic Origin	R	R	
220	Sex	R	R	
230	Age at Diagnosis	R	R	
240	Date of Birth	R	R	
241	Date of Birth Flag	R	R	
250	Birthplace	RH*	RH*	
252	Birthplace--State	R*	R*	
254	Birthplace--Country	R*	R*	
310	Text—Usual Occupation	R*	R*	
320	Text—Usual Industry	R*	R*	
390	Date of Diagnosis	R	R	
391	Date of Diagnosis Flag	R	R	
400	Primary Site	R	R	
410	Laterality	R	R	
420	Histology (92-00) ICD-O-2	RH	RH	
430	Histology (92-00) ICD-O-2	RH	RH	
440	Grade	R	R	
<b>441</b>	<b>Grade Path Value</b>	<b>RH*</b>	<b>RH*</b>	
<b>449</b>	<b>Grade Path System</b>	<b>RH*</b>	<b>RH*</b>	
450	Site Coding Sys—Current	R	R	
470	Morph Coding Sys—Current	R	R	
490	Diagnostic Confirmation	R	R	
500	Type of Reporting Source	R	R	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. . = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
501	Casefinding Source	R*	R*	
522	Histologic Type ICD-O-3	R	R	
523	Behavior Code ICD-O-3	R	R	
540	Reporting Facility	R	R	
545	NPI—Reporting Facility	R*	R	
550	Accession Number—Hosp	.	S	
560	Sequence Number—Hosp	.	R	
570	Abstracted By	.	S	
580	Date of 1 <sup>st</sup> Contact	R	R	
581	Date of 1 <sup>st</sup> Contact Flag	R	R	
610	Class of Case	R	R	
630	Primary Payer at DX	R*	R	
759	SEER Summary Stage 2000	R+	R+	See Note 1
760	SEER Summary Stage 1977	RH	RH	
820	Regional Nodes Positive	R	R	
830	Regional Nodes Examined	R	R	
<b>880</b>	<b>TNM Path T</b>	<b>R*</b>	<b>R*</b>	
<b>890</b>	<b>TNM Path N</b>	<b>R*</b>	<b>R*</b>	
<b>900</b>	<b>TNM Path M</b>	<b>R*</b>	<b>R*</b>	
<b>910</b>	<b>TNM Path Stage Group</b>	<b>R*</b>	<b>R*</b>	
<b>920</b>	<b>TNM Path Descriptor</b>	<b>R*</b>	<b>R*</b>	
<b>940</b>	<b>TNM Clin T</b>	<b>R*</b>	<b>R*</b>	
<b>950</b>	<b>TNM Clin N</b>	<b>R*</b>	<b>R*</b>	
<b>960</b>	<b>TNM Clin M</b>	<b>R*</b>	<b>R*</b>	
<b>970</b>	<b>TNM Clin Stage Group</b>	<b>R*</b>	<b>R*</b>	
<b>980</b>	<b>TNM Clin Descriptor</b>	<b>R*</b>	<b>R*</b>	
<b>1060</b>	<b>TNM Edition Number</b>	<b>R*</b>	<b>R*</b>	
1182	Lymph-vascular Invasion	RS	R	
1200	Rx Date—Surgery	R	R	
1201	Rx Date—Surgery Flag	R	R	
1210	Rx Date—Radiation	RS	R	
1211	Rx Date—Radiation Flag	RS	R	
1220	Rx Date—Chemo	RS	R	
1221	Rx Date—Chemo Flag	RS	R	
1230	Rx Date—Hormone	RS	R	
1231	Rx Date—Hormone Flag	RS	R	
1240	Rx Date—BRM	RS	R	
1241	Rx Date—BRM Flag	RS	R	
1250	Rx Date—Other	RS	R	
1251	Rx Date—Other Flag	RS	R	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. . = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
1260	Date Initial Rx SEER	R#	R#	
1261	Date of Initial Rx Flag	R#	R#	
1270	Date of 1 <sup>st</sup> Crs RX—CoC	R#	R#	
1271	Date of 1 <sup>st</sup> Crs RX Flag	R#	R#	
1285	Rx Summ—Treatment Status	R#	R#	
1290	Rx Summ—Surg Prim Site	R	R	
1292	RX Summ—Scope Reg LN Sur	R	R	
1294	RX Summ—Surg Oth Reg/Dis	R	R	
1340	Reason for No Surgery	R	R	
1360	RX Summ—Radiation	RH	R	
1380	RX Summ—Sur/Rad Seq	RS	R	
1390	RX Summ—Chemo	RS	R	
1400	RX Summ—Hormone	RS	R	
1410	RX Summ—BRM	RS	R	
1420	RX Summ—Other	RS	R	
1430	Reason for No Radiation	RS	R	
1460	RX Coding System—Current	R	R	
1500	First Course Calc Method	NA	NA	Retired
1570	Rad—Regional RX Modality	RS	R	
1639	RX Summ—System/Sur Seq	RS	R	
1646	RX Summ—Surg Site 98-02	.	RH	
1647	RX Summ—Scope Reg 98-02	.	RH	
1648	RX Summ—Surg Oth 98-02	.	RH	
1750	Date of Last Contact	R	R	
1751	Date of Last Contact Flag	R	R	
1760	Vital Status	R	R	
1790	Follow-Up Source	R*	R*	
1810	Addr Current—City	.	S	
1820	Addr Current—State	.	S	
1830	Addr Current—Postal Code	.	S	
1832	Addr Current—Country	.	S	
1840	County—Current	.	S	
1910	Cause of Death	R	R	Code from Death Certificate
1920	ICD Revision Number	R	R	
1940	Place of Death	RH	RH	
1942	Place of Death—State	R	R	
1944	Place of Death—Country	R*	R	
1990	Over-ride Age/Site/Morph	R	R	
2000	Over-ride Seq No/Dx Conf	R	R	
2010	Over-ride Site/Lat/Seq No	R	R	

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. · = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
2020	Over-ride Surg/Dx Conf	R	R	
2030	Over-ride Site/Type	R	R	
2040	Over-ride Histology	R	R	
2050	Over-ride Report Source	R	R	
2060	Over-ride Ill-define Site	R	R	
2070	Over-ride Leuk, Lymphoma	R	R	
2071	Over-ride Site/Behavior	R	R	
2074	Over-ride Site/Lat/Morph	R	R	
2110	Date Case Report Exported	R	R	
2111	Date Case Report Received	R	R	
2112	Date Case Report Loaded	R	R	
2113	Date Case Report Available	R	R	
2116	ICD-O-3 Conversion Flag	R	R	
2230	Name—Last	R	R	
2240	Name—First	R	R	
2250	Name—Middle	R	R	
2280	Name-Alias	R	R	
2300	Medical Record Number	R	R	
2320	Social Security Number	R	R	
2330	Addr at DX—No & Street	R	R	
2335	Addr at DX—Supplemental	R	R	
2350	Addr Current—No & Street	.	S	
2355	Addr Current—Supplemental	.	S	
2360	Telephone	.	S	
2390	Name—Maiden	R	R	
2440	Following Registry	.	S	
2445	NPI—Following Registry	.	S	
2460	Physician—Managing	.	S	
2465	NPI—Physician—Managing	.	S	
2470	Physician—Follow-Up	.	S	
2475	NPI—Physician—Follow-Up	.	S	
2480	Physician—Primary Surg	.	S	
2485	NPI—Physician—Primary Surg	.	S	
2490	Physician 3	.	S	
2495	NPI—Physician 3	.	S	
2520	Text—DX Proc—PE	R <sup>^</sup>	R <sup>^</sup>	
2530	Text—DX Proc—X-ray/Scan	R <sup>^</sup>	R <sup>^</sup>	
2540	Text—DX Proc—Scopes	R <sup>^</sup>	R <sup>^</sup>	
2550	Text—DX Proc—Lab Tests	R <sup>^</sup>	R <sup>^</sup>	
2560	Text—DX Proc—Op	R <sup>^</sup>	R <sup>^</sup>	

4

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. . = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
2570	Text—Dx Proc—Path	R^	R^	
2580	Text—Primary Site Title	R^	R^	
2590	Text—Histology Title	R^	R^	
2600	Text—Staging	R^	R^	
2610	RX Text—Surgery	R^	R^	
2620	RX Text—Radiation (Beam)	R^	R^	
2630	RX Text—Radiation Other	R^	R^	
2640	RX Text—Chemo	R^	R^	
2650	RX Text—Hormone	R^	R^	
2660	RX Text—BRM	R^	R^	
2670	RX Text—Other	R^	R^	
2680	Text—Remarks	.	S	
2690	Text-Place of Diagnosis	.	S	
2800	CS Tumor Size	R	R	
2810	CS Extension	R+	R+	
2820	CS Tumor Size/Ext Eval	R+	R+	
2830	CS Lymph Nodes	R+	R+	
2840	CS Lymph Nodes Eval	R*	R	
2850	CS Mets at DX	R+	R+	
2851	CS Mets at DX-Bone	.	R	
2852	CS Mets at DX-Brain	.	R	
2853	CS Mets at DX-Liver	.	R	
2854	CS Mets at DX-Lung	.	R	
2860	CS Mets Eval	R*	R	
2861	CS Site-Specific Factor 7	RS*	RS*	See Note 2
2862	CS Site-Specific Factor 8	RS	RS	See Note 2
2863	CS Site-Specific Factor 9	RS	RS	See Note 2
2864	CS Site-Specific Factor 10	RS	RS	See Note 2
2865	CS Site-Specific Factor 11	RS	RS	See Note 2
2866	CS Site-Specific Factor 12	RS	RS	See Note 2
2867	CS Site-Specific Factor 13	RS	RS	See Note 2
2868	CS Site-Specific Factor 14	RS	RS	See Note 2
2869	CS Site-Specific Factor 15	RS	RS	See Note 2
2870	CS Site-Specific Factor 16	RS	RS	See Note 2
2871	CS Site-Specific Factor 17	RS*	RS*	See Note 2
2879	CS Site-Specific Factor 25	RS	RS	See Note 2
2880	CS Site-Specific Factor 1	RS	RS	See Note 2
2890	CS Site-Specific Factor 2	RS	RS	See Note 2
2900	CS Site-Specific Factor 3	RS	RS	See Note 2
2910	CS Site-Specific Factor 4	RS	RS	See Note 2

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. . = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

NAACCR Item #	NAACCR Item Name	NPCR	WSCR	Notes
2920	CS Site-Specific Factor 5	RS	RS	See Note 2
2930	CS Site-Specific Factor 6	RS	RS	See Note 2
2935	CS Version Input Original	R	R	
2936	CS Version Derived	R+	R+	
2937	CS Version Input Current	R	R	
3020	Derived SS2000	D+	D+	See Note 1
3050	Derived SS2000—Flag	D+	D+	
3230	RX Date—Systemic	.	R	
3231	RX Date—Systemic Flag	.	R	
3250	RX Summ—Transplnt/Endocr	RS	RS	
3750	Over-ride CS 1	R	R	
3751	Over-ride CS 2	R	R	
3752	Over-ride CS 3	R	R	
3753	Over-ride CS 4	R	R	
3754	Over-ride CS 5	R	R	
3755	Over-ride CS 6	R	R	
3756	Over-ride CS 7	R	R	
3757	Over-ride CS 8	R	R	
3758	Over-ride CS 9	R	R	
3759	Over-ride CS 10	R	R	
3760	Over-ride CS 11	R	R	
3761	Over-ride CS 12	R	R	
3762	Over-ride CS 13	R	R	
3763	Over-ride CS 14	R	R	
3764	Over-ride CS 15	R	R	
3765	Over-ride CS 16	R	R	
3766	Over-ride CS 17	R	R	
3767	Over-ride CS 18	R	R	
3768	Over-ride CS 19	R	R	
3769	Over-ride CS 20	R	R	

**Note 1:** Non-SEER/Non-CoC Registries may code SEER Summary Stage 2000 in place of Derived SS2000 for cases diagnosed on or after 1/1/2012 when collection of CSV2 is not feasible due to lack of data or staffing time. The user must set Over-ride CS 20 value to “1” if reporting SEER Summary Stage 2000. This identifies cases where SEER Summary Stage 2000 is directly coded in lieu of Derived SS2000. When both Summary Stage 2000 and Derived SS2000 are being reported, the Over-ride CS 20 field should be left blank.

When facilities code SEER Summary Stage 2000 in lieu of Derived SS2000, the following data items cannot be blank:

6

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. · = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

## WASHINGTON STATE CANCER REGISTRY Required And Recommended Data Fields

Effective Date: January 1, 2014

- CS Tumor Size
- Regional Nodes Examined
- Regional Nodes Positive
- CS Site-Specific Factor 25
- CS Version Input Original
- CS Version Input Current

**Note 2:** The NPCR/WSCR Site Specific Factor Requirements are located on the [SEER Website](#).

Codes for Recommendations: R = Required. RH = Historically collected and currently transmitted. RS = Required, site specific. RS\* = required by site as available. R# = Required, registries may code available data using SEER or COC data item and associated rules. + = Non/ SEER/ Non-COC Registries may collect SEER Summary Stage 2000 or Collaborative Stage (see Note 1 for clarification). D = Derived. S = Supplementary/recommended. · = No recommendations. \* = When available. ^ = These text requirements may be met with one or several text block fields. Bold Font = Change

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).