

Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011 ^{1,2}
 December 2, 2013 download of January 2011 – December 2011 NHSN data ³

| Hospital | Type of ICU | | | | | | | | | | | | | | |
|--------------------------------------|-------------------------|---------------------------|------------------|-------|------------------|-------------------------------|---------------------------------|---------------|----------------|----------------|------------|---------------|-----------------------------|-------------------------------|--------|
| | Adult Cardiothoracic | Adult Medical/Surgical | Adult Medical | Burns | Coronary Care | Long Term Acute Care | Neonatal Unit ⁴ | | | | | Neurosurgical | Pediatric Cardiothoracic | Pediatric Medical/Surgical | Trauma |
| | | | | | | | Birth Weight Categories (grams) | | | | | | | | |
| | | | | | | | <750 g | 751-1000 g | 1001-1500 g | 1501-2500 g | >2500 g | | | | |
| Capital Medical Center | | 0.00 | | | | | | | | | | | | | |
| Cascade Valley Hospital | | 0.00 | | | | | | | | | | | | | |
| Central Washington Hospital | | 0.00 | | | | | | | | | | | | | |
| Deaconess Medical Center | 1.88 | 1.34 | | | | | 0.00 | 0.00 | 0.00 | 3.76 | 0.00 | 0.62 | | | |
| Evergreen Healthcare | | 0.00 | | | | | 7.14 | 0.00 | 0.00 | 0.00 | 0.00 | 1.96 | | | |
| Grays Harbor Community Hospital | | 1.02 | | | | | | | | | | | | | |
| Harborview Medical Center | | | 1.75 | 2.69 | | | | | | | | 1.07 | | 1.96 | |
| Harrison Medical Center | | 0.00 | | | | | | | | | | | | | |
| Highline Medical Center ⁵ | | 2.59 | | | | | | | | | | | | | |
| Island Hospital | | 0.00 | | | | | | | | | | | | | |
| Jefferson General Hospital | | 0.00 | | | | | | | | | | | | | |
| Kadlec Medical Center | | 0.31 | | | | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | |
| Kennewick General Hospital | | 0.00 | | | | | | | | | | | | | |

Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011 ^{1, 2}
 December 2, 2013 download of January 2011 – December 2011 NHSN data ³

| Hospital | Type of ICU | | | | | | | | | | | | | | |
|---|-------------------------|---------------------------|------------------|-------|------------------|-------------------------------|---------------------------------|---------------|----------------|----------------|------------|---------------|-----------------------------|-------------------------------|--------|
| | Adult Cardiothoracic | Adult Medical/Surgical | Adult Medical | Burns | Coronary Care | Long Term Acute Care | Neonatal Unit ⁴ | | | | | Neurosurgical | Pediatric Cardiothoracic | Pediatric Medical/Surgical | Trauma |
| | | | | | | | Birth Weight Categories (grams) | | | | | | | | |
| | | | | | | | <750 g | 751-1000 g | 1001-1500 g | 1501-2500 g | >2500 g | | | | |
| Kindred Hospital, Northgate | | | | | | 2.84 | | | | | | | | | |
| Kittitas Valley Community Hospital | | 0.00 | | | | | | | | | | | | | |
| Legacy Salmon Creek Hospital | | 0.00 | | | | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | |
| Lourdes Health Network | | 0.00 | | | | | | | | | | | | | |
| Mary Bridge Children's Hospital | | | | | | | | | | | | | 0.00 | | |
| Mason General Hospital | | 0.00 | | | | | | | | | | | | | |
| Mid-Valley Hospital | | 0.00 | | | | | | | | | | | | | |
| Multicare Auburn Medical Center | | 0.00 | | | | | | | | | | | | | |
| Multicare Good Samaritan Hospital | | 0.94 | | | | | | | | | | | | | |
| Northwest Hospital | | 0.88 | | | | | | | | | | | | | |
| Olympic Medical Center | | 0.00 | | | | | | | | | | | | | |
| Overlake Hospital Medical Center ⁶ | | 0.00 | | | | | - | 0.00 | 0.00 | 12.99 | 0.00 | 5.62 | | | |
| PeaceHealth Saint John Medical Center | | 1.83 | | | | | | | | | | | | | |

Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011 ^{1, 2}
 December 2, 2013 download of January 2011 – December 2011 NHSN data ³

| Hospital | Type of ICU | | | | | | | | | | | | | | |
|--|-------------------------|---------------------------|------------------|-------|------------------|-------------------------------|---------------------------------|---------------|----------------|----------------|------------|---------------|-----------------------------|-------------------------------|--------|
| | Adult Cardiothoracic | Adult Medical/Surgical | Adult Medical | Burns | Coronary Care | Long Term Acute Care | Neonatal Unit ⁴ | | | | | Neurosurgical | Pediatric Cardiothoracic | Pediatric Medical/Surgical | Trauma |
| | | | | | | | Birth Weight Categories (grams) | | | | | | | | |
| | | | | | | | <750 g | 751-1000 g | 1001-1500 g | 1501-2500 g | >2500 g | | | | |
| PeaceHealth Saint Joseph Medical Center | | 0.75 | | | | | | | | | | | | | |
| PeaceHealth Southwest Medical Center | 0.37 | 0.00 | | | | | - | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | |
| Providence Centralia Hospital | | 0.00 | | | | | | | | | | | | | |
| Providence Everett Medical Center | | 0.87 | | | | | - | 0.00 | 3.66 | 0.00 | 0.00 | 1.28 | | | |
| Providence Holy Family Hospital | | 1.82 | | | | | | | | | | | | | |
| Providence Mount Carmel Hospital | | 0.00 | | | | | | | | | | | | | |
| Providence Sacred Heart Medical Center | 0.42 | 0.99 | | | | | 0.00 | 3.09 | 1.78 | 0.00 | 0.00 | 0.80 | | 3.65 | |
| Providence Saint Mary Medical Center | | 0.00 | | | | | | | | | | | | | |
| Providence Saint Peter Hospital | | 0.22 | | | | | | | | | | | | | |
| Pullman Regional Hospital | | 0.00 | | | | | | | | | | | | | |
| Saint Anthony Hospital | | 0.00 | | | | | | | | | | | | | |
| Saint Clare Hospital | | 0.00 | | | | | | | | | | | | | |
| Saint Elizabeth Hospital | | 0.00 | | | | | | | | | | | | | |

Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011 ^{1,2}
 December 2, 2013 download of January 2011 – December 2011 NHSN data ³

| Hospital | Type of ICU | | | | | | | | | | | | | | |
|--|----------------------|------------------------|---------------|-------|---------------|----------------------|---------------------------------|------------|-------------|-------------|---------|---------------|--------------------------|----------------------------|--------|
| | Adult Cardiothoracic | Adult Medical/Surgical | Adult Medical | Burns | Coronary Care | Long Term Acute Care | Neonatal Unit ⁴ | | | | | Neurosurgical | Pediatric Cardiothoracic | Pediatric Medical/Surgical | Trauma |
| | | | | | | | Birth Weight Categories (grams) | | | | | | | | |
| | | | | | | | <750 g | 751-1000 g | 1001-1500 g | 1501-2500 g | >2500 g | | | | |
| Saint Francis Hospital | | 0.00 | | | | | | | | | | | | | |
| Saint Joseph Medical Center | | 0.40 | | | | | - | - | 0.00 | 0.00 | 0.00 | 0.00 | | | |
| Samaritan Healthcare | | 0.00 | | | | | | | | | | | | | |
| Seattle Children's Hospital | | | | | | | 0.00 | 3.22 | 2.71 | 0.00 | 1.90 | 1.63 | 1.42 | 1.53 | |
| Skagit Valley Hospital | | 0.98 | | | | | | | | | | | | | |
| Skyline Hospital ⁷ | | | | | | | | | | | | | | | |
| Sunnyside Community Hospital | | 0.00 | | | | | | | | | | | | | |
| Swedish Cherry Hill ⁸ | | 1.07 2.28 | | | | | | | | | | | | | |
| Swedish Edmonds (formerly Stevens Hospital) | | | 0.57 | | | | | | | | | | | | |
| Swedish First Hill | | 1.76 0.90 | | | | | 3.60 | 2.80 | 0.00 | 1.36 | 1.63 | 1.84 | | 3.57 | |
| Tacoma General Hospital/ Allenmore Hospital | | 0.00 0.00 0.66 | | | 0.00 | | 2.27 | 1.12 | 0.00 | 0.00 | 0.00 | 0.61 | | | |
| Three Rivers Hospital (formerly Okanogan-Douglas) ⁹ | | | | | | | | | | | | | | | |
| Toppenish Community Hospital | | 0.00 | | | | | | | | | | | | | |

Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011 ^{1, 2}
 December 2, 2013 download of January 2011 – December 2011 NHSN data ³

| Hospital | Type of ICU | | | | | | | | | | | | | | |
|---|-------------------------|---------------------------|------------------|-------|------------------|-------------------------------|---------------------------------|---------------|----------------|----------------|------------|---------------|-----------------------------|-------------------------------|--------|
| | Adult Cardiothoracic | Adult Medical/Surgical | Adult Medical | Burns | Coronary Care | Long Term Acute Care | Neonatal Unit ⁴ | | | | | Neurosurgical | Pediatric Cardiothoracic | Pediatric Medical/Surgical | Trauma |
| | | | | | | | Birth Weight Categories (grams) | | | | | | | | |
| | | | | | | | <750 g | 751-1000 g | 1001-1500 g | 1501-2500 g | >2500 g | | | | |
| Tri-State Memorial Hospital | | 0.00 | | | | | | | | | | | | | |
| United General Hospital | | 0.00 | | | | | | | | | | | | | |
| University of Washington Medical Center | 0.85 | 0.00 | | | | | 1.18 | 0.00 | 2.11 | 0.00 | 0.00 | 0.92 | | | |
| Valley General Hospital | | 0.00 | | | | | | | | | | | | | |
| Valley Hospital and Medical Center | | 1.97 | | | | | | | | | | | | | |
| Valley Medical Center | | 1.61 | | | | | 0.00 | 3.53 | 0.00 | 0.00 | 3.04 | 1.43 | | | |
| Virginia Mason Medical Center | | 1.13 | | | | | | | | | | | | | |
| Walla Walla General Hospital | | 0.00 | | | | | | | | | | | | | |
| Whidbey General Hospital | | 0.00 | | | | | | | | | | | | | |
| Yakima Regional Medical and Cardiac Center | | 0.55 | | | | | | | | | | | | | |
| Yakima Valley Memorial Hospital | | 0.78 | | | | | 0.00 | 9.43 | 4.81 | 0.00 | 0.00 | 3.32 | | | |


Table of Central Line-Associated Bloodstream Infection Rates, by Type of Intensive Care Unit (ICU), 2011^{1,2} December 2, 2013 download of January 2011 – December 2011 NHSN data³

Notes:

1. All rates are expressed as infections per 1,000 line-days. Red colored cells have statistically significant higher infection rates than other hospitals reporting similar units during the year. White cells have rates similar to other hospitals. Light grey cells indicate where hospitals do not report having that type of ICU. Visit our website for more information about our [statistical methods](#).
2. Some hospitals have more than one ICU of the same type, so separate rates are shown in the cell for each one.
3. Originally posted rates (downloaded March 2, 2012) have been updated to reflect changes identified during 2009-2013 data cleaning and validation.
4. Details of neonatal intensive care unit (NICU) infection rate by birth weight groups are included in this table. Generally, the smallest infants are the most susceptible to infection, but it is difficult to provide accurate rates at this level of detail because the total number of line-days in each birth weight group can be quite small for many hospitals. Even one infection can produce a seemingly high rate when the number of line-days is very low. NICU rates shown on the box plot and map pages are overall rates, for all infants regardless of birth weight. Overall NICU rates are calculated from the total number of infections and total number of line-days from each birth weight group, and are used to compare hospitals more accurately.
5. Highline Medical Center – Infection rate is due to six unrelated infections during the first half of the year, with no indication of cross-infection.
6. Overlake Hospital Medical Center – Infection rate is due to one infection during the year and a very small number of central line-days.
7. Skyline Hospital – No rates are shown because the hospital had no central-line patients during the reporting period.
8. Swedish Medical Center Cherry Hill – Infection rate is due to seven unrelated infections, in different intensive care areas, with no indication of cross-infection.
9. Three Rivers Hospital (formerly Okanogan-Douglas) - No rates are shown because the hospital had no central-line patients during the reporting period.

Box Plots of Central Line-Associated Bloodstream Infection Rates, 2011

December 2, 2013 download of January 2011 – December 2011 NHSN data ¹



Notes:

1. Originally posted box plots (downloaded March 16, 2012) have been updated to reflect changes identified during 2009-2013 data cleaning and validation.
2. In 2011, Washington State had only one of the following types of intensive care units: burn, coronary care, long term acute care, neurosurgical, pediatric cardiothoracic, and trauma. Therefore, the plot does not show a range for these types of locations. Visit our website for more information about our [statistical methods](#).
3. Neonatal intensive care unit (NICU) rates shown here are for the unit overall (all infants regardless of birth weight). Details of NICU central line infection rate by birth weight groups are provided on the [2011 rate table](#).
4. Highline Medical Center – Infection rate is due to six unrelated infections during the first half of the year, with no indication of cross-infection.
5. Overlake Hospital Medical Center – Infection rate is due to one infection during the year and a very small number of central line-days.
6. Swedish Medical Center Cherry Hill – Infection rate is due to seven unrelated infections, in different intensive care areas, with no indication of cross-infection.