

-----Original Message-----

From: Eloise Kailin [<mailto:eloisek@olympus.net>]

Sent: Friday, March 07, 2008 9:58 AM

To: McLaughlin, Craig D (DOH)

Cc: tkatz@comcast.net; jaustin@co.jefferson.wa.us; Davider@spokaneschools.org; keithh@co.island.wa.us; Frankie.Manning@med.va.gov; altiz@charter.net; DOH Secretary's Office; Mel.Tonasket@colvilletribes.com; kav@u.washington.edu; yu.d@co.thurston.wa.us

Subject: fluoride and NSF/ANSI Standard-60

Executive Director State Board of Health Craig McLaughlin March 7, 2008

Craig--Please be sure each of the Board of Health members has a chance to see the attached letter from Gary Pittman dated Nov. 18, 1998. Its importance is the explanation of why a listing of the multiple probable toxic products is an essential part of NSF/ANSI Standard 60 evaluation of the materials being added to drinking water--an evaluation which, on the basis of sworn testimony from an NSF official, we believe is not being carried out.

I understand that State Board of Health will be meeting with Clallam County Board of Health in June of this year and hope that the agenda will include the topic of fluorosilicic acid meeting or not meeting the state WAC 246-290-220

--

Secretary for Protect the Peninsula's Future :Eloise Kailin M.D.  
360-683-6644