

Facility	Total HD	CN Approved Stations**	Patients Per Station	Pts/Station Standard WAC 246-310-284(5)	Planning Area
FMC LEALH LAYNE-OTHELLO	13	4	3.25	3.2	Adams
TRI-STATE	61	13	4.69	4.8	Asotin
DAVITA CHINOOK	0	19	0.00	4.8	Benton
DAVITA KENNEWICK	0	10	0.00	4.8	Benton
FMC COLUMBIA BASIN (Formerly TRI-CITITES)	71	13	5.46	4.8	Benton
CENTRAL WASHINGTON	89	22	4.04	4.8	Chelan
NKC PORT ANGELES	37	10	3.70	4.8	Clallam
DAVITA VANCOUVER	46	12	3.83	4.8	Clark
PNRS FT VANCOUVER	142	24	5.91	4.8	Clark
PNRS SALMON CREEK	92	16	5.75	4.8	Clark
PEACEHEALTH	97	22	4.40	4.8	Cowlitz
QUALICENTERS LONGVIEW	0	6	0.00	4.8	Cowlitz
DAVITA MID-COLUMBIA	112	21	5.33	4.8	Franklin
FMC MOSES LAKE	78	16	4.87	4.8	Grant
FMC WESTERN GRANT	0	4	0.00	4.8	Grant
FMC ABERDEEN	67	16	4.18	4.8	Grays Harbor
DAVITA WHIDBEY ISLAND	0	5	0.00	4.8	Island
PSKC WHIDBEY	36	6	6.00	4.8	Island
OPKC -PORT TOWNSEND	0	6	0.00	3.2	Jefferson
CHILDRENS	16	9	1.77	4.8	King 1
NKC LAKE CITY	72	13	5.53	4.8	King 1
NKC SCRIBNER	89	22	4.04	4.8	King 1
DAVITA OLYMPIC VIEW	63	20	3.15	4.8	King 2
NKC ELLIOTT BAY	94	18	5.22	4.8	King 2
NKC BROADWAY	31	15	2.06	4.8	King 2
NKC SEATTLE	147	38	3.86	4.8	King 2
DAVITA WESTWOOD	37	7	5.28	4.8	King 3
NKC WEST SEATTLE	64	20	3.20	4.8	King 3
NKC SEATAC (Formerly CASCADE)	107	25	4.28	4.8	King 4
DAVITA FEDERAL WAY	105	25	4.20	4.8	King 5
NKC TOTEM LAKE	68	15	4.53	4.8	King 6
DAVITA BELLEVUE	31	10	3.10	4.8	King 7
NKC LAKE WASHINGTON	95	18	5.27	4.8	King 7
NKC SNOQUALMIE RIDGE	14	9	1.55	4.8	King 8
NKC MT RAINIER	128	28	4.57	4.8	King 9
DAVITA KENT	67	12	5.58	4.8	King 10
NKC KENT	58	17	3.41	4.8	King 10
NKC AUBURN	109	24	4.54	4.8	King 11
OPKC BREMERTON	97	19	5.10	4.8	Kitsap
OPKC NORTH	35	8	4.37	4.8	Kitsap
OPKC SOUTH	48	11	4.36	4.8	Kitsap
DAVITA ELLENSBURG	8	5	1.60	3.2	Kittitas
DAVITA GOLDENDALE	0	8	0.00	3.2	Klickitat
FMC CHEHALIS	47	12	3.91	4.8	Lewis
FMC SHELTON	25	6	4.16	4.8	Mason
FMC OMAK	29	15	1.93	3.2	Okanogan
DAVITA SEAVIEW	0	10	0.00	3.2	Pacific
FMC PEND OREILLE	0	6	0.00	3.2	Pend Oreille
DAVITA PUYALLUP	87	16	5.43	4.8	Pierce 1
GREATER PUYALLUP	60	12	5.00	4.8	Pierce 1
DAVITA GRAHAM	21	8	2.62	4.8	Pierce 2
ST JOSEPH GIG HARBOR	32	6	5.33	4.8	Pierce 3
DAVITA TACOMA	41	10	4.10	4.8	Pierce 4
ST JOSEPH	250	50	5.00	4.8	Pierce 4
DAVITA LAKEWOOD	131	21	6.23	4.8	Pierce 5
DAVITA PARKLAND	0	21	0.00	4.8	Pierce 5
SKAGIT VALLEY	117	27	4.33	4.8	Skagit
PSKC SMOKEY PT	110	28	3.92	4.8	Snohomish 1
DAVITA EVERETT	0	21	0.00	4.8	Snohomish 2
PSKC EVERETT	203	37	5.48	4.8	Snohomish 2
DAVITA MILL CREEK	0	9	0.00	4.8	Snohomish 3
PSKC SOUTH	155	27	5.74	4.8	Snohomish 3
DSI DOWNTOWN SPOKANE	46	12	3.83	4.8	Spokane 1
DSI SPOKANE	56	10	5.60	4.8	Spokane 1
FMC NORTH PINES (Formerly FMC VALLEY)	64	20	3.20	4.8	Spokane 1
FMC SPOKANE	80	27	2.96	4.8	Spokane 1

Facility	Total HD	CN Approved Stations**	Patients Per Station	Pts/Station Standard WAC 246-310-284(5)	Planning Area
DSI NORTH SPOKANE	61	12	5.08	4.8	Spokane 2
FMC NORTHPOINTE	95	24	3.95	4.8	Spokane 2
FMC COLVILLE	24	6	4.00	3.2	Stevens
DAVITA OLYMPIA	12	6	2.00	4.8	Thurston
FMC HAWKS PRAIRIE	0	5	0.00	4.8	Thurston
FMC LACEY	125	20	6.25	4.8	Thurston
QCI WALLA WALLA	61	16	3.81	4.8	Walla Walla
MT BAKER	92	26	3.53	4.8	Whatcom
DAVITA MT ADAMS	71	14	5.07	4.8	Yakima
DAVITA UNION GAP	44	8	5.50	4.8	Yakima
DAVITA YAKIMA	88	21	4.19	4.8	Yakima

VA Puget Sound is not listed as this unit not subject to any CoN review

\*\* Includes Certificate of Need station approvals as of the first day of the application submission period

## Washington ESRD Facility Utilization-Northwest Renal Network Data as of 12/31/2009

WAC 246-310-284(5)

For Use In Cycle 2 of 2010

Facility	Total HD	CN Approved Stations**	Patients Per Station	Pts/Station Standard WAC 246-310-284(5)	Planning Area
FMC LEALH LAYNE-OTHELLO	12	4	3	3.2	Adams
TRI-STATE	60	13	4.07	4.8	Asotin
DAVITA CHINOOK	0	19	0.00	4.8	Benton
DAVITA KENNEWICK	0	10	0.00	4.8	Benton
FMC COLUMBIA BASIN (Formerly TRI-CITITES)	71	13	5.30	4.8	Benton
CENTRAL WASHINGTON	101	22	3.77	4.8	Chelan
NKC PORT ANGELES	46	10	3.70	4.8	Clallam
DAVITA VANCOUVER	48	12	3.75	4.8	Clark
PNRS FT VANCOUVER	143	24	5.91	4.8	Clark
PNRS SALMON CREEK	93	16	5.81	4.8	Clark
PEACEHEALTH	107	22	4.18	4.8	Cowlitz
QUALICENTERS LONGVIEW	0	6	0.00	4.8	Cowlitz
DAVITA MID-COLUMBIA	148	21	5.19	4.8	Franklin
FMC MOSES LAKE	75	16	4.68	4.8	Grant
FMC WESTERN GRANT	0	4	0.00	4.8	Grant
FMC ABERDEEN	62	16	3.87	4.8	Grays Harbor
DAVITA WHIDBEY ISLAND	0	5	0.00	4.8	Island
PSKC WHIDBEY	36	6	6.00	4.8	Island
OPKC -PORT TOWNSEND	0	6	0.00	3.2	Jefferson
CHILDRENS	28	9	0.88	4.8	King 1
NKC LAKE CITY	66	13	5.07	4.8	King 1
NKC SCRIBNER	96	22	4.36	4.8	King 1
DAVITA KENT	69	12	5.50	4.8	King 10
NKC KENT	68	17	4.00	4.8	King 10
NKC AUBURN	114	24	4.75	4.8	King 11
DAVITA OLYMPIC VIEW	76	20	2.90	4.8	King 2
NKC BROADWAY	32	15	2.13	4.8	King 2
NKC ELLIOTT BAY	93	18	5.16	4.8	King 2
NKC SEATTLE	337	38	3.84	4.8	King 2
DAVITA WESTWOOD	39	7	5.42	4.8	King 3
NKC WEST SEATTLE	66	20	3.30	4.8	King 3
NKC SEATAC (Formerly CASCADE)	108	25	4.32	4.8	King 4
DAVITA FEDERAL WAY	130	25	4.32	4.8	King 5
NKC TOTEM LAKE	80	15	5.33	4.8	King 6
DAVITA BELLEVUE	35	10	3.20	4.8	King 7
NKC LAKE WASHINGTON	91	18	5.05	4.8	King 7
NKC SNOQUALMIE RIDGE	27	9	3.00	4.8	King 8
NKC MT RAINIER	125	28	4.46	4.8	King 9
OPKC BREMERTON	111	19	4.73	4.8	Kitsap
OPKC NORTH	34	8	4.25	4.8	Kitsap
OPKC SOUTH	50	11	4.54	4.8	Kitsap
DAVITA ELLENSBURG	8	5	1.60	3.2	Kittitas
DAVITA GOLDENDALE	0	8	0.00	3.2	Klickitat
FMC CHEHALIS	42	12	3.50	4.8	Lewis
FMC SHELTON	23	6	3.83	4.8	Mason
FMC OMAK	28	15	1.86	3.2	Okanogan
DAVITA SEAVIEW	0	10	0.00	3.2	Pacific
FMC PEND OREILLE	0	6	0.00	3.2	Pend Oreille
DAVITA PUYALLUP	90	16	5.00	4.8	Pierce 1
GREATER PUYALLUP	62	12	5.16	4.8	Pierce 1
DAVITA GRAHAM	23	8	2.87	4.8	Pierce 2
ST JOSEPH GIG HARBOR	32	6	5.33	4.8	Pierce 3
DAVITA TACOMA	62	10	5.20	4.8	Pierce 4
ST JOSEPH***	278	38	6.73	4.8	Pierce 4
ST JOSEPH-EAST TACOMA	0	12	0.00	4.8	Pierce 4
DAVITA LAKEWOOD	147	21	6.19	4.8	Pierce 5
DAVITA PARKLAND	0	21	0.00	4.8	Pierce 5
SKAGIT VALLEY	139	27	4.25	4.8	Skagit

## Washington ESRD Facility Utilization-Northwest Renal Network Data as of 12/31/2009

WAC 246-310-284(5)

For Use In Cycle 2 of 2010

Facility	Total HD	CN Approved Stations**	Patients Per Station	Pts/Station Standard WAC 246-310-284(5)	Planning Area
PSKC SMOKEY PT	113	28	4.03	4.8	Snohomish 1
DAVITA EVERETT	0	21	0.00	4.8	Snohomish 2
PSKC EVERETT	203	37	5.48	4.8	Snohomish 2
DAVITA MILL CREEK	0	9	0.00	4.8	Snohomish 3
PSKC SOUTH	195	27	5.55	4.8	Snohomish 3
DSI DOWNTOWN SPOKANE	47	12	3.91	4.8	Spokane 1
DSI SPOKANE	61	10	6.10	4.8	Spokane 1
FMC NORTH PINES (Formerly FMC VALLEY)	64	20	3.20	4.8	Spokane 1
FMC SPOKANE	122	27	3.11	4.8	Spokane 1
DSI NORTH SPOKANE	74	12	4.91	4.8	Spokane 2
FMC DEER PARK	0	5	0.00	4.8	Spokane 2
FMC NORTHPOINTE	91	24	3.79	4.8	Spokane 2
FMC COLVILLE	21	6	3.50	3.2	Stevens
DAVITA OLYMPIA	20	6	1.83	4.8	Thurston
FMC HAWKS PRAIRIE	0	5	0.00	4.8	Thurston
FMC LACEY	181	20	6.60	4.8	Thurston
QCI WALLA WALLA	72	16	3.75	4.8	Walla Walla
MT BAKER	130	26	3.73	4.8	Whatcom
DAVITA MT ADAMS	75	14	5.21	4.8	Yakima
DAVITA UNION GAP	73	8	5.87	4.8	Yakima
DAVITA YAKIMA	102	21	4.61	4.8	Yakima

VA Puget Sound is not listed as this unit not subject to any CoN review

\*\* Includes Certificate of Need station approvals as of the first day of the application submission period

\*\*\*Allowed to operate 50 stations until St. Joseph-East Tacoma is operational.