

# Guideline for Acoustical Ceiling Materials For Healthcare <sup>1,2</sup>

The following is a list of pre-approved ceiling materials that were studied and found to comply with *the 2006 Guidelines for Design and Construction of Health Care Facilities*. The list is not inclusive of all acoustical ceiling tiles, only the tiles that have already been studied.

## ARMSTRONG

1. Georgian with Humiguard Plus
2. Dune with Bioblock & Humiguard Plus
3. Tundra
4. Fine Fissured Second Look 1, 2, 3
5. Fireguard Georgian
6. Clean Room VL (perf. & non-perf.)
7. Clean Room Mylar
8. Optima Open Plan-foil backed #
9. Ceramiguard Non-Perforated
10. Fine Fissured
11. Woodworks Vector/tegular non-perf.
12. Ultima with Humiguard Plus  
# Re-seal cut/trimmed edges

## USG INTERIORS

1. Sheet Rock Lay-in Panels
2. Cleanroom
3. Orion 210
4. Pebbled
5. Millennia
6. Touchtone-ClimaPlus
7. MARS
8. Radar-ClimaPlus

## CELOTEX

1. ND Perforated\*
2. Perforated Stippled\*
3. Celotone Chase\*
4. Fine Fissured
5. ND Non-Perforated Stippled\*
6. Fine Textured\*
7. Metal Guard (perf. & non-perf.)
8. Vinyltone
9. Serene/Serene M
10. Hytone/Sand Micro  
\* Also in Protectone Versions

## SPECTRATILE

1. Finale

## ENVEL DESIGN CORPORATION

1. Acoustic Sky

The Department recommends lay-in ceilings be gasketed or clipped down to prevent passage of particles from the cavity above the ceiling plane into the room's environment. Fissured, tegular, serrated, cut, or highly textured tiles are not acceptable because the finish is removed exposing the inner fibers, or are too textured for normal cleaning methods. Special precautions should be taken during installation and maintenance activities above ceilings to ensure infection control is not compromised.

1. For patient care spaces, or where patient care supplies are stored or processed, but not for areas requiring surgical asepsis.
2. Materials not listed must be submitted to Construction Review Services for review and approval prior to installation.

## Construction Review Services

P.O. Box 47852  
Olympia, WA  
98504-7852

tel: 360-236-2944  
fax: 360-236-2901  
email: fslcrs@doh.wa.gov

[www.doh.wa.gov/crs](http://www.doh.wa.gov/crs)

## Guideline for Acoustical Ceiling Materials For Healthcare