Healthy Youth Survey 2002
Survey Results

Native Hawaiian or other Pacific Islander Students in the Statewide Sample

Grade 6

RMC Research Corporation
522 SW Fifth Avenue, Suite 1407
Portland, OR 97204

Revised June 2003

Contents

Introduction and Overview 1

Graphical Summary of Selected Results 2

Selected Results Disaggregated by Gender 4

General Information (Items 1–11) 5

Alcohol, Tobacco, and Other Drug (ATOD) Use 6
- Lifetime Use (Items 12–23) 6
- 30-Day Use (Items 24–38) 7
- Other Tobacco-Related Questions (Items 39–70) 8
- Other Alcohol- and Drug-Related Questions (Items 71–73) 9

Other Health Concerns 10
- Nutrition and Fitness (Items 74–90) 10
- Health Conditions and Health Care (Items 91–98) 11
- Safety (Items 99–110) 11
- Behaviors Related to Intentional Injuries (Items 111–125) 13
- Depression (Items 126–135) 13

School Climate (Items 136–144) 14

Quality of Life (Items 145–156) 14

Risk and Protective Factors: Scale Results 15
- Risk Factors 15
- Protective Factors 16
- Number of Risk or Protective Factors 16

Risk and Protective Factors: Individual Item Results 17
- Community Domain (Items 157–178) 17
- School Domain (Items 179–196) 19
- Peer and Individual Domain (Items 197–239) 21
- Family Domain (Items 240–262) 23

Healthy Youth Survey 2002
Survey Results

Native Hawaiian or other Pacific Islander Students in the Statewide Sample, Grade 6

Number of students surveyed: 104
Number of valid responses: 98

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2002 Healthy Youth Survey in Washington State. For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses ("*n*") appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings from the report. Additional information may be found in the *Interpretive Guide* that accompanied this report.

Key to the Notes

The survey was administered in 3 versions. Forms A and B were administered to students in Grades 8, 10, and 12. These two forms contained a core set of common items and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of questions drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional questions tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and note the optional items:
A = wording on Form A
B = wording on Form B
C = wording on Form C
° = answer choices presented in a different order on one or more versions of the survey
† = optional item

Highlights of the Local Results

Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 25)	2.1%	(± 2.9%)	2.2%	(± 0.4%)
▪ Drinking alcohol in the past 30 days (see item 31)	3.2	(± 3.6)	3.8	(± 0.7)
▪ Using marijuana or hashish in the past 30 days (see item 32)	1.1	(± 2.1)	1.3	(± 0.4)
▪ Being bullied in the past 30 days (see item 136)	34.4	(± 9.7)	31.0	(± 1.4)
▪ Enjoyed being in school over the past year (see item 182)	68.4	(± 9.2)	57.2	(± 1.9)
▪ Feeling safe at school (see item 193)	93.9	(± 4.7)	90.0	(± 1.0)

Risk and Protective Factors

See page 1 for a key to the notes (A, B, C, °, †)

Substance Use and Weapon Carrying in the Past 30 Days



Bullying and School Climate



See page 1 for a key to the notes (A, B, C, °, †)

Selected Results Disaggregated by Gender

25. During the past 30 days, on how many days did you smoke cigarettes?	Local (*n* = *)		State (*n* = 7,673)	
	Female	Male	Female	Male
None	*.*%	*.*%	98.2%	97.4%
1 or more	*.*	*.*	1.8	2.6

Note. Results are suppressed if any cell represents fewer than 15 students; *p* = * from a chi-square test.

31. During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	Local (*n* = *)		State (*n* = 7,615)	
	Female	Male	Female	Male
None	*.*%	*.*%	97.1%	95.4%
1 or more	*.*	*.*	3.0	4.6

Note. Results are suppressed if any cell represents fewer than 15 students; *p* = * from a chi-square test.

136. In the last 30 days, how often have you been bullied?	Local (*n* = *)		State (*n* = 7,504)	
	Female	Male	Female	Male
I have not been bullied	*.*%	*.*%	71.4%	66.4%
Once or more	*.*	*.*	28.6	33.6

Note. Results are suppressed if any cell represents fewer than 15 students; *p* = * from a chi-square test.

193. I feel safe at my school.	Local (*n* = *)		State (*n* = 7,807)	
	Female	Male	Female	Male
No	*.*%	*.*%	7.8%	12.1%
Yes	*.*	*.*	92.2	87.9

Note. Results are suppressed if any cell represents fewer than 15 students; *p* = * from a chi-square test.

See page 1 for a key to the notes (A, B, C, °, †)

General Information

[Item 1 appears only on the secondary version of the survey.]

2. How old are you?	Local (*n* = 98)		State (*n* = 7,901)	
a. 10 or younger	4.1%	(± 3.9%)	1.5%	(± 0.3%)
b. 11	74.5	(± 8.6)	71.9	(± 1.8)
c. 12	20.4	(± 8.0)	25.0	(± 1.8)
d. 13	0.0	(± 0.0)	1.4	(± 0.4)
e. 14	0.0	(± 0.0)	0.2	(± 0.2)
f. 15 or older	1.0	(± 2.0)	0.1	(± 0.0)

3. Are you:	Local (*n* = 98)		State (*n* = 7,913)	
a. Female	51.0%	(± 9.9%)	50.8%	(± 1.3%)
b. Male	49.0	(± 9.9)	49.2	(± 1.3)

4. How do you describe yourself? (Select one or more responses.)	Local (*n* = 98)		State (*n* = 7,623)	
a. Asian or Asian American	0.0%	(± 0.0%)	7.4%	(± 2.1%)
b. American Indian or Alaskan Native	0.0	(± 0.0)	4.5	(± 0.7)
c. Black or African-American	0.0	(± 0.0)	2.6	(± 0.6)
d. Hispanic or Latino/Latina	0.0	(± 0.0)	9.3	(± 3.0)
e. Native Hawaiian or other Pacific Islander	100.0	(± 0.0)	1.3	(± 0.3)
f. White or Caucasian	0.0	(± 0.0)	49.7	(± 3.3)
g. Other	0.0	(± 0.0)	19.2	(± 2.2)
More than one race/ethnicity marked	0.0	(± 0.0)	5.9	(± 0.8)

[Item 5 appears only on the secondary version of the survey.]

6. What language is usually spoken in the home?	Local (*n* = 98)		State (*n* = 7,823)	
a. English	85.7%	(± 6.9%)	84.7%	(± 3.0%)
b. Spanish	3.1	(± 3.4)	8.3	(± 3.0)
c. Other	11.2	(± 6.3)	7.0	(± 2.0)

[Items 7–10 appear only on the secondary version of the survey.]

11. How honest were you in filling out this survey?	Local (*n* = 86)		State (*n* = 6,951)	
a. I was very honest	89.5%	(± 6.5%)	88.8%	(± 1.1%)
b. I was honest pretty much of the time	10.5	(± 6.5)	9.6	(± 0.9)
c. I was honest some of the time	0.0	(± 0.0)	1.6	(± 0.4)
d. I was honest once in a while	Surveys pulled			
e. I was not honest at all	Surveys pulled			

See page 1 for a key to the notes (A, B, C, °, †)

Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated $1.81 billion in 1990 and $2.54 billion in 1996). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), other tobacco-related questions, and other alcohol- and drug-related questions.

Lifetime Use

[Item 12 appears only on the secondary version of the survey.]

13. Have you ever smoked a whole cigarette? (Computed from item 42 or 43.)	Local (n = 92)		State (n = 7,582)	
a. No	92.4%	(± 5.4%)	93.7%	(± 1.0%)
b. Yes	7.6	(± 5.4)	6.3	(± 1.0)

[Items 14 and 15 appear only on the secondary version of the survey.]

16. Have you ever had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from item 216 or 217.)	Local (n = 90)		State (n = 7,608)	
a. No	68.9%	(± 9.6%)	67.4%	(± 1.9%)
b. Yes	31.1	(± 9.6)	32.7	(± 1.9)

17. Have you ever smoked marijuana? (Computed from item 213 or 214.)	Local (n = 95)		State (n = 7,612)	
a. No	96.8%	(± 3.5%)	96.6%	(± 0.5%)
b. Yes	3.2	(± 3.5)	3.4	(± 0.5)

[Items 18-21 appear only on the secondary version of the survey.]

22. Have you ever, even once in your lifetime, used inhalants (things you sniff to get high)?	Local (n = 96)		State (n = 7,586)	
a. Yes	4.2%	(± 4.0%)	3.6%	(± 0.6%)
b. No	95.8	(± 4.0)	96.4	(± 0.6)

23. Have you ever, even once in your lifetime, used other illegal drugs?	Local (n = 96)		State (n = 7,581)	
a. Yes	3.1%	(± 3.5%)	3.3%	(± 0.6%)
b. No	96.9	(± 3.5)	96.7	(± 0.6)

Any lifetime use of tobacco (Items 13–15)	7.6%	(± 5.4%)	6.3%	(± 1.0%)
Any lifetime use of alcohol (Item 16)	31.1	(± 9.6)	32.7	(± 1.9)
Any lifetime use of illicit drugs (Items 17–23)	5.3	(± 4.5)	6.9	(± 1.0)

See page 1 for a key to the notes (A, B, C, °, †)

30-Day Use (Use in the Past 30 Days)

[Item 24 appears only on the secondary version of the survey.]

During the past 30 days, on how many days did you:

25. Smoke cigarettes?	Local (n = 95)		State (n = 7,710)	
a. None	97.9%	(± 2.9%)	97.8%	(± 0.4%)
b. 1–2 days	2.1	(± 2.9)	1.3	(± 0.3)
c. 3–5 days	0.0	(± 0.0)	0.4	(± 0.1)
d. 6–9 days	0.0	(± 0.0)	0.2	(± 0.1)
e. 10–29 days	0.0	(± 0.0)	0.1	(± 0.1)
f. All 30 days	0.0	(± 0.0)	0.3	(± 0.1)
Any use in past 30 days	*2.1*	*(± 2.9)*	*2.2*	*(± 0.4)*

26. Chew tobacco or use snuff?[A,C] / Use chewing tobacco, snuff, or dip?[B]	Local (n = 95)		State (n = 7,670)	
a. None	100.0%	(± 0.0%)	99.0%	(± 0.3%)
b. 1–2 days	0.0	(± 0.0)	0.6	(± 0.2)
c. 3–5 days	0.0	(± 0.0)	0.1	(± 0.1)
d. 6–9 days	0.0	(± 0.0)	0.1	(± 0.1)
e. 10–29 days	0.0	(± 0.0)	0.1	(± 0.1)
f. All 30 days	0.0	(± 0.0)	0.1	(± 0.1)
Any use in past 30 days	*0.0*	*(± 0.0)*	*1.0*	*(± 0.3)*

[Items 27–30 appear only on the secondary version of the survey.]

31. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	Local (n = 94)		State (n = 7,650)	
a. None	96.8%	(± 3.6%)	96.2%	(± 0.7%)
b. 1–2 days	2.1	(± 2.9)	2.6	(± 0.5)
c. 3–5 days	1.1	(± 2.1)	0.6	(± 0.2)
d. 6–9 days	0.0	(± 0.0)	0.1	(± 0.1)
e. 10 or more days	0.0	(± 0.0)	0.4	(± 0.2)
Any use in past 30 days	*3.2*	*(± 3.6)*	*3.8*	*(± 0.7)*

32. Use marijuana or hashish (grass, hash, pot)?	Local (n = 94)		State (n = 7,633)	
a. None	98.9%	(± 2.1%)	98.7%	(± 0.4%)
b. 1–2 days	0.0	(± 0.0)	0.6	(± 0.3)
c. 3–5 days	0.0	(± 0.0)	0.3	(± 0.1)
d. 6–9 days	1.1	(± 2.1)	0.2	(± 0.1)
e. 10 or more days	0.0	(± 0.0)	0.3	(± 0.2)
Any use in past 30 days	*1.1*	*(± 2.1)*	*1.3*	*(± 0.4)*

[Items 33–38 appear only on the secondary version of the survey.]

Any 30-day use of tobacco (Items 25-30)	2.1%	(± 2.9%)	2.7%	(± 0.5%)
Any 30-day use of alcohol (Item 31)	3.2	(± 3.6)	3.8	(± 0.7)
Any 30-day use of illicit drugs (Items 32-38)	1.1	(± 2.1)	1.3	(± 0.4)

See page 1 for a key to the notes (A, B, C, °, †)

Other Tobacco-Related Questions

39. Have you ever smoked cigarettes every day for 30 days?	Local (*n* = 0)		State (*n* = 6,823)	
a. No	*.*%	(± *.*%)	93.7%	(± 0.6%)
b. Yes	*.*	(± *.*)	6.3	(± 0.6)

Note. Results may be suppressed for some students due to irregularities in the elementary Spanish language version.

40. If one of your best friends offered you a cigarette, would you smoke it?	Local (*n* = 91)		State (*n* = 7,448)	
a. Definitely no	87.9%	(± 6.7%)	89.2%	(± 1.0%)
b. Probably no	9.9	(± 6.1)	8.0	(± 0.7)
c. Probably yes	2.2	(± 3.0)	2.0	(± 0.4)
d. Definitely yes	0.0	(± 0.0)	0.8	(± 0.2)

41. Do you think that you will smoke a cigarette anytime in the next year?	Local (*n* = 89)		State (*n* = 7,414)	
a. Definitely no	83.2%	(± 7.8%)	86.0%	(± 1.3%)
b. Probably no	10.1	(± 6.3)	10.3	(± 1.0)
c. Probably yes	5.6	(± 4.8)	2.7	(± 0.5)
d. Definitely yes	1.1	(± 2.2)	1.1	(± 0.2)

[Item 42 appears only on the secondary version of the survey.]

43. How old were you the first time you smoked a whole cigarette?	Local (*n* = 92)		State (*n* = 7,560)	
a. Never have	92.4%	(± 5.4%)	93.8%	(± 1.0%)
b. 10 or younger	4.4	(± 4.2)	4.4	(± 0.8)
c. 11	2.2	(± 3.0)	1.5	(± 0.3)
d. 12	0.0	(± 0.0)	0.2	(± 0.1)
e. 13 or older	1.1	(± 2.1)	0.2	(± 0.1)

[Item 44 appears only on the secondary version of the survey.]

45. Do you think young people risk harming themselves if they smoke from 1–5 cigarettes per day?[B] (one to five cigarettes a day?)[C]	Local (*n* = 86)		State (*n* = 7,177)	
a. Definitely no	8.1%	(± 5.8%)	5.6%	(± 0.8%)
b. Probably no	9.3	(± 6.2)	5.1	(± 0.7)
c. Probably yes	29.1	(± 9.6)	27.9	(± 1.1)
d. Definitely yes	53.5	(± 10.6)	61.5	(± 1.9)

46. During the past year, did you practice ways to say NO to tobacco in any of your classes (for example: by role playing)?	Local (*n* = 96)		State (*n* = 7,839)	
a. Yes	63.5%	(± 9.6%)	62.6%	(± 6.0%)
b. No	26.0	(± 8.8)	23.8	(± 4.2)
c. Not sure	10.4	(± 6.1)	13.5	(± 2.1)

[Items 47–52 appear only on the secondary version of the survey.]

53. Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (*n* = 86)		State (*n* = 7,001)	
a. Definitely no	5.8%	(± 5.0%)	6.3%	(± 0.7%)
b. Probably no	3.5	(± 3.9)	7.2	(± 0.9)
c. Probably yes	34.9	(± 10.1)	30.7	(± 2.1)
d. Definitely yes	55.8	(± 10.5)	55.8	(± 2.8)

[Items 54 and 55 appear only on the secondary version of the survey.]

56. (Some tobacco companies make items like sports gear, t-shirts, lighters, hats, jackets, and sunglasses that people can buy or receive for free.)[C] Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses?	Local (*n* = 83)		State (*n* = 7,040)	
a. Definitely no	56.6%	(± 10.7%)	61.4%	(± 1.9%)
b. Probably no	26.5	(± 9.5)	25.5	(± 1.3)
c. Probably yes	14.5	(± 7.6)	9.7	(± 1.1)
d. Definitely yes	2.4	(± 3.3)	3.4	(± 0.6)

57. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (*n* = 86)		State (*n* = 7,036)	
a. 0 days	70.9%	(± 9.6%)	65.7%	(± 2.7%)
b. 1–2 days	11.6	(± 6.8)	14.8	(± 0.8)
c. 3–4 days	2.3	(± 3.2)	5.1	(± 0.6)
d. 5–6 days	4.7	(± 4.4)	2.8	(± 0.4)
e. 7 days	10.5	(± 6.5)	11.5	(± 1.8)

[Items 58–64 appear only on the secondary version of the survey.]

65. Has either of your parents (or guardians) discussed the dangers of tobacco use with you?	Local (*n* = 85)		State (*n* = 7,062)	
a. Mother (or female guardian) only	12.9%	(± 7.2%)	13.9%	(± 1.0%)
b. Father (or male guardian) only	3.5	(± 3.9)	3.7	(± 0.5)
c. Both	58.8	(± 10.5)	62.5	(± 1.9)
d. Neither	24.7	(± 9.2)	19.9	(± 1.1)

[Items 66–70 appear only on the secondary version of the survey.]

Other Alcohol- and Drug-Related Questions

[Items 71–73 appear only on the secondary version of the survey.]

Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Nutrition and Fitness

[Items 74 and 75 appear only on the secondary version of the survey.]

76. Which of the following are you trying to do about your weight?	Local (*n* = 86)		State (*n* = 7,025)	
a. I am not trying to do anything about my weight°	27.9%	(± 9.5%)	30.4%	(± 1.8%)
b. Lose weight	37.2	(± 10.2)	35.0	(± 1.9)
c. Gain weight	5.8	(± 5.0)	7.6	(± 0.6)
d. Stay the same weight	29.1	(± 9.6)	27.1	(± 1.2)

[Items 77 and 78 appear only on the secondary version of the survey.]

79. Have you ever done any of the following to lose weight or keep from gaining weight?	Local (*n* = 85)		State (*n* = 6,943)	
• Gone without eating for 24 hours or more (also called fasting); • Taken diet pills, powders or liquids without a doctor's advice; • Vomited or taken laxatives				
a. Yes	10.6%	(± 6.5%)	8.8%	(± 0.8%)
b. No	89.4	(± 6.5)	91.2	(± 0.8)

[Items 80 and 81 appear only on the secondary version of the survey.]

82. How many sodas or pops did you drink yesterday? (Do not count diet soda.)	Local (*n* = 85)		State (*n* = 7,017)	
a. None	52.9%	(± 10.6%)	53.8%	(± 2.2%)
b. 1	30.6	(± 9.8)	30.0	(± 1.4)
c. 2	10.6	(± 6.5)	9.6	(± 0.9)
d. 3	3.5	(± 3.9)	3.5	(± 0.5)
e. 4 or more	2.4	(± 3.2)	3.1	(± 0.6)

On how many of the past 7 days did you:

83. Exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?	Local (*n* = 95)		State (*n* = 7,793)	
a. 0 days	7.4%	(± 5.3%)	6.0%	(± 0.7%)
b. 1 day	6.3	(± 4.9)	6.3	(± 0.6)
c. 2 days	4.2	(± 4.0)	7.4	(± 0.7)
d. 3 days	12.6	(± 6.7)	10.6	(± 0.9)
e. 4 days	12.6	(± 6.7)	11.0	(± 0.8)
f. 5 days	17.9	(± 7.7)	16.3	(± 1.2)
g. 6 days	6.3	(± 4.9)	10.4	(± 1.1)
h. 7 days	32.6	(± 9.4)	31.9	(± 1.8)

See page 1 for a key to the notes (A, B, C, °, †)

[Items 84–87 appear only on the secondary version of the survey.]

88. On an average school day, how many hours do you watch TV, play video games, or use a computer for fun?	Local (*n* = 97)		State (*n* = 7,810)	
a. I do not do these activities on an average school day	10.3%	(± 6.1%)	9.7%	(± 1.0%)
b. Less than 1 hour per day	13.4	(± 6.8)	20.1	(± 1.1)
c. 1 hour per day	15.5	(± 7.2)	18.6	(± 1.2)
d. 2 hours per day	23.7	(± 8.5)	22.2	(± 1.1)
e. 3 hours per day	16.5	(± 7.4)	13.7	(± 0.9)
f. 4 hours per day	9.3	(± 5.8)	6.7	(± 0.7)
g. 5 or more hours per day	11.3	(± 6.3)	9.0	(± 1.1)

[Items 89 and 90 appear only on the secondary version of the survey.]

Health Conditions and Health Care

[Items 91–93 appear only on the secondary version of the survey.]

94. Are you limited in any activities because of a disability or long-term health problem including physical health, emotional, or learning problems (because of any physical disabilities or long-term health problem lasting or)[C] expected to last 6 months or more?	Local (*n* = 96)		State (*n* = 7,817)	
a. Yes	9.4%	(± 5.8%)	6.8%	(± 0.7%)
b. No	75.0	(± 8.7)	77.0	(± 1.9)
c. Not sure	15.6	(± 7.3)	16.3	(± 1.5)

95. Have you ever been told by a doctor or other health professional that you had asthma?	Local (*n* = 97)		State (*n* = 7,872)	
a. Yes	17.5%	(± 7.6%)	13.2%	(± 1.2%)
b. No	81.4	(± 7.7)	81.1	(± 1.3)
c. Not sure	1.0	(± 2.0)	5.8	(± 0.6)

96. During the past 12 months, have you had an asthma attack or taken asthma medication?	Local (*n* = 96)		State (*n* = 7,846)	
a. Never had asthma	67.7%	(± 9.4%)	65.7%	(± 1.2%)
b. Yes	8.3	(± 5.5)	9.8	(± 0.9)
c. No	21.9	(± 8.3)	20.8	(± 0.8)
d. Not sure	2.1	(± 2.9)	3.8	(± 0.4)

[Items 97 and 98 appear only on the secondary version of the survey.]

Safety

[Items 99 and 100 appear only on the secondary version of the survey.]

101. When you ride a bicycle, how often do you wear a helmet?	Local (*n* = 98)		State (*n* = 7,886)	
a. I do not ride a bicycle	10.2%	(± 6.0%)	7.9%	(± 1.1%)
b. Never wear a helmet	15.3	(± 7.1)	17.0	(± 2.9)
c. Rarely wear a helmet	14.3	(± 6.9)	12.6	(± 1.5)
d. Sometimes wear a helmet	19.4	(± 7.8)	14.2	(± 1.0)
e. Most of the time wear a helmet	13.3	(± 6.7)	18.5	(± 1.5)
f. Always wear a helmet	27.6	(± 8.9)	29.8	(± 3.5)

See page 1 for a key to the notes (A, B, C, °, †)

102. When you rollerblade or ride a skateboard, how often do you wear a helmet?	Local (n = 98)		State (n = 7,881)	
a. I do not rollerblade or ride a skateboard	21.4%	(± 8.1%)	27.8%	(± 1.4%)
b. Never wear a helmet	19.4	(± 7.8)	18.9	(± 2.6)
c. Rarely wear a helmet	15.3	(± 7.1)	10.4	(± 1.0)
d. Sometimes wear a helmet	13.3	(± 6.7)	8.8	(± 0.7)
e. Most of the time wear a helmet	9.2	(± 5.7)	12.0	(± 1.3)
f. Always wear a helmet	21.4	(± 8.1)	22.2	(± 2.5)

[Item 103 appears only on the secondary version of the survey.]

104. How often do you wear a seat belt when riding in a car (driven by someone else)[B]?	Local (n = 97)		State (n = 7,881)	
a. Never	1.0%	(± 2.0%)	0.8%	(± 0.2%)
b. Rarely	2.1	(± 2.8)	0.9	(± 0.3)
c. Sometimes	4.1	(± 4.0)	3.0	(± 0.5)
d. Most of the time	16.5	(± 7.4)	14.4	(± 0.8)
e. Always	76.3	(± 8.5)	80.9	(± 1.2)

[Item 105 appears only on the secondary version of the survey.]

106. Have you ever ridden in a car driven by someone who had been drinking alcohol?	Local (n = 86)		State (n = 7,139)	
a. Yes	16.3%	(± 7.8%)	23.0%	(± 2.0%)
b. No	59.3	(± 10.4)	59.9	(± 1.8)
c. Not sure	24.4	(± 9.1)	17.1	(± 1.0)

[Item 107 appears only on the secondary version of the survey.]

108. In the past 30 days, when you bicycled or walked in your neighborhood or to school did you have enough room to walk or bike?	Local (n = 95)		State (n = 7,852)	
a. Yes	62.1%	(± 9.8%)	75.2%	(± 1.5%)
b. No	9.5	(± 5.9)	6.2	(± 0.7)
c. I did not walk or ride a bike	28.4	(± 9.1)	18.6	(± 1.2)

109. In the past 30 days, when you bicycled or walked in your neighborhood or to school was it easy to cross the streets?	Local (n = 96)		State (n = 7,880)	
a. Yes	46.9%	(± 10.0%)	51.5%	(± 1.8%)
b. Sometimes yes and sometimes no	24.0	(± 8.5)	24.6	(± 1.6)
c. No	6.3	(± 4.8)	3.1	(± 0.5)
d. I did not cross any streets	6.3	(± 4.8)	6.3	(± 1.0)
e. I did not walk or ride a bike	16.7	(± 7.5)	14.5	(± 1.1)

110. In the past 30 days, when you bicycled or walked in your neighborhood or to school were there dogs or people who bothered you or made you feel uneasy?[B] / who scared you?[C]	Local (n = 96)		State (n = 7,882)	
a. Yes, dogs.	8.3%	(± 5.5%)	8.1%	(± 0.9%)
b. Yes, people.	8.3	(± 5.5)	7.2	(± 0.6)
c. Yes, both dogs and people	7.3	(± 5.2)	7.2	(± 0.9)
d. No	57.3	(± 9.9)	62.1	(± 1.8)
e. I did not walk or ride a bike	18.8	(± 7.8)	15.4	(± 1.2)

Behaviors Related to Intentional Injuries

[Items 111 and 112 appear only on the secondary version of the survey.]

113. During the past 30 days, did you carry a weapon such as a gun, knife, or club on school property?	Local (n = 94)		State (n = 7,596)	
a. Yes	6.4%	(± 4.9%)	3.2%	(± 0.5%)
b. No	93.6	(± 4.9)	96.8	(± 0.5)

[Item 114 appears only on the secondary version of the survey.]

115. During the past 12 months, have you been a member of a gang?	Local (n = 0)		State (n = 6,937)	
a. No	*.*%	(± *.*%)	71.6%	(± 1.3%)
b. Yes	*.*	(± *.*)	28.4	(± 1.3)

Note. Results may be suppressed for some students due to irregularities in the elementary Spanish language version.

[Items 116 and 117 appear only on the secondary version of the survey.]

118. Have you ever been in a physical fight in which you were hurt and had to be treated by a doctor or nurse?	Local (n = 0)		State (n = 6,888)	
a. No	*.*%	(± *.*%)	86.6%	(± 1.1%)
b. Yes	*.*	(± *.*)	13.4	(± 1.1)

Note. Results may be suppressed for some students due to irregularities in the elementary Spanish language version.

[Items 119 and 120 appear only on the secondary version of the survey.]

121. Do you try to work out your problems by talking about them?	Local (n = 94)		State (n = 7,429)	
a. No, never	27.7%	(± 9.1%)	22.5%	(± 2.0%)
b. Yes, some of the time	41.5	(± 10.0)	34.2	(± 1.4)
c. Yes, most of the time	14.9	(± 7.2)	25.7	(± 2.0)
d. Yes, all of the time	16.0	(± 7.4)	17.6	(± 1.2)

[Items 122 and 123 appear only on the secondary version of the survey.]

124. Have you ever been physically abused by an adult?†	Local (n = 48)		State (n = 4,244)	
a. No	79.2%	(± 11.5%)	88.0%	(± 1.8%)
b. Yes	20.8	(± 11.5)	12.0	(± 1.8)

[Items 125 appear only on the secondary version of the survey.]

Depression

[Items 126–130 appear only on the secondary version of the survey.]

131. Have you ever seriously thought about killing yourself?	Local (n = 93)		State (n = 7,439)	
a. Yes	20.4%	(± 8.2%)	17.3%	(± 1.5%)
b. No	79.6	(± 8.2)	82.7	(± 1.5)

132. Have you ever tried to kill yourself?	Local (n = 93)		State (n = 7,451)	
a. Yes	7.5%	(± 5.4%)	5.2%	(± 0.8%)
b. No	92.5	(± 5.4)	94.8	(± 0.8)

133. When you feel sad or hopeless, are there people (or places that)[B] you can turn to for help?	Local (*n* = 93)		State (*n* = 7,463)	
a. I never feel sad or hopeless	14.0%	(± 7.1%)	13.2%	(± 0.9%)
b. Yes	61.3	(± 9.9)	68.0	(± 1.4)
c. No	9.7	(± 6.0)	8.8	(± 0.9)
d. Not sure	15.1	(± 7.3)	10.0	(± 0.8)

[Items 134 and 135 appear only on the secondary version of the survey.]

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

136. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength quarrel or fight. In the last 30 days, how often have you been bullied?	Local (*n* = 93)		State (*n* = 7,536)	
a. I have not been bullied	65.6%	(± 9.7%)	69.0%	(± 1.4%)
b. Once	17.2	(± 7.7)	14.9	(± 0.8)
c. 2–3 times	6.5	(± 5.0)	8.3	(± 0.5)
d. About once a week	3.2	(± 3.6)	2.7	(± 0.4)
e. Several times a week	7.5	(± 5.4)	5.1	(± 0.6)

[Items 137–144 appear only on the secondary version of the survey.]

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to quality of life.

[Items 145–155 appear only on the secondary version of the survey.]

In the last month, how often have you felt that:

156. Do you have goals and plans for the future?	Local (*n* = 97)		State (*n* = 7,772)	
a. No	13.4%	(± 6.8%)	12.9%	(± 0.9%)
b. Yes	86.6	(± 6.8)	87.1	(± 0.9)

Risk and Protective Factor Scale Results

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

Risk Factors

For each scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is listed. Higher percentages indicate that more students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

Community Risk Factors

	Local		State	
	(*n* = 94)		(*n* = 7,571)	
Laws and norms favorable to drug use (Items 160–165)	38.3%	(± 9.8%)	37.1%	(± 1.8%)
	(*n* = 90)		(*n* = 7,451)	
Perceived availability of drugs (Items 166–169)	22.2%	(± 8.6%)	23.6%	(± 1.8%)

School Risk Factors

	Local		State	
	(*n* = 89)		(*n* = 7,329)	
Academic failure (Items 195–196)	41.6%	(± 10.3%)	41.2%	(± 1.9%)
	(*n* = 93)		(*n* = 7,434)	
Low commitment to school (Items 179–185)	35.5%	(± 9.7%)	40.5%	(± 1.5%)

Peer-Individual Risk Factors

	Local		State	
	(*n* = 88)		(*n* = 7,270)	
Favorable attitudes toward drug use (Items 229–232)	28.4%	(± 9.4%)	22.6%	(± 1.5%)
	(*n* = 76)		(*n* = 6,451)	
Perceived risks of use (Items 197–200)	31.6%	(± 10.5%)	32.3%	(± 2.3%)

See page 1 for a key to the notes (A, B, C, °, †)

Protective Factors

For each scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is listed. Higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

Community Protective Factors

	Local		State	
	(*n* = 89)		(*n* = 7,515)	
Opportunities for prosocial involvement (Items 171, 175–178)	21.4%	(± 8.5%)	25.8%	(± 1.5%)
	(*n* = 97)		(*n* = 7,730)	
Rewards for prosocial involvement (Items 172–174)	57.7%	(± 9.8%)	48.0%	(± 1.7%)

School Protective Factors

	Local		State	
	(*n* = 96)		(*n* = 7,807)	
Rewards for prosocial involvement (Items 191–194)	52.1%	(± 10.0%)	50.5%	(± 2.2%)

Family Protective Factors

	Local		State	
	(*n* = 48)		(*n* = 4,346)	
Opportunities for prosocial involvement (Items 252–254)	41.7%	(± 14.0%)	58.1%	(± 2.3%)
	(*n* = 48)		(*n* = 4,333)	
Rewards for prosocial involvement (Items 255–258)	54.2%	(± 14.1%)	62.2%	(± 2.8%)

Number of Risk or Protective Factors (Excluding optional Family scales)

Although individual risk and protective factors serve as modest predictors of problem behaviors, students with multiple risk factors (or few protective factors) are much more likely to use ATOD or engage in other problem behaviors than are their peers. This section reports the percentage of students with given numbers of risk and protective factors. The number of risk factors was calculated only for students who answered enough items to receive scores on all risk factors included in the survey; the number of protective factors was similarly calculated. Readers should remember as they interpret the results that the number of risk factors included in the survey has changed over time.

Number of Risk Factors	Local (*n* = 62)		State (*n* = 5,564)	
3 or fewer	80.7%	(± 9.8%)	82.2%	(± 1.5%)
4 to 6	19.4	(± 9.8)	17.8	(± 1.5)
7 to 10*	0.0	(± 0.0)	0.0	(± 0.0)
11 to 14*	0.0	(± 0.0)	0.0	(± 0.1)

* Maximum of 6 on the elementary version

Number of Protective Factors	Local (*n* = 87)		State (*n* = 7,405)	
0 to 1	57.5%	(± 10.4%)	60.5%	(± 1.9%)
2 to 3	42.5	(± 10.4)	39.5	(± 1.9)
4 to 5*	0.0	(± 0.0)	0.1	(± 0.1)
6*	0.0	(± 0.0)	0.0	(± 0.0)

* Maximum of 3 on the elementary version

See page 1 for a key to the notes (A, B, C, °, †)

Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors reported in the previous section.

Community Domain

[Items 157–159 appear only on the secondary version of the survey.]

160. How wrong would most adults in your neighborhood think it was for kids your age to use marijuana?	Local (*n* = 95)		State (*n* = 7,617)	
a. Very wrong	87.4%	(± 6.7%)	84.8%	(± 1.4%)
b. Wrong	7.4	(± 5.3)	9.2	(± 0.8)
c. A little bit wrong	3.2	(± 3.5)	3.4	(± 0.5)
d. Not wrong at all	2.1	(± 2.9)	2.6	(± 0.4)

161. How wrong would most adults in your neighborhood think it was for kids your age to drink alcohol?	Local (*n* = 94)		State (*n* = 7,634)	
a. Very wrong	79.8%	(± 8.1%)	76.8%	(± 1.3%)
b. Wrong	17.0	(± 7.6)	15.9	(± 0.8)
c. A little bit wrong	1.1	(± 2.1)	4.9	(± 0.5)
d. Not wrong at all	2.1	(± 2.9)	2.4	(± 0.5)

162. How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes?	Local (*n* = 94)		State (*n* = 7,630)	
a. Very wrong	78.7%	(± 8.3%)	78.5%	(± 1.5%)
b. Wrong	13.8	(± 7.0)	13.6	(± 0.9)
c. A little bit wrong	3.2	(± 3.6)	4.9	(± 0.6)
d. Not wrong at all	4.3	(± 4.1)	2.9	(± 0.5)

163. If a kid drank some beer, wine, or hard liquor (for example: vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?	Local (*n* = 93)		State (*n* = 7,513)	
a. NO!	17.2%	(± 7.7%)	11.9%	(± 1.2%)
b. no	21.5	(± 8.4)	29.1	(± 1.4)
c. yes	26.9	(± 9.0)	32.4	(± 1.4)
d. YES!	34.4	(± 9.7)	26.6	(± 1.6)

164. If a kid carried a handgun in your neighborhood would he or she be caught by the police?	Local (*n* = 95)		State (*n* = 7,547)	
a. NO!	8.4%	(± 5.6%)	7.3%	(± 0.7%)
b. no	19.0	(± 7.9)	13.3	(± 1.1)
c. yes	16.8	(± 7.5)	29.7	(± 1.1)
d. YES!	55.8	(± 10.0)	49.7	(± 1.9)

165. If a kid smoked marijuana in your neighborhood would he or she be caught by the police?	Local (*n* = 94)		State (*n* = 7,491)	
a. NO!	11.7%	(± 6.5%)	9.3%	(± 1.1%)
b. no	14.9	(± 7.2)	20.7	(± 1.0)
c. yes	28.7	(± 9.2)	34.0	(± 1.1)
d. YES!	44.7	(± 10.1)	36.1	(± 1.4)

See page 1 for a key to the notes (A, B, C, °, †)

166. If you wanted to get some beer, wine, or hard liquor (for example: vodka, whiskey, or gin), how easy would it be for you to get some?	Local (*n* = 91)		State (*n* = 7,461)	
a. Very hard	69.2%	(± 9.5%)	68.1%	(± 1.4%)
b. Sort of hard	12.1	(± 6.7)	15.1	(± 1.0)
c. Sort of easy	11.0	(± 6.4)	8.5	(± 0.6)
d. Very easy	7.7	(± 5.5)	8.4	(± 0.9)

167. If you wanted to get some cigarettes, how easy would it be for you to get some?	Local (*n* = 91)		State (*n* = 7,459)	
a. Very hard	74.7%	(± 8.9%)	69.8%	(± 1.7%)
b. Sort of hard	5.5	(± 4.7)	12.8	(± 0.7)
c. Sort of easy	11.0	(± 6.4)	7.6	(± 0.7)
d. Very easy	8.8	(± 5.8)	9.8	(± 1.2)

168. If you wanted to get some marijuana, how easy would it be for you to get some?	Local (*n* = 89)		State (*n* = 7,439)	
a. Very hard	88.8%	(± 6.6%)	86.5%	(± 1.4%)
b. Sort of hard	1.1	(± 2.2)	6.1	(± 0.7)
c. Sort of easy	6.7	(± 5.2)	3.7	(± 0.5)
d. Very easy	3.4	(± 3.8)	3.8	(± 0.7)

169. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	Local (*n* = 89)		State (*n* = 7,394)	
a. Very hard	87.6%	(± 6.8%)	89.0%	(± 1.2%)
b. Sort of hard	6.7	(± 5.2)	5.7	(± 0.6)
c. Sort of easy	4.5	(± 4.3)	2.6	(± 0.4)
d. Very easy	1.1	(± 2.2)	2.7	(± 0.5)

[Item 170 appears only on the secondary version of the survey.]

171. There are adults in my neighborhood I could talk to about something important.	Local (*n* = 96)		State (*n* = 7,743)	
a. NO!	15.6%	(± 7.3%)	14.5%	(± 1.3%)
b. no	21.9	(± 8.3)	19.6	(± 1.2)
c. yes	36.5	(± 9.6)	39.1	(± 1.5)
d. YES!	26.0	(± 8.8)	26.8	(± 1.3)

172. My neighbors notice when I am doing a good job and let me know.	Local (*n* = 97)		State (*n* = 7,697)	
a. NO!	28.9%	(± 9.0%)	29.1%	(± 1.6%)
b. no	30.9	(± 9.2)	35.0	(± 1.6)
c. yes	24.7	(± 8.6)	26.5	(± 1.5)
d. YES!	15.5	(± 7.2)	9.4	(± 0.8)

173. There are people in my neighborhood who encourage me to do my best.	Local (*n* = 97)		State (*n* = 7,716)	
a. NO!	18.6%	(± 7.7%)	19.4%	(± 1.4%)
b. no	18.6	(± 7.7)	24.8	(± 1.2)
c. yes	43.3	(± 9.9)	37.0	(± 1.3)
d. YES!	19.6	(± 7.9)	18.8	(± 1.3)

174. There are people in my neighborhood who are proud of me when I do something well.	Local (n = 96)		State (n = 7,692)	
a. NO!	15.6%	(± 7.3%)	19.2%	(± 1.2%)
b. no	24.0	(± 8.5)	26.1	(± 1.3)
c. yes	41.7	(± 9.9)	38.1	(± 1.3)
d. YES!	18.8	(± 7.8)	16.6	(± 1.2)

Which of the following activities do you regularly participate in:

175. Sports teams?	Local (n = 93)		State (n = 7,710)	
a. Yes	65.6%	(± 9.7%)	67.1%	(± 2.1%)
b. No, even though this activity is available	23.7	(± 8.6)	23.7	(± 1.3)
c. No, because this activity is not available	10.8	(± 6.3)	9.3	(± 1.2)

176. Scouting (such as Cub Scouts, Boy Scouts, Girl Scouts, Brownies, Camp Fire Boys & Girls, etc.)?	Local (n = 89)		State (n = 7,588)	
a. Yes	14.6%	(± 7.4%)	16.1%	(± 1.4%)
b. No, even though this activity is available	68.5	(± 9.7)	70.8	(± 1.4)
c. No, because this activity is not available	16.9	(± 7.8)	13.1	(± 1.2)

177. Arts groups (such as art, music, drama, dance, etc.)?	Local (n = 90)		State (n = 7,619)	
a. Yes	46.7%	(± 10.3%)	48.6%	(± 2.4%)
b. No, even though this activity is available	31.1	(± 9.6)	39.9	(± 2.1)
c. No, because this activity is not available	22.2	(± 8.6)	11.5	(± 0.9)

178. Service or social clubs (such as Boys and Girls Clubs, 4-H Clubs, church youth groups, etc.)?	Local (n = 90)		State (n = 7,557)	
a. Yes	41.1%	(± 10.2%)	35.6%	(± 1.7%)
b. No, even though this activity is available	42.2	(± 10.2)	51.3	(± 1.4)
c. No, because this activity is not available	16.7	(± 7.7)	13.2	(± 1.0)

School Domain

179. How often do you feel the schoolwork you are assigned is meaningful and important?	Local (n = 96)		State (n = 7,788)	
a. Almost always	35.4%	(± 9.6%)	33.3%	(± 1.4%)
b. Often	20.8	(± 8.1)	26.4	(± 1.3)
c. Sometimes	31.3	(± 9.3)	27.6	(± 1.1)
d. Seldom	9.4	(± 5.8)	8.5	(± 0.6)
e. Never	3.1	(± 3.5)	4.3	(± 0.6)

180. How interesting are most of your courses to you?	Local (n = 96)		State (n = 7,642)	
a. Very interesting and stimulating	21.9%	(± 8.3%)	15.2%	(± 1.1%)
b. Quite interesting	36.5	(± 9.6)	37.1	(± 1.3)
c. Fairly interesting	26.0	(± 8.8)	31.2	(± 1.2)
d. Slightly dull	11.5	(± 6.4)	11.6	(± 1.0)
e. Very dull	4.2	(± 4.0)	4.9	(± 0.7)

See page 1 for a key to the notes (A, B, C, °, †)

181. How important do you think the things you are learning in school are going to be for you later in life?	Local (n = 97)		State (n = 7,803)	
a. Very important	61.9%	(± 9.7%)	56.6%	(± 2.1%)
b. Quite important	25.8	(± 8.7)	26.8	(± 1.5)
c. Fairly important	9.3	(± 5.8)	11.7	(± 1.0)
d. Slightly important	1.0	(± 2.0)	3.8	(± 0.5)
e. Not at all important	2.1	(± 2.8)	1.0	(± 0.2)

Think back over the past year in school. How often did you:

182. Enjoy being in school?	Local (n = 98)		State (n = 7,896)	
a. Never	7.1%	(± 5.1%)	6.6%	(± 0.9%)
b. Seldom	6.1	(± 4.7)	6.9	(± 0.7)
c. Sometimes	18.4	(± 7.7)	29.3	(± 1.2)
d. Often	25.5	(± 8.6)	24.8	(± 1.4)
e. Almost always	42.9	(± 9.8)	32.4	(± 1.4)

[Item 183 appears only on the secondary version of the survey.]

184. Try to do your best work in school?	Local (n = 98)		State (n = 7,829)	
a. Never	3.1%	(± 3.4%)	1.0%	(± 0.2%)
b. Seldom	0.0	(± 0.0)	1.4	(± 0.3)
c. Sometimes	6.1	(± 4.7)	6.4	(± 0.8)
d. Often	16.3	(± 7.3)	17.4	(± 0.8)
e. Almost always	74.5	(± 8.6)	73.9	(± 1.3)

[Items 185–190 appear only on the secondary version of the survey.]

191. My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 97)		State (n = 7,832)	
a. NO!	2.1%	(± 2.8%)	5.3%	(± 0.7%)
b. no	11.3	(± 6.3)	15.1	(± 1.3)
c. yes	53.6	(± 9.9)	55.2	(± 1.4)
d. YES!	33.0	(± 9.4)	24.4	(± 1.7)

192. The school lets my parents know when I have done something well.	Local (n = 96)		State (n = 7,737)	
a. NO!	16.7%	(± 7.5%)	14.6%	(± 1.0%)
b. no	28.1	(± 9.0)	35.4	(± 1.4)
c. yes	36.5	(± 9.6)	37.3	(± 1.6)
d. YES!	18.8	(± 7.8)	12.8	(± 0.9)

193. I feel safe at my school.	Local (n = 98)		State (n = 7,842)	
a. NO![A,C] / Definitely NOT true[B]	1.0%	(± 2.0%)	3.0%	(± 0.5%)
b. no[A,C] / Mostly not true[B]	5.1	(± 4.4)	7.0	(± 0.7)
c. yes[A,C] / Mostly true[B]	51.0	(± 9.9)	47.4	(± 1.9)
d. YES! [A,C] / Definitely true[B]	42.9	(± 9.8)	42.6	(± 2.2)

See page 1 for a key to the notes (A, B, C, °, †)

194. My teachers praise me when I work hard in school.	Local (n = 92)		State (n = 7,622)	
a. NO!	6.5%	(± 5.1%)	11.8%	(± 1.2%)
b. no	29.4	(± 9.3)	28.5	(± 1.5)
c. yes	47.8	(± 10.2)	46.4	(± 1.5)
d. YES!	16.3	(± 7.6)	13.3	(± 1.2)

195. Putting them all together, what were your grades (like)[A,C] last year?	Local (n = 95)		State (n = 7,584)	
a. Mostly As	41.1%	(± 9.9%)	42.2%	(± 2.6%)
b. Mostly Bs	42.1	(± 9.9)	40.3	(± 1.9)
c. Mostly Cs	11.6	(± 6.4)	12.7	(± 1.3)
d. Mostly Ds	3.2	(± 3.5)	2.9	(± 0.5)
e. Mostly Fs	2.1	(± 2.9)	2.0	(± 0.4)

196. Are your school grades better than the grades of most students in your class?	Local (n = 91)		State (n = 7,571)	
a. NO!	6.6%	(± 5.1%)	7.4%	(± 0.9%)
b. no	27.5	(± 9.2)	29.9	(± 1.3)
c. yes	46.2	(± 10.3)	49.3	(± 1.8)
d. YES!	19.8	(± 8.2)	13.5	(± 0.9)

Peer and Individual Domain

How much do you think people risk harming themselves if they:

197. Smoke one or more packs of cigarettes per day?	Local (n = 90)		State (n = 7,327)	
a. No risk	10.0%	(± 6.2%)	4.9%	(± 0.9%)
b. Slight risk	2.2	(± 3.1)	4.0	(± 0.5)
c. Moderate risk	17.8	(± 7.9)	12.4	(± 0.9)
d. Great risk	56.7	(± 10.3)	66.6	(± 2.3)
e. Not sure	13.3	(± 7.0)	12.0	(± 1.1)

198. Try marijuana once or twice?	Local (n = 89)		State (n = 7,261)	
a. No risk	13.5%	(± 7.1%)	9.1%	(± 1.4%)
b. Slight risk	12.4	(± 6.8)	16.8	(± 0.9)
c. Moderate risk	14.6	(± 7.4)	24.2	(± 1.5)
d. Great risk	44.9	(± 10.3)	37.3	(± 1.6)
e. Not sure	14.6	(± 7.4)	12.6	(± 0.9)

199. Smoke marijuana regularly?	Local (n = 89)		State (n = 7,256)	
a. No risk	11.2%	(± 6.6%)	7.2%	(± 1.2%)
b. Slight risk	4.5	(± 4.3)	3.5	(± 0.5)
c. Moderate risk	12.4	(± 6.8)	10.8	(± 0.7)
d. Great risk	59.6	(± 10.2)	68.9	(± 2.3)
e. Not sure	12.4	(± 6.8)	9.6	(± 0.8)

See page 1 for a key to the notes (A, B, C, °, †)

200. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?	Local (*n* = 86)		State (*n* = 7,241)	
a. No risk	14.0%	(± 7.3%)	13.9%	(± 1.5%)
b. Slight risk	20.9	(± 8.6)	21.3	(± 1.0)
c. Moderate risk	25.6	(± 9.2)	27.9	(± 1.5)
d. Great risk	24.4	(± 9.1)	26.9	(± 1.6)
e. Not sure	15.1	(± 7.6)	10.0	(± 0.8)

[Items 201–213 appear only on the secondary version of the survey.]

214. Have you ever, even once in your lifetime smoked marijuana?	Local (*n* = 95)		State (*n* = 7,589)	
a. Yes	3.2%	(± 3.5%)	3.4%	(± 0.5%)
b. No	96.8	(± 3.5)	96.6	(± 0.5)

[Items 215 and 216 appear only on the secondary version of the survey.]

217. Have you ever, even once in your lifetime had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?	Local (*n* = 90)		State (*n* = 7,587)	
a. Yes	31.1%	(± 9.6%)	32.7%	(± 1.9%)
b. No	68.9	(± 9.6)	67.4	(± 1.9)

[Items 218 and 228 appear only on the secondary version of the survey.]

How wrong do you think it is for someone your age to:

229. Drink beer, wine, or hard liquor (for example: vodka, whiskey, or gin) regularly?	Local (*n* = 87)		State (*n* = 7,278)	
a. Very wrong	74.7%	(± 9.2%)	81.6%	(± 1.3%)
b. Wrong	21.8	(± 8.7)	13.2	(± 0.9)
c. A little bit wrong	3.5	(± 3.8)	3.7	(± 0.4)
d. Not wrong at all	0.0	(± 0.0)	1.5	(± 0.3)

230. Smoke cigarettes?	Local (*n* = 89)		State (*n* = 7,283)	
a. Very wrong	80.9%	(± 8.2%)	85.6%	(± 1.1%)
b. Wrong	14.6	(± 7.4)	11.1	(± 0.9)
c. A little bit wrong	4.5	(± 4.3)	2.2	(± 0.4)
d. Not wrong at all	0.0	(± 0.0)	1.2	(± 0.2)

231. Smoke marijuana?	Local (*n* = 88)		State (*n* = 7,253)	
a. Very wrong	90.9%	(± 6.0%)	91.9%	(± 0.8%)
b. Wrong	8.0	(± 5.7)	5.5	(± 0.6)
c. A little bit wrong	1.1	(± 2.2)	1.5	(± 0.3)
d. Not wrong at all	0.0	(± 0.0)	1.2	(± 0.3)

232. Use LSD, cocaine, amphetamines, or another illegal drug?	Local (*n* = 87)		State (*n* = 7,250)	
a. Very wrong	90.8%	(± 6.1%)	94.3%	(± 0.6%)
b. Wrong	6.9	(± 5.3)	3.9	(± 0.5)
c. A little bit wrong	2.3	(± 3.2)	0.9	(± 0.3)
d. Not wrong at all	0.0	(± 0.0)	0.9	(± 0.2)

[Items 233–239 appear only on the secondary version of the survey.]

Family Domain

[Items 240–243 appear only on the secondary version of the survey.]

The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, grandparents, aunts, uncles, etc.

[Items 244–251 appear only on the secondary version of the survey.]

252. My parents give me lots of chances to do fun things with them.†	Local (*n* = 49)		State (*n* = 4,388)	
a. NO!	2.0%	(± 4.0%)	5.4%	(± 0.8%)
b. no	26.5	(± 12.4)	11.3	(± 1.3)
c. yes	34.7	(± 13.3)	38.8	(± 1.3)
d. YES!	36.7	(± 13.5)	44.5	(± 1.8)

253. My parents ask me what I think before most family decisions affecting me are made.†	Local (*n* = 47)		State (*n* = 4,239)	
a. NO!	6.4%	(± 7.0%)	8.2%	(± 1.1%)
b. no	31.9	(± 13.3)	18.1	(± 1.7)
c. yes	42.6	(± 14.2)	39.7	(± 1.8)
d. YES!	19.2	(± 11.3)	34.0	(± 1.8)

254. If I had a personal problem, I could ask my mom or dad for help.†	Local (*n* = 48)		State (*n* = 4,332)	
a. NO!	10.4%	(± 8.6%)	4.6%	(± 0.8%)
b. no	12.5	(± 9.4)	6.1	(± 0.8)
c. yes	33.3	(± 13.3)	28.6	(± 1.5)
d. YES!	43.8	(± 14.1)	60.7	(± 1.9)

255. My parents notice when I am doing a good job and let me know about it.†	Local (*n* = 48)		State (*n* = 4,324)	
a. Never or almost never	10.4%	(± 8.6%)	5.0%	(± 0.8%)
b. Sometimes	18.8	(± 11.1)	16.0	(± 1.7)
c. Often	20.8	(± 11.5)	27.6	(± 1.3)
d. All the time	50.0	(± 14.2)	51.3	(± 2.5)

256. How often do your parents tell you they're proud of you for something you've done?†	Local (*n* = 47)		State (*n* = 4,307)	
a. Never or almost never	2.1%	(± 4.1%)	4.7%	(± 0.8%)
b. Sometimes	25.5	(± 12.5)	14.4	(± 1.4)
c. Often	31.9	(± 13.3)	32.1	(± 2.0)
d. All the time	40.4	(± 14.1)	48.8	(± 2.7)

257. Do you enjoy spending time with your dad?†	Local (*n* = 46)		State (*n* = 4,253)	
a. NO!	4.4%	(± 5.9%)	4.0%	(± 0.8%)
b. no	6.5	(± 7.2)	3.8	(± 0.7)
c. yes	30.4	(± 13.3)	24.9	(± 1.6)
d. YES!	58.7	(± 14.2)	67.3	(± 2.0)

258. Do you enjoy spending time with your mom?†	Local (n = 48)		State (n = 4,326)	
a. NO!	0.0%	(± 0.0%)	2.3%	(± 0.5%)
b. no	2.1	(± 4.0)	2.9	(± 0.6)
c. yes	35.4	(± 13.5)	22.7	(± 1.3)
d. YES!	62.5	(± 13.7)	72.1	(± 1.7)

[Items 259 and 260 appear only on the secondary version of the survey.]

261. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?†	Local (n = 47)		State (n = 4,237)	
a. Almost every month	2.1%	(± 4.1%)	2.8%	(± 0.6%)
b. Some months but not every month	2.1	(± 4.1)	4.0	(± 0.8)
c. Only 1–2 months	14.9	(± 10.2)	5.9	(± 0.7)
d. Did not have to skip or cut the size of meals.	80.9	(± 11.3)	87.4	(± 1.6)

262. How often do you eat dinner with your family?†	Local (n = 48)		State (n = 4,283)	
a. Never	2.1%	(± 4.0%)	2.6%	(± 0.6%)
b. Rarely	6.3	(± 6.9)	7.2	(± 1.2)
c. Sometimes	18.8	(± 11.1)	11.4	(± 0.9)
d. Most of the time	37.5	(± 13.7)	35.7	(± 1.9)
e. Always	35.4	(± 13.5)	43.2	(± 2.3)