



STATE OF WASHINGTON

DEPARTMENT OF HEALTH

OFFICE OF RADIATION PROTECTION

101 Israel Road SE • PO Box 47827 • Olympia, Washington 98504-7827

TTY Relay Service: 1-800-833-6384

November 29, 2023

TO: Interested Parties, US Ecology Washington, Inc.

FROM: Kristen Schwab, Supervisor, Waste Management Section *KS*

SUBJECT: US Ecology Washington, Inc. Radioactive Materials License, WN-I019-2, Amendment 43

This is to inform you that the Washington State Department of Health, Office of Radiation Protection (department) has administratively amended US Ecology Washington, Inc's (USEW's), State of Washington Radioactive Materials License WN-I019-2. The Radioactive Materials License was amended to include a license condition for leak testing sealed and electroplated sources, a requirement to submit waste manifests in CD/DVD format, a schedule for revising the Site Stabilization and Closure Plan, and editorial and typographical corrections.

The department concludes that the amendment of USEW's Radioactive Materials License WN-I019-2 complies with applicable radiation protection laws and regulations contained in RCW 70A.388 and Chapter 246-250 WAC. There are no changes to Radioactive Materials License WN-I019-2 that have not already been evaluated under existing SEPA documents. Amendment 43 and an addendum to existing SEPA documents are attached and will be posted on the department's website at: <https://doh.wa.gov/community-and-environment/radiation/waste-management/commercial-low-level-radioactive-waste-disposal>.

Anyone who is not on the department's list for receiving these mailings related to closure of the USEW low-level radioactive waste disposal facility may be added to that list, or may request copies of these attachments, by contacting Samantha Acuff at (564) 669-0336 or Samantha.acuff@doh.wa.gov at Office of Radiation Protection, department of Health, P.O. Box 47827, Olympia, WA 98504-7827.

Attachments: Addendum to Existing Environmental Documents, November 2023
Radioactive Materials License WN-I019-2, Amendment 43