Shoal Bay

Annual Shellfish Growing Area Review

Prepared By: Casey Deligeannis

Area: Shoal Bay

Year Ending: December 31, 2019

Classification: Approved, Prohibited

Activities in the Growing Area in 2019

The growing area was sampled a minimum of six times in accordance with the National Shellfish Sanitation Program (NSSP) Systematic Random Sampling (SRS) criteria. A portion of the growing area is used as a grow-out site for scallops relayed from the Alden Bank and Rosario Strait growing areas. The San Juan County Health Department continues to implement pollution identification and correction work in the region.

Analytical Results of Water Samples

Table 1 summarizes results of the 30 most recent samples collected from the area. All stations meet NSSP water quality standard.

Change in Actual Pollution Sources that Impact the Growing Area

We currently have no information indicating that the area has new sources of pollution.

Classification Status

- ☒ Well within the classification standards
- ☐ Meets standards, but some concerns
- ☐ Meets standards, but threatened with downgrade in classification
- ☐ Fails to meet current classification standards

Remarks and Recommendations

Table 1 shows that all stations meet the NSSP water quality standard for an Approved classification and the area is correctly classified.

To request this document in another format, call 1-800-525-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email civil.rights@doh.wa.gov.

TABLE 1. Summary of Marine Water Data (SRS) Shoal Bay Growing Area

Sampling Event Type: Regulatory

Maximum Number of Samples: 30

Tides Included: All

Station Number	Classification	Date Range	Range (FC/100mL)	Geomean (FC/100mL)	Est. 90th Percentile (FC/100mL)	Meets Standard
44	Approved	1/14/2015 - 11/19/2019	1.7 - 110.0	2.6	8.2	Y
45	Approved	1/14/2015 - 11/19/2019	1.7 - 6.8	2.0	3.1	Y
46	Approved	1/14/2015 - 11/19/2019	1.7 - 4.5	1.8	2.3	Y
48	Approved	1/14/2015 - 11/19/2019	1.7 - 350.0	2.7	11.4	Y
43	Prohibited	1/14/2015 - 11/19/2019	1.7 - 33.0	2.6	6.7	Y
47	Unclassified	2/26/2014 - 11/19/2019	1.7 - 4.5	1.8	2.2	Y

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms/ 100 mL with an estimated 90th percentile not greater than 43 organisms/ 100 mL. The above table shows bacteriological results in relation to program standards.

MAP 1. Shoal Bay Growing Area