

2020

Communicable Disease Report

January 2022
DOH 420-004



Prepared by
Disease Control and Health Statistics
Office of Communicable Disease
Epidemiology



For persons with disabilities, this document is available in other formats.
Please call 800-525-0127 (TTY 711) or email civil.rights@doh.wa.gov.

Publication Number

420-004

For more information or additional copies of this report:

Disease Control and Health Statistics
Office of Communicable Disease Epidemiology
1610 NE 150th Street
Shoreline, WA 98155

206-418-5500
206-364-1060 (fax)
CommDisEpi@doh.wa.gov

Report Reviewers

Wayne Turnberg, PhD, MSPH
Director, Office of Communicable Disease Epidemiology

Elizabeth Crutsinger-Perry, MSSW, MA
Director, Office of Infectious Disease

Scott Lindquist, MD, MPH
State Epidemiologist for Communicable Diseases

This report represents Washington State communicable disease surveillance, the ongoing collection, analysis and dissemination of morbidity and mortality data to prevent and control communicable disease.

Department of Health staff from the following offices and programs contributed to this report:

- Office of Communicable Disease Epidemiology
- Office of Infectious Disease
- Washington State Public Health Laboratories

We'd also like to acknowledge and extend our thanks and appreciation to Washington's local health jurisdictions who contribute to surveillance, investigation, and prevention of communicable diseases in our state, and to the thousands in clinics, hospitals and clinical laboratories throughout Washington whose disease reports are the basis for this document.

Contents

Executive Summary	3
 Technical Notes	3
Reporting a Notifiable Condition.....	4
Disease Incidence and Mortality Rates.....	10
Appendix I: Other Tables	64
Foodborne Disease Outbreaks 2020.....	65
Foodborne Outbreaks 1986-2020.....	68
<i>Haemophilus influenzae Invasive Disease (Age < 5 Years) 2011-2020.....</i>	69
Meningococcal Disease (Invasive) 2011-2020	70
Highly Antibiotic Resistant Organism Surveillance 2012-2020	71
Rabid Non-Bat Animals and Rabies Strains in Washington 1987-2020.....	72
Washington State Bats Tested for Rabies 2016-2020	73
Washington State Animals Tested for Rabies 1988-2020.....	74
Rare Diseases of Public Health Significance 2016-2020.....	75
Waterborne Disease Outbreaks 1992-2020	76
Appendix II: Influenza Summary	77
Appendix III: State Demographics	78
 Washington State Population Estimates 1985-2020	79
 Washington State Population Estimates by County 2020	80
 Washington State Population by Age and Sex 2020	81

Executive Summary

This report summarizes notifiable communicable diseases reported by local health jurisdictions to the Department of Health (DOH) in 2020. The most common reports continue to be sexually transmitted conditions, chronic hepatitis, diarrheal infections, pertussis, and tuberculosis. Data completeness may have been impacted by the COVID-19 pandemic, which could have reduced reported cases due to interrupted access to healthcare, reduced exposures outside the household, and severe stress on public health agencies.

Technical Notes

Washington Administrative Code (WAC) Chapters 246-100 and 246-101 outline disease reporting requirements: health care providers and facilities, laboratories, veterinarians, food service establishments, childcare facilities and schools must report certain communicable diseases to the local health jurisdiction or DOH. Cases of communicable notifiable conditions are included in this annual report if they met the following criteria*:

1. Resident of Washington.
2. Qualifying event dates occurred in MMWR Year 2020 (December 29, 2019 – January 2, 2021).
3. Reported to DOH and entered prior to September 30, 2021.
4. First report of very rare conditions (zero to two cases per year) received by DOH after the previous year's deadline.
5. Given a valid DOH case classification by DOH (see: [guidelines for each condition.](#))

Typically, a fraction of the actual number of cases are reported to a surveillance system. Infected persons may: be unaware of being infected, be symptomatic but have not contacted a health care provider, not be confirmed with appropriate tests, or not be reported after the diagnostic testing. Data completeness may have been impacted by the COVID-19 pandemic.

Summary tables with incidence and mortality rates reflect years when data are reliable. Population estimates for rate calculations are from the [Washington State Office of Financial Management](#). Previously reported rates for 2000 through 2010 were updated using population estimates based on the 2010 decennial census. County rates are not provided for conditions with fewer than five reported cases.

This report is available online on [DOH's website](#). Additional information on communicable disease surveillance and case investigation in Washington is available on DOH's website under [List of Notifiable Conditions](#).

*The inclusion criteria for HIV, hepatitis B, hepatitis C, and sexually transmitted diseases cases in this report can be found in the footnotes underneath each individual data table.

Reporting a Notifiable Condition

In accordance with Washington State rule, [chapter 246-101 WAC, public health and health care professionals should report most notifiable conditions](#) to the local health jurisdiction in the county of the patient's residence. [Disease reporting telephone numbers for each local health jurisdiction](#) are provided on DOH's website. If no one is available at the local health jurisdiction and a condition is immediately notifiable or is notifiable to DOH, please call the 24-hour reporting line: 877-539-4344 or 206-418-5500. For a complete list of notifiable conditions for health care providers, hospitals, laboratories and veterinarians, please refer to the corresponding reporting posters available on the DOH website, [How to Report – Posters](#).

Note that the date for changes in chapter 246-101 WAC to take effect has been amended to January 1, 2023.

Notifiable to the Washington State Department of Health

IMMEDIATELY NOTIFIABLE: (suspect or confirmed cases)

CDE Notifiable to the Office of Communicable Disease Epidemiology: 1-877-539-4344

Anthrax	Poliomyelitis
Botulism (foodborne, wound, infant)	Rabies, human
Cholera	SARS
Diphtheria	Smallpox
Disease of suspected bioterrorism origin	Tularemia
Emerging condition with outbreak potential	Viral hemorrhagic fever
Influenza, novel strain	Yellow fever
Measles (rubeola)	Outbreak, or suspected outbreak, of illness due to infectious agent or toxin
Paralytic shellfish poisoning	
Plague	

7 Notifiable within 7 days of case investigation completion or summary information required within 21 days of initial notification for the following:

CDE Notifiable to the Office of Communicable Disease Epidemiology: 1-877-539-4344	ID Notifiable to Infectious Disease Assessment: 360-236-3464
Arboviral disease (Zika, West Nile virus disease, dengue, eastern and western equine encephalitis, etc.)	Acquired immunodeficiency syndrome (AIDS) (including AIDS in persons previously reported with HIV infection)
Brucellosis !	Chancroid
Burkholderia mallei or pseudomallei !	<i>Chlamydia trachomatis</i>
Campylobacteriosis	Gonorrhea
Cryptosporidiosis	Granuloma inguinale
Cyclosporiasis	Hepatitis C, acute
Enterohemorrhagic <i>E. coli</i> (see Shiga toxin-producing <i>E. coli</i>)	Hepatitis C, chronic
Giardiasis	Herpes simplex
<i>Haemophilus influenzae</i> invasive disease	HIV infection
Hantavirus pulmonary syndrome	Lymphogranuloma venereum
Hepatitis A, acute	Syphilis
Hepatitis B, acute	
Hepatitis B, chronic	TB Notifiable to TB Reporting Fax Line: 206-364-1060
Hepatitis D, acute	Tuberculosis
Hepatitis D, chronic	
Hepatitis E, acute	CP Notifiable to Immunization Program CHILD Profile Fax: 360-236-3590
Influenza-associated death (lab-confirmed)	Hepatitis B, surface antigen-positive pregnant women
Legionellosis	Immunization reactions (severe, adverse)
Leptospirosis	
Listeriosis	
Lyme disease	
Malaria	
Meningococcal disease	
Monkeypox	
Mumps	
Pertussis	
Prion disease, including Creutzfeldt-Jakob disease (CJD)	
Psittacosis !	! If bioterrorism is suspected, case must be immediately reported.
	Unexplained critical illness or death

The conditions listed above are notifiable to the Washington State Department of Health in accordance with [WAC 246-101](#).

- The 2011 revision of [WAC 246-101-010](#) states "Other rare diseases of public health significance" means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsioses, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington."



Notifiable Conditions

HEALTH CARE PROVIDERS

Notifiable to the local health jurisdiction (LHJ) of the patient's residence

Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**

1 IMMEDIATELY NOTIFIABLE: Requires a phone call to reach a live person at the local health jurisdiction, 24/7. *Must be reported as soon as clinically suspected.*

Animal bites, when human exposure to rabies is suspected

Anthrax

Botulism (foodborne, wound and infant)

Burkholderia mallei (glanders) and *pseudomallei* (melioidosis)

Cholera

Diphtheria

Disease of suspected bioterrorism origin

Domoic acid poisoning (amnesic shellfish poisoning)

E. coli – refer to “Shiga toxin-producing *E. coli* infections”

Emerging condition with outbreak potential

Haemophilus influenzae (invasive disease, children <5 years)

Influenza, novel or unsubtypable strain

Measles (rubeola), acute

Meningococcal disease (invasive)

Monkeypox

Outbreaks of suspected foodborne origin

Outbreaks of suspected waterborne origin

Paralytic shellfish poisoning

Pesticide poisoning—hospitalized, fatal, or cluster:

1-800-222-1222

Plague

Poliomyelitis

Rabies, confirmed human or animal

Rabies, suspected human exposure

Rubella (include congenital rubella syndrome), acute

SARS (Severe Acute Respiratory Syndrome)

Shiga toxin-producing *E. coli* infections (STEC, including but not limited to *E. coli* O157:H7; also includes post-diarrheal hemolytic uremic syndrome)

Smallpox

Tuberculosis

Tularemia

Vaccinia transmission

Viral hemorrhagic fever

Yellow fever

Notifiable on a monthly basis

Asthma, occupational (suspected or confirmed): **1-888-66-SHARP**

Birth defects: **360-236-3533**

(autism spectrum disorders, cerebral palsy, alcohol-related birth defects)

Hepatitis B, chronic (initial diagnosis/Previously unreported cases)

Hepatitis C, chronic

The conditions listed above are notifiable to public health authorities in accordance with [WAC 246-101](#).

- Report to the local health jurisdiction of the patient's residence within the timeframe indicated (except for conditions followed by a reporting phone number).
- 'Other rare diseases of public health significance' means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington.

2 Notifiable within 24 hours: Requires a phone call if reporting after normal public health business hours

Brucellosis

Hantavirus pulmonary syndrome

Hepatitis A, acute

Hepatitis B, acute

Hepatitis E, acute

Legionellosis

Leptospirosis

Listeriosis

Mumps, acute

Pertussis

Psittacosis

Q fever

Relapsing fever (borrellosis)

Salmonellosis

Shigellosis

Vancomycin-resistant *Staphylococcus aureus* (not to include Vancomycin-intermediate)

Vibriosis

Yersiniosis

Other rare diseases of public health significance, including but not limited to:

Amoebic meningitis

Anaplasmosis

Babesiosis

Carbepenemase-producing carbepenem-resistant Enterobacteriaceae (CP-CRE)

Chagas disease

Coccidioidomycosis

Cryptococcus gattii

Ehrlichiosis

Histoplasmosis

Shellfish poisoning (diarrhetic)

Tickborne rickettsioses (including Rocky Mountain spotted fever)

Tick paralysis

Typhus

Unexplained critical illness and death

3 Notifiable within 3 business days

Acquired immunodeficiency syndrome (AIDS), including in persons previously reported with HIV infection

Arboviral disease (acute disease only, including: West Nile virus, dengue, eastern & western equine encephalitis, Zika, etc.)

Campylobacteriosis

Chancroid

Chlamydia trachomatis infection

Cryptosporidiosis

Cyclosporiasis

Giardiasis

Gonorrhea

Granuloma inguinale

Hepatitis B, surface antigen positive pregnant women

Hepatitis C, acute

Hepatitis D, acute and chronic

Herpes simplex, neonatal and genital (initial infection only)

HIV infection

Immunization reactions (severe, adverse)

Influenza-associated death, laboratory-confirmed

Lyme disease

Lymphogranuloma venereum

Malaria

Pesticide poisoning-non-hospitalized, non-fatal, non-cluster: **1-800-222-1222**

Prion disease, including Creutzfeldt-Jakob disease (CJD)

Syphilis (including congenital)

Tetanus

Trichinosis

Varicella-associated death

Notifiable to the local health jurisdiction (LHJ) of the patient's residence

Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**

1 IMMEDIATELY NOTIFIABLE: Requires a phone call to reach a live person at the local health jurisdiction, 24/7

Must be reported as soon as clinically suspected

Animal bites, when human exposure to rabies is suspected

Anthrax

Botulism (foodborne, infant, and wound)

Burkholderia mallei (glanders) and *pseudomallei* (melioidosis)

Cholera

Diphtheria

Disease of suspected bioterrorism origin

Domoic acid poisoning (amnesic shellfish poisoning)

E. coli – refer to “Shiga toxin-producing *E. coli* infections”

Emerging condition with outbreak potential

Haemophilus influenzae (invasive disease, children < 5 years)

Influenza, novel or unsubtypable strain

Measles (rubeola), acute

Meningococcal disease (invasive)

Monkeypox

Outbreaks of disease that occur or are treated in the health care facility

Outbreaks of suspected foodborne origin

Outbreaks of suspected waterborne origin

Paralytic shellfish poisoning

Pesticide poisoning (hospitalized, fatal, or cluster): **1-800-222-1222**

Plague

Poliomyelitis

Rabies, confirmed human or animal

Rabies, suspected human exposure

Rubella (include congenital rubella syndrome), acute

SARS (Severe Acute Respiratory Syndrome)

Shiga toxin-producing *E. coli* infections (STEC, including but not limited to *E. coli* O157:H7; also includes post-diarrheal hemolytic uremic syndrome)

Smallpox

Tuberculosis

Tularemia

Vaccinia transmission

Viral hemorrhagic fever

Yellow fever

2 Notifiable within 24 hours: Requires a phone call if reporting after normal public health business hours

Brucellosis

Hantavirus pulmonary syndrome

Hepatitis A, acute

Hepatitis B, acute

Hepatitis E, acute

Legionellosis

Leptospirosis

Listeriosis

Mumps, acute

Pertussis

Psittacosis

Q fever

Relapsing fever (borrellosis)

Salmonellosis

Shigellosis

Vancomycin-resistant *Staphylococcus aureus* (not to include Vancomycin-intermediate)

Vibriosis

Yersiniosis

Other rare diseases of public health significance, including but not limited to:

Amoebic meningitis

Anaplasmosis

Babesiosis

Carbepenemase-producing carbepenem-resistant Enterobacteriaceae (CP-CRE)

Chagas disease

Coccidioidomycosis

Cryptococcus gattii

Ehrlichiosis

Histoplasmosis

Shellfish poisoning (diarrhetic)

Tickborne rickettsioses (including Rocky Mountain spotted fever)

Tick paralysis

Typhus

Unexplained critical illness or death

3 Notifiable within 3 business days

Acquired immunodeficiency syndrome (AIDS), including in persons previously reported with HIV infection

Arboviral disease (acute disease only, including: West Nile virus, dengue, eastern & western equine encephalitis, Zika, etc.)

Campylobacteriosis

Chancroid

Chlamydia trachomatis

Cryptosporidiosis

Cyclosporiasis

Giardiasis

Gonorrhea

Granuloma inguinale

Hepatitis B, surface antigen positive pregnant women

Hepatitis C, acute

Hepatitis D, acute and chronic

HIV infection

Immunization reactions (severe, adverse)

Influenza-associated death, laboratory-confirmed

Lyme disease

Lymphogranuloma venereum

Malaria

Pesticide poisoning- non-hospitalized, non-fatal, non-cluster: **1-800-222-1222**

Prion disease, including Creutzfeldt-Jakob disease (CJD)

Serious adverse reactions to immunizations

Syphilis, including congenital

Tetanus

Trichinosis

Varicella-associated death

Hospital laboratories, refer to the Laboratories Notifiable Conditions Poster.

Notifiable on a monthly basis

Asthma, occupational (suspected or confirmed): **1-888-66SHARP**

Birth defects: **360-236-3533**

(abdominal wall defects, autism spectrum disorders, cerebral palsy, Down syndrome, alcohol-related birth defects, hypospadias, limb reductions, neural tube defects, oral clefts)

Cancer, see WAC 246-430

Gunshot wounds: [Reporting form](#)

Hepatitis B, chronic (initial diagnosis/Previously unreported cases)

Hepatitis C, chronic

The conditions listed above are notifiable to public health authorities in accordance with [WAC 246-101](#). When a condition occurs in or is treated by the health care facility:

- Report to the local health jurisdiction of the patient's residence within the timeframe indicated (except for conditions followed by a reporting phone number).
- ‘Other rare diseases of public health significance’ means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of general public concern if detected in Washington.

Notifiable to the local health jurisdiction (LHJ) of the patient's residence

Phone numbers by LHJ are listed on the other side of this poster. If unable to reach the LHJ of the patient's residence, please call: **1-877-539-4344**
 (If patient residence is unknown, notify the LHJ of the health care provider that ordered the diagnostic test)

BACTERIA

- Bacillus anthracis* (anthrax)
- Bordetella pertussis* (pertussis)
- 2** *Borrelia burgdorferi* (Lyme disease)
- Borrelia hermsii* or *B. recurrentis*
(Relapsing fever, tick- or louseborne)
- Brucella* species (brucellosis)
- Burkholderia mallei* and *B. pseudomallei*
- 2** *Campylobacter* species (campylobacteriosis)
- Chlamydia (chlamydophila) psittaci* (psittacosis)
- 2** *Chlamydia trachomatis*
- Clostridium botulinum* (botulism)
- Corynebacterium diphtheriae* (diphtheria)
- Coxiella burnetii* (Q fever)
- E. coli* (refer to "Shiga toxin-producing *E. coli*")
- Francisella tularensis* (tularemia)
- Haemophilus influenzae* (children < 5 years)
- Legionella* species (legionellosis)
- Leptospira* species (leptospirosis)
- Listeria monocytogenes* (listeriosis)
- 2** *Neisseria gonorrhoeae* (gonorrhea)
- Neisseria meningitidis* (meningococcal disease)
- Salmonella* species (salmonellosis, typhoid fever)
- Shiga toxin-producing *E. coli* (STEC, including but not limited to *E. coli* O157:H7)
- Shigella* species (shigellosis)
- 2** *Treponema pallidum* (syphilis)
- Vancomycin-resistant Staphylococcus aureus*
- Vibrio cholerae* O1 or O139 (cholera)
- Vibrio* species (vibriosis)
- Yersinia enterocolitica* or *Y. pseudotuberculosis*
- Yersinia pestis* (plague)

FUNGI

- 2** *Cryptococcus*, non-*neoformans*

PARASITES

- 2** *Cryptosporidium* (cryptosporidiosis)
- 2** *Cyclospora cayetanensis* (cyclosporiasis)
- 2** *Giardia lamblia* (giardiasis)
- 2** *Plasmodium* species (malaria)
- 2** *Trichinella* species (trichinellosis)

Icons for reporting timeframes and recipients are explained in the legend.

*The 2011 revision of [WAC 246-101-010](#) states “Other rare diseases of public health significance” means a disease or condition, of general or international public health concern, which is occasionally or not ordinarily seen in the state of Washington including, but not limited to, spotted fever rickettsiosis, babesiosis, tick paralysis, anaplasmosis, and other tick borne diseases. This also includes public health events of international concern and communicable diseases that would be of public concern if detected in Washington.”

The laboratory results listed above (preliminary or confirmed) are notifiable to public health authorities in Washington in accordance with [WAC 246-101](#).

Information provided with public health notifications and specimen submissions must include: specimen type; name and telephone number of laboratory; date specimen collected and received; requesting health care provider's name and phone number; test result; and name of patient. Also required when available in the lab database are: patient sex, date of birth or age, full patient address (zip code at a minimum), and health care provider address.

Per [WAC 246-101-201\(3\)](#), LHJs may request laboratory reporting of additional test results pertinent to an investigation of a notifiable condition.

VIRUSES

- 2** Arboviruses, acute, by viral isolation or IgM or PCR positivity (West Nile virus, eastern and western equine encephalitis, dengue, St. Louis encephalitis, La Crosse encephalitis, Japanese encephalitis, Powassan, chikungunya, Zika*)
*both positive and negative results are requested for Zika
- Coronavirus (SARS-associated)
- Hantavirus
- Hepatitis A virus, acute, by IgM positivity (include hepatocellular enzyme levels in report)
- Hepatitis B virus, acute, by IgM positivity
- Hepatitis B virus: HBsAg, HBeAg, and HBV DNA
- Hepatitis C virus
- 2** Hepatitis D virus
- Hepatitis E virus
- Influenza virus, novel or unsubtypable strain
- Measles virus (rubeola), acute, by IgM or PCR positivity
- Mumps virus, acute, by IgM or PCR positivity
- Poliovirus, acute, by IgM or PCR positivity
- Rabies virus (human or animal)
- Variola virus (smallpox)
- Viral hemorrhagic fever
Arenaviruses, bunyaviruses, filoviruses, flaviviruses
- Yellow fever virus

Reportable as rare diseases of public health significance*

- Coccidioides*
- Carbapenem-resistant Enterobacteriaceae (CRE), resistant to ≥1 carbapenem, using M100-S25 CLSI breakpoints
- Carbapenemase-producing CRE

Notifiable to the Department of Health (DOH)

- 2** **LEAD** Blood lead level (elevated)
- LEAD** Blood lead level (non-elevated)
- ID** CD4 + (T4) lymphocyte counts and/or CD4 + (T4) (patients aged 13 and older)
- 2** **ID** Human immunodeficiency virus (HIV) infection (for example, positive Western Blot, p24 antigen, or viral culture tests)
- ID** Human immunodeficiency virus (HIV) infection (all viral load detection test results—detectable and undetectable)
- 2** **TB** *Mycobacterium tuberculosis* (tuberculosis)

LEGEND

- | | | |
|----------|--|--|
| | Immediately notifiable—requires a phone call to reach a live person at the LHJ, 24/7 | LEAD Notifiable to the DOH Lead Program
<small>Contact phone: 360-236-4280</small> |
| | Notifiable within 24 hours:
<small>Requires phone call if reporting after normal business hours</small> | ID Notifiable to the DOH Office of Infectious Disease
<small>Contact phone: 360-236-3464</small> |
| 2 | Notifiable within 2 business days | TB Notifiable to the DOH Tuberculosis Program
<small>Fax: 206-364-1060</small> |
| | Notifiable on a monthly basis | Antibiotic sensitivity testing (first isolates only) |
| | Specimen/culture submission to the Public Health Laboratories required (upon request for all others) | |

Notifiable Conditions & the Veterinarian



Veterinarians, including those working in private practices, laboratories, academic settings, zoos, wildlife centers, animal shelters and government agencies, have an important public health role in the identification and control of zoonotic and vector-borne diseases.

The Washington State Administrative Code ([WAC 246-101-405](#)) outlines these responsibilities for veterinarians:

- A. Notify the local health officer of the jurisdiction in which the human resides of any suspected human case or suspected human outbreak based on the human's exposure to a confirmed animal case of any disease listed in Table
- B. Cooperate with public health authorities in the investigation of cases, suspected cases, outbreaks, and suspected outbreaks of zoonotic disease.
- C. Cooperate with public health authorities in the implementation of infection control measures including isolation and quarantine.
- D. Comply with requirements in chapter [16-70 WAC](#) for submitting positive specimens and isolates for specific diseases, and provide information requested by the Washington State Department of Health or local health jurisdiction.

Notifiable Condition (report suspected human cases)	Report Immediately	Report within 24 hours
Anthrax	X	
Arboviral disease		X
Brucellosis (<i>Brucella</i> species)		X
<i>Burkholderia mallei</i> (Glanders)	X	
Disease of suspected bioterrorism origin (including but not limited to anthrax)	X	
<i>E. coli</i> – Refer to "Shiga toxin-producing <i>E. coli</i> "	X	
Emerging condition with outbreak potential	X	
Influenza virus, novel or unsubtypable strain	X	
Leptospirosis		X
Plague	X	
Psittacosis		X
Q Fever		X
Rabies (suspected human case or exposure or animal case)	X	
Shiga toxin-producing <i>E. coli</i> infections (enterohemorrhagic <i>E. coli</i> including, but not limited to, <i>E. coli</i> O157:H7)	X	
Tularemia	X	

IMPORTANT NOTE: Selected animal diseases, especially in livestock and poultry, must be reported to the Washington State Department of Agriculture, State Veterinarian's Office. These include eradicated diseases (e.g., tuberculosis, brucellosis), suspected foreign animal diseases (e.g., foot and mouth disease, exotic Newcastle disease, hog cholera) and certain domestic diseases (e.g., anthrax, rabies). See: <http://app.leg.wa.gov/WAC/default.aspx?cite=16-70>.

*A list of local health departments can be found at <http://www.doh.wa.gov/AboutUs/PublicHealthSystem/LocalHealthJurisdictions.aspx>.

Disease Incidence and Mortality Rates

Arboviral Disease Types

Year	Total Cases	Chikungunya	Colorado Tick Fever	Dengue	Japanese Encephalitis	St. Louis Encephalitis	West Nile Virus	Yellow Fever	Zika Virus	Other/Unknown flavivirus
2002	1	0	0	0	0	0	0	1 ^V	0	0
2003	8	0	0	0	0	0	8 ^T	0	0	0
2004	3	0	0	1 ^T	1 ^T	0	1 ^T	0	0	0
2005	6	0	0	3 ^T	0	0	3 ^T	0	0	0
2006	13	1 ^T	0	4 ^T	0	0	8 (5 ^T , 3 ^E)	0	0	0
2007	16	0	0	10 ^T	0	0	5 ^T	0	0	1 ^T
2008	19	0	1 ^T	14 ^T	1 ^T	0	3 ^E	0	0	0
2009	52	0	0	11 ^T	0	1 ^T	38 (36 ^E , 2 ^U)	0	0	2 (1 ^T , 1 ^E)
2010	24	3 ^T	0	19 ^T	0	0	2 (1 ^E , 1 ^T)	0	0	0
2011	9	0	0	9 ^T	0	0	0	0	0	0
2012	20	0	0	16 ^T	0	0	4 (2 ^E , 2 ^T)	0	0	0
2013	15	0	0	14 ^T	0	0	1 ^T	0	0	0
2014*	36	15 ^T	0	9 ^T	0	0	12 (10 ^E , 2 ^T)	0	0	0
2015	84	40 ^T	0	19 ^T	0	0	24 (22 ^E , 2 ^T)	0	0	1 ^T
2016	113	10 ^T	0	23 ^T	0	0	9 ^E	0	68 ^T	3 ^T
2017	55	3 ^T	0	19 ^T	0	0	13 (8 ^E , 5 ^T)	0	16 ^T	4 ^T
2018	14	2 ^T	0	9 ^T	0	0	3 (1 ^E , 2 ^T)	0	0	0
2019	28	4 ^T	0	19 ^T	0	0	5 (4 ^E , 1 ^U)	0	0	0
2020	11	2 ^T	0	7 ^T	0	0	2 ^E	0	0	0

^V Vaccine-associated

^T Travel-associated

^E Endemically acquired

^U Unknown exposure location

*2014 data updated since the 2014 annual report

Botulism

Year	Food	Infant	Wound	Combined Rate*	Deaths
1985	5	4	0	0.2	0
1986	2	4	0	0.1	0
1987	1	1	1	0.1	0
1988	3	4	0	0.2	0
1989	10	0	0	0.2	0
1990	1	0	0	0	0
1991	0	3	0	0.1	0
1992	0	2	0	0	0
1993	4	5	0	0.2	0
1994	3	2	0	0.1	0
1995	4	2	0	0.1	0
1996	2	0	2	0.1	0
1997	0	1	2	0.1	0
1998	2	4	0	0.1	0
1999	2	4	1	0.1	0
2000	1	4	0	0.1	0
2001	1	6	0	0.1	0
2002	1	1	4	0.1	0
2003	1	3	7	0.2	0
2004	1	3	5	0.1	0
2005	0	2	4	0.1	0
2006	0	9	1	0.2	0
2007	1	1	2	0.1	1
2008	0	1	2	0	0
2009	4	2	4	0.1	1
2010	0	3	1	0.1	0
2011	0	3	4	0.1	0
2012	1	4	2	0.1	1
2013	2	4	4	0.1	0
2014	0	3	0	0	0
2015	0	6	2	0.1	0
2016	2	1	1	0.1	2
2017	0	6	4	0.1	0
2018	1	7	0	0.1	0
2019	0	4	1	0.1	0
2020	0	5	0	0.1	0

*All rates are cases per 100,000 population.

Brucellosis

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	1	0	0
1988	1	0	0
1989	1	0	0
1990	0	0	0
1991	3	0.1	0
1992	1	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	2	0	0
1997	3	0.1	0
1998	3	0.1	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	2	0	0
2003	1	0	0
2004	2	0	0
2005	0	0	0
2006	0	0	0
2007	1	0	0
2008	1	0	0
2009	1	0	0
2010	0	0	0
2011	1	0	0
2012	0	0	0
2013	1	0	0
2014	4	0.1	0
2015	4	0.1	0
2016	0	0	0
2017	1	0	0
2018	1	0	0
2019	3	0	0
2020	2	0	0

*All rates are cases per 100,000 population.

Campylobacteriosis

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	6	30.8	1	+	3	+	9	44.7	6	29.3
Asotin	2	+	4	+	4	+	1	+	0	0
Benton	51	26.8	32	16.5	44	22.3	39	19.3	18	8.8
Chelan	15	19.8	12	15.6	13	16.7	27	34.4	30	37.7
Clallam	4	+	3	+	14	18.6	17	22.4	17	22.1
Clark	82	17.8	107	22.7	93	19.4	112	22.9	93	18.6
Columbia	2	+	2	+	1	+	0	0	0	0
Cowlitz	19	18.1	22	20.8	23	21.4	21	19.3	21	19
Douglas	3	+	5	12.1	7	16.6	10	23.4	7	16
Ferry	3	+	2	+	2	+	0	0	0	0
Franklin	11	12.4	3	+	17	18.4	13	13.7	11	11.4
Garfield	1	+	0	0	0	0	1	+	0	0
Grant	31	32.8	24	25.1	32	32.9	26	26.3	14	14
Grays Harbor	13	17.9	19	26	14	19.0	21	28.3	30	40.1
Island	29	35	31	37.4	32	38.2	26	30.7	25	29.2
Jefferson	12	38.6	11	35.1	12	38	14	43.9	12	37.3
King	589	28	699	32.5	673	30.7	617	27.7	485	21.5
Kitsap	58	22.1	89	33.7	82	30.7	78	28.9	74	27.2
Kittitas	10	22.9	8	17.9	6	13.2	11	23.6	13	27
Klickitat	5	23.5	6	27.7	4	+	9	40.1	11	48.3
Lewis	25	32.5	24	31	19	24.2	24	30.2	32	39.9
Lincoln	2	+	2	+	0	0	1	+	2	+
Mason	18	28.9	33	52.2	37	57.8	34	52.3	9	13.7
Okanogan	5	12	9	21.4	9	21.2	11	25.7	5	11.6
Pacific	2	+	1	+	1	+	6	27.7	5	22.9
Pend Oreille	0	0	4	+	0	0	3	+	5	36.1
Pierce	230	27.2	272	31.6	248	28.4	206	23.2	256	28.4
San Juan	6	36.8	10	60.6	1	+	4	+	6	34.6
Skagit	37	30.3	47	37.9	53	41.9	49	37.9	47	36
Skamania	0	0	0	0	1	+	2	+	2	+
Snohomish	237	30.7	279	35.3	242	30.1	214	26.1	140	16.9
Spokane	86	17.5	105	21	92	18.1	96	18.6	63	12.1
Stevens	18	40.8	12	27	17	37.8	21	46.1	14	30.5
Thurston	69	25.3	86	31.1	66	23.4	47	16.4	54	18.6
Wahkiakum	0	0	0	0	0	0	2	+	1	+
Walla Walla	25	41.2	32	52.1	43	69.6	34	54.7	13	20.8
Whatcom	56	26.3	93	43.5	61	27.7	60	26.6	37	16.2
Whitman	7	14.6	3	+	10	20.3	0	0	1	+
Yakima	142	56.6	122	48.2	101	39.7	113	44.1	50	19.4
State Totals	1,911	26.6	2,214	30.3	2,077	28	1,979	26.2	1,609	21.0

Statewide by Year

Year	Cases	Rate*	Deaths
1980	8	0.2	0
1981	106	2.5	0
1982	299	7.0	0
1983	149	3.5	0
1984	146	3.4	1
1985	250	5.7	0
1986	347	7.8	0
1987	420	9.3	1
1988	709	15.4	1
1989	899	19.0	0
1990	899	18.5	0
1991	930	18.5	4
1992	1,060	20.6	1
1993	1,051	20.0	0
1994	1,050	19.6	0
1995	1,050	19.2	4
1996	1,139	20.5	1
1997	1,150	20.3	0
1998	901	15.7	1
1999	950	16.3	2
2000	1,006	17.1	2
2001	991	16.6	0
2002	1,032	17.0	1
2003	943	15.4	0
2004	861	13.9	0
2005	1,045	16.6	0
2006	993	15.5	0
2007	1,020	15.6	0
2008	1,069	16.2	0
2009	1,030	15.4	1
2010	1,315	19.6	2
2011	1,538	22.7	0
2012	1,551	22.7	3
2013	1,631	23.7	6
2014	1,591	22.8	0
2015	1,847	26.2	2
2016	1,911	26.6	1
2017	2,214	30.3	1
2018	2,077	28.0	4
2019	1,979	26.2	1
2020	1,609	21.0	1

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Chlamydia trachomatis

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	85	436	93	468.0	90	449.6	116	575.7	80	391.2
Asotin	86	388	77	345.5	60	267.6	65	288.6	69	304.8
Benton	739	388	906	468.2	906	458.9	1,019	505.0	976	474.5
Chelan	260	343	270	351.4	285	366.3	279	355.8	265	332.7
Clallam	200	272	199	268.1	190	252.9	185	243.4	134	174.5
Clark	1,912	415	1,850	393.8	1,971	411.1	2,086	427.0	1,859	372.4
Columbia	4	+	9	+	4	+	8	+	3	+
Cowlitz	481	459	478	451.4	501	466.9	558	512.2	466	421.7
Douglas	151	371	154	371.8	181	429.7	157	366.7	156	356.6
Ferry	24	312	22	284.2	12	+	13	+	10	+
Franklin	456	514	517	572.4	537	580.3	694	733.0	626	647.0
Garfield	3	+	1	+	1	+	0	+	0	+
Grant	404	427	345	360.8	382	392.4	466	471.9	394	393.5
Grays Harbor	198	272	221	302.9	289	392.6	296	399.1	248	331.9
Island	204	246	246	297.1	194	231.3	232	273.5	199	232.7
Jefferson	56	180	52	165.8	46	145.6	63	197.5	47	146.0
King	9,400	447	9,760	453.2	10,476	478.3	11,547	518.7	8,290	366.7
Kitsap	984	375	1,104	417.7	1,184	443.2	1,240	459.1	1,086	399.0
Kittitas	210	480	240	536.6	231	506.6	278	597.0	205	425.8
Klickitat	58	273	64	295.5	53	241.1	69	307.6	57	250.3
Lewis	252	328	284	366.7	279	356.0	305	383.7	331	412.5
Lincoln	15	+	15	+	12	+	26	237.2	24	217.2
Mason	234	376	221	349.7	238	371.8	247	380.1	214	326.0
Okanogan	114	273	103	244.6	122	287.1	142	332.3	122	282.9
Pacific	45	213	45	211.8	32	149.4	42	194.1	44	201.5
Pend Oreille	20	151	40	299.2	30	221.6	26	189.2	23	166.1
Pierce	4,976	589	5,434	632.3	5,947	681.8	6,300	709.2	5,567	618.1
San Juan	17	104	12	+	19	113.0	18	105.0	12	+
Skagit	415	339	481	387.6	470	371.5	495	383.1	433	331.9
Skamania	22	191	21	179.6	21	176.6	29	240.5	12	+
Snohomish	2,488	322	2,619	331.8	2,699	335.2	2,932	358.1	2,604	313.5
Spokane	2,452	498	2,337	467.6	2,644	520.5	2,655	515.3	2,469	472.4
Stevens	128	290	95	213.4	107	237.6	97	212.9	83	180.7
Thurston	1,164	427	1,139	411.3	1,200	426.0	1,202	420.6	1,227	421.6
Wahkiakum	5	+	3	+	3	+	8	+	6	+
Walla Walla	238	392	193	314.3	218	352.8	314	504.8	219	350.0
Whatcom	692	326	708	327.3	838	380.3	882	391.5	725	318.0
Whitman	412	859	446	916.9	495	1005.9	436	869.7	319	631.9
Yakima	1,589	633	1,643	649.4	1,787	702.2	2,114	825.9	1,819	704.5
State Totals[‡]	31,193	434	32,454	444.0	34,754	467.9	37,641	498.8	31,423	410.4

Note: Data prior to 2009 are based on year reported rather than year diagnosed.

*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

‡State Totals for 2019 also include supplementary ELR records for which county was unspecified.

Data source: PHIMS-STD 6/1/2021, WELRS (for 2019 and 2020 data only).

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX - December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.

Cholera

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	2	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	1	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	1	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

COVID-19

County	2020 case count	2020 case rate^
Adams	1,738	..
Asotin	1,132	000
Benton	11,733	·5 70
Chelan	5,064	6 357
Clallam	740	··96
Clark	14,127	·2 8
Columbia	96	·2 29
Cowlitz	2,773	·2 5
Douglas	2,707	·6 187
Ferry	181	·2 288
Franklin	9,254	·9 56
Garfield	96	·4 31
Grant	6,625	·6 616
Grays Harbor	2,601	3 481
Island	966	·1 129
Jefferson	232	··72
King	66,374	·2 93
Kitsap	4,178	·1 53
Kittitas	1,862	·3 86
Klickitat	537	·2 358
Lewis	2,548	·3 175
Lincoln	270	·2 443
Mason	1,835	·2 795
Okanogan	1,881	·4 361
Pacific	575	·2 63
Pend Oreille	498	·3 59
Pierce	27,892	·3 09
San Juan	75	··43
Skagit	3,367	·2 581
Skamania	202	1 653
Snohomish	23,333	·2 8
Spokane	28,135	·5 38
Stevens	1,229	·2 676
Thurston	5,076	·1 744
Wahkiakum	52	1 235
Walla Walla	3,784	6,047
Whatcom	3,630	1,592
Whitman	2,841	5,628
Yakima	21,022	8,142
Unknown	975	N/A
TOTAL	262,236	3,425

Statewide by Year

Year	Case Count*	Case rate^	Death count
2020	262,236	3,425	3,735

[^]All incidence rates are cases per 100,000 population

* Case counts and case rates were calculated by using specimen collection date, January 1-December 31, 2020. Death counts were calculated based on the date of death from January 1-December 31, 2020.

Cryptosporidiosis

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	1	+	0	0	0	0	0	0
Asotin	0	0	2	+	1	+	1	+	0	0
Benton	2	+	1	+	1	+	8	4	4	+
Chelan	0	0	0	0	0	0	1	+	3	+
Clallam	3	+	0	0	4	+	3	+	0	0
Clark	10	2.2	17	3.6	15	3.1	15	3.1	2	+
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	3	+	2	+	3	+	5	4.6	0	0
Douglas	0	0	0	0	0	0	4	+	1	+
Ferry	0	0	0	0	1	+	0	0	1	+
Franklin	4	+	0	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	3	+	1	+	1	+
Grays Harbor	0	0	3	+	1	+	1	+	1	+
Island	4	+	1	+	0	0	0	0	2	+
Jefferson	2	+	3	+	2	+	0	0	3	+
King	43	2	65	3.0	92	4.2	114	5.1	82	3.6
Kitsap	3	+	1	+	2	+	1	+	8	2.9
Kittitas	1	+	1	+	0	0	3	+	3	+
Klickitat	0	0	2	+	2	+	2	+	1	+
Lewis	2	+	2	+	2	+	1	+	2	+
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	2	+	2	+	1	+	1	+
Okanogan	0	0	0	0	0	0	1	+	2	+
Pacific	0	0	0	0	0	0	1	+	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	14	1.7	19	2.2	23	2.6	27	3	13	1.4
San Juan	3	+	0	0	2	+	1	+	1	+
Skagit	2	+	3	+	5	4	3	+	11	8.4
Skamania	0	0	0	0	0	0	1	+	1	+
Snohomish	6	0.8	8	1	12	1.5	9	1.1	14	1.7
Spokane	0	0.0	0	0	2	+	7	1.4	5	1.0
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	10	3.7	4	+	6	2.1	6	2.1	4	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	1	+	2	+	4	+	3	+	2	+
Whatcom	15	7.1	5	2.3	4	+	5	2.2	0	0
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	3	+	6	2.4	9	3.5	7	2.7	4	+
State Totals	131	1.8	150	2.1	198	2.7	232	3.1	172	2.2

Statewide by Year

Year	Cases	*Rate	Deaths
2001	73	1.2	0
2002	62	1.0	0
2003	65	1.1	0
2004	63	1.0	0
2005	94	1.5	0
2006	95	1.5	0
2007	139	2.1	0
2008	99	1.5	0
2009	102	1.5	0
2010	102	1.5	0
2011	88	1.3	0
2012	101	1.5	0
2013	84	1.2	0
2014	75	1.1	0
2015	113	1.6	0
2016	131	1.8	0
2017	150	2.1	0
2018	198	2.7	0
2019	232	3.1	0
2020	172	2.2	1

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Cyclosporiasis[‡]

Year	Cases	Rate*	Deaths
2002	5	0.1	0
2003	0	0	0
2004	11	0.2	0
2005	5	0.1	0
2006	1	0	0
2007	1	0	0
2008	1	0	0
2009	0	0	0
2010	2	0	0
2011	4	0.1	0
2012	0	0	0
2013	0	0	0
2014	2	0	0
2015	5	0.1	0
2016	3	0	0
2017	9	0.1	0
2018	23	0.3	0
2019	17	0.2	0
2020	11	0.1	0

[‡]Cyclosporiasis first became a notifiable condition in Washington in 12/2000.

*All rates are cases per 100,000 population.

Diphtheria

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Giardiasis

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*	Year	Cases	Rate*	Deaths
Adams	1	+	1	+	0	0	0	0	0	0	1980	840	20.3	0
Asotin	1	+	1	+	4	+	2	+	0	0	1981	547	12.9	0
Benton	8	4.2	11	5.7	4	+	5	2.5	2	+	1982	956	22.4	0
Chelan	9	11.9	6	7.8	7	9	3	+	0	0	1983	706	16.4	0
Clallam	6	8.2	5	6.7	7	9.3	6	7.9	4	+	1984	710	16.3	0
Clark	39	8.5	25	5.3	22	4.6	11	2.3	9	1.8	1985	779	17.6	0
Columbia	0	0	2	+	0	0	0	0	0	0	1986	811	18.2	0
Cowlitz	2	+	3	+	6	5.6	1	+	0	0	1987	827	18.3	0
Douglas	7	17.2	0	0	1	+	0	0	0	0	1988	851	18.4	0
Ferry	0	0	2	+	0	0	1	+	0	0	1989	980	20.7	0
Franklin	4	+	2	+	1	+	4	+	1	+	1990	792	16.3	0
Garfield	0	0	0	0	2	90.5	0	0	0	0	1991	876	17.4	1
Grant	4	+	9	9.4	3	+	1	+	2	+	1992	860	16.7	1
Grays Harbor	6	8.2	4	+	3	+	4	+	0	0	1993	747	14.2	0
Island	5	6	5	6.0	2	+	4	+	5	5.8	1994	722	13.5	0
Jefferson	7	22.5	7	22.3	6	19	7	21.9	8	24.9	1995	855	15.6	0
King	253	12	277	12.9	156	7.1	59	2.7	9	0.4	1996	668	12.0	0
Kitsap	25	9.5	22	8.3	18	6.7	13	4.8	4	+	1997	738	13.0	0
Kittitas	7	16	9	20.1	1	+	1	+	1	+	1998	740	12.9	1
Klickitat	1	+	1	+	3	+	2	+	0	0	1999	560	9.6	1
Lewis	5	6.5	3	+	1	+	3	+	0	0	2000	622	10.6	1
Lincoln	2	+	1	+	1	+	0	0	1	+	2001	512	8.6	0
Mason	8	12.8	5	7.9	6	9.4	3	+	2	+	2002	510	8.4	0
Okanogan	4	+	7	16.6	4	+	2	+	3	+	2003	435	7.1	0
Pacific	3	+	0	0	0	0	0	0	0	0	2004	444	7.2	0
Pend Oreille	3	+	3	+	0	0	1	+	1	+	2005	437	6.9	0
Pierce	41	4.9	46	5.4	31	3.6	43	4.8	28	3.1	2006	451	7.0	0
San Juan	0	0	1	+	1	+	0	0	0	0	2007	590	9.0	0
Skagit	10	8.2	10	8.1	8	6.3	10	7.7	12	9.2	2008	486	7.4	0
Skamania	0	0	0	0	0	0	2	+	0	0	2009	467	7.0	0
Snohomish	66	8.5	64	8.1	55	6.8	46	5.6	50	6.0	2010	521	7.7	0
Spokane	72	14.6	66	13.2	32	6.3	29	5.6	8	1.5	2011	529	7.8	0
Stevens	4	+	8	18	3	+	1	+	1	+	2012	512	7.5	0
Thurston	34	12.5	25	9	21	7.5	12	4.2	22	7.6	2013	548	8.0	0
Wahkiakum	0	0	0	0	1	+	0	0	0	0	2014	515	7.4	0
Walla Walla	4	+	4	+	4	+	0	0	0	0	2015	604	8.6	0
Whatcom	8	3.8	17	7.9	18	8.2	9	4.0	11	4.8	2016	672	9.4	0
Whitman	2	+	2	+	2	+	2	+	0	0	2017	668	9.1	0
Yakima	21	8.4	14	5.5	4	+	1	+	0	0	2018	438	5.9	0
State Totals	672	9.4	668	9.1	438	5.9	288	3.8	184	2.4	2019	288	3.8	0
											2020	184	2.4	0

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Gonorrhea

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate
Adams	14	+	19	95.6	23	114.9	11	+	10	+
Asotin	24	108	31	139.1	6	+	24	106.6	26	114.8
Benton	258	135	216	111.6	240	121.6	235	116.5	379	184.2
Chelan	37	48.7	28	36.4	45	57.8	36	45.9	40	50.2
Clallam	18	24.5	6	+	21	28.0	29	38.2	9	+
Clark	396	85.9	511	108.5	658	137.2	548	112.2	677	135.6
Columbia	0	0	4	+	2	+	3	+	1	+
Cowlitz	121	115	109	102.9	134	124.9	101	92.7	72	65.2
Douglas	18	44.2	9	+	34	80.7	26	60.7	25	57.1
Ferry	5	+	2	+	2	+	7	+	2	+
Franklin	118	133	129	142.8	124	134.0	133	140.5	170	175.7
Garfield	0	0	0	0	1	+	1	+	0	0
Grant	111	117	116	121.3	110	113.0	97	98.2	127	126.8
Grays Harbor	46	63.2	46	63	48	65.2	72	97.1	83	111.1
Island	35	42.2	38	45.9	37	44.1	41	48.3	29	33.9
Jefferson	11	+	11	+	8	+	5	+	10	+
King	3,343	159	4,178	194	4,431	202.3	4,706	211.4	4,277	189.2
Kitsap	177	67.4	276	104.4	306	114.6	241	89.2	255	93.7
Kittitas	21	48	16	+	30	65.8	29	62.3	19	39.5
Klickitat	4	+	3	+	10	+	17	75.8	8	+
Lewis	52	67.6	40	51.7	54	68.9	50	62.9	50	62.3
Lincoln	6	+	3	+	3	+	7	+	6	+
Mason	48	77	37	58.6	69	107.8	45	69.3	23	35.0
Okanogan	27	64.7	11	+	13	+	46	107.7	41	95.1
Pacific	3	+	9	+	5	+	4	+	4	+
Pend Oreille	7	+	4	+	9	+	1	+	11	+
Pierce	1,196	142	1,772	206.2	1,923	220.5	2,132	240.0	2,208	245.1
San Juan	0	0	3	+	2	+	2	+	0	0
Skagit	65	53.2	60	48.4	108	85.4	117	90.6	136	104.3
Skamania	3	+	1	+	2	+	4	+	1	+
Snohomish	602	77.9	741	93.9	875	108.7	760	92.8	796	95.8
Spokane	520	106	693	138.7	755	148.6	1,073	208.2	900	172.2
Stevens	28	63.5	14	+	24	53.3	32	70.2	25	54.4
Thurston	263	96.5	253	91.4	289	102.6	279	97.6	305	104.8
Wahkiakum	1	+	2	+	1	+	0	0	0	0
Walla Walla	30	49.4	20	32.6	48	77.7	78	125.4	60	95.9
Whatcom	102	48	147	68	171	77.6	157	69.7	188	82.5
Whitman	12	+	31	63.7	38	77.2	34	67.8	23	45.6
Yakima	443	177	433	171.2	556	218.5	665	259.8	584	226.2
State Totals	8,165	114	10,022	137.1	11,215	151.0	11,848	157.0	11,580	151.2

Note: Data prior to 2009 are based on year reported rather than year diagnosed.

*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 6/1/2021

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX - December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.

***Haemophilus influenzae* Invasive Disease**

Year	Cases	Rate*	Deaths
1981	156	3.7	0
1982	149	3.5	6
1983	123	2.9	5
1984	110	2.5	5
1985	153	3.5	6
1986	319	7.1	11
1987	271	6.0	6
1988	200	4.3	0
1989	163	3.4	2
1990	123	2.5	6
1991	51	1.0	0
1992	22	0.4	1
1993	17	0.3	0
1994	10	0.2	0
1995	11	0.2	3
1996	10	0.2	0
1997	6	0.1	0
1998	11	0.2	1
1999	5	0.1	1
2000	8	0.1	0
2001*	7	1.8	0
2002*	5	1.2	0
2003*	13	3.2	1
2004*	4	1.0	0
2005*	5	1.2	0
2006*	5	1.2	0
2007*	6	1.4	0
2008*	2	0.5	0
2009*	9	2.1	0
2010*	10	2.3	1
2011*	8	1.8	1
2012*	4	0.9	0
2013*	11	2.4	0
2014*	9	2.0	0
2015*	5	1.1	0
2016*	9	2.0	0
2017*	7	1.5	0
2018*	13	2.9	0
2019*	16	3.5	0
2020*	6	1.3	0

*All rates are cases per 100,000 population. Rates for 2001-2020 are for population aged 0-4 years; rates before 2001 are for the entire population.

Hantavirus Pulmonary Syndrome[‡]

Year	Cases	Rate*	Deaths
1985	2	0	1
1994	4	0.1	2
1995	4	0.1	2
1996	3	0.1	1
1997	2	0	0
1998	5	0.1	1
1999	1	0	0
2000	1	0	0
2001	1	0	0
2002	2	0	1
2003	2	0	0
2004	1	0	0
2005	3	0	2
2006	2	0	0
2007	2	0	1
2008	2	0	1
2009	3	0	1
2010	2	0	0
2011	2	0	1
2012	2	0	2
2013	0	0	0
2014	1	0	0
2015	1	0	0
2016	1	0	0
2017	5	0.1	3
2018	2	0	0
2019	1	0	0
2020	0	0	0

[‡]Hantavirus Pulmonary Syndrome first became a notifiable condition in Washington in 12/2000.

*All rates are cases per 100,000 population.

Hepatitis A, Acute

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	0	0	0	0	2	+
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	0	0	0	0	1	+	0	0	1	+
Chelan	0	0	0	0	0	0	1	+	0	0
Clallam	0	0	0	0	1	+	0	0	0	0
Clark	2	+	3	+	3	+	4	+	1	+
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	0	1	+	0	0	1	+	0	0
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	1	+	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0	0	0	0
Grays Harbor	1	+	0	0	0	0	0	0	0	0
Island	0	0	0	0	0	0	0	0	2	+
Jefferson	0	0	0	0	2	+	0	0	0	0
King	13	0.6	11	0.5	14	0.6	45	2	148	6.5
Kitsap	1	+	2	+	2	+	4	+	4	+
Kittitas	0	0	0	0	0	0	0	0	6	12.5
Klickitat	0	0	0	0	1	+	1	+	0	0
Lewis	1	+	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	1	+	1	+	0	0	0	0	1	+
Okanogan	0	0	0	0	0	0	4	+	4	+
Pacific	0	0	0	0	1	+	0	0	0	0
Pend Oreille	0	0	0	0	0	0	1	+	0	0
Pierce	2	+	1	+	2	+	3	+	20	2.2
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	1	+	3	+	1	+	2	+	0	0
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	4	+	1	+	2	+	15	1.8	39	4.7
Spokane	1	+	2	+	1	+	74	14.4	25	4.8
Stevens	0	0	0	0	1	+	0	0	1	+
Thurston	0	0	1	+	2	+	1	+	5	1.7
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	1	+	0	0	0	0	0	0
Whatcom	4	+	0	0	0	0	1	+	1	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	0	0	1	+	1	+	23	9	24	9.3
State Totals	31	0.4	28	0.4	35	0.5	181	2.4	284	3.7

Statewide by Year

Year	Cases	Rate*	Deaths
1980	554	13.4	2
1981	791	18.7	0
1982	494	11.6	1
1983	268	6.2	1
1984	373	8.6	0
1985	702	15.9	2
1986	1,385	31.0	1
1987	2,589	57.2	1
1988	2,669	57.8	7
1989	3,273	69.2	5
1990	1,380	28.4	1
1991	608	12.1	3
1992	865	16.8	1
1993	926	17.6	1
1994	1,119	20.9	2
1995	937	17.1	9
1996	1,001	18.0	3
1997	1,019	18.0	1
1998	1,037	18.0	2
1999	505	8.7	1
2000	298	5.1	1
2001	184	3.1	0
2002	162	2.7	0
2003	50	0.8	0
2004	69	1.1	0
2005	63	1.0	1
2006	52	0.8	2
2007	60	0.9	0
2008	51	0.8	0
2009	42	0.6	1
2010	21	0.3	0
2011	31	0.5	1
2012	29	0.4	1
2013	45	0.7	1
2014	26	0.4	0
2015	26	0.4	0
2016	31	0.4	1
2017	28	0.4	0
2018	35	0.5	1
2019	181	2.4	4
2020	284	3.7	5

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Hepatitis B, Acute

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*	Year	Cases	Rate*	Deaths
Adams	0	0	0	0	0	0	0	0	0	0	1980	257	6.2	6
Asotin	0	0	0	0	0	0	0	0	0	0	1981	345	8.2	11
Benton	0	0	0	0	0	0	0	0	1	+	1982	358	8.4	2
Chelan	0	0	1	+	0	0	0	0	0	0	1983	307	7.1	3
Clallam	0	0	0	0	0	0	0	0	0	0	1984	317	7.3	2
Clark	1	+	2	+	0	0	2	+	0	0	1985	484	11.0	6
Columbia	0	0	0	0	0	0	0	0	0	0	1986	989	22.2	8
Cowlitz	6	5.7	7	6.6	2	+	1	+	0	0	1987	1,126	24.9	4
Douglas	0	0	0	0	0	0	0	0	0	0	1988	979	21.2	6
Ferry	0	0	0	0	0	0	0	0	0	0	1989	1,055	22.3	9
Franklin	0	0	0	0	0	0	0	0	0	0	1990	616	12.7	7
Garfield	0	0	0	0	0	0	0	0	0	0	1991	470	9.4	5
Grant	0	0	1	+	0	0	0	0	0	0	1992	399	7.8	1
Grays Harbor	3	+	2	+	3	+	3	+	0	0	1993	247	4.7	0
Island	1	+	0	0	0	0	0	0	0	0	1994	255	4.8	2
Jefferson	0	0	0	0	0	0	0	0	0	0	1995	226	4.1	2
King	3	+	7	0.3	9	0.4	17	0.8	11	0.5	1996	158	2.8	1
Kitsap	0	0	0	0	1	+	0	0	0	0	1997	114	2.0	2
Kittitas	0	0	0	0	0	0	1	+	0	0	1998	136	2.4	0
Klickitat	0	0	0	0	1	+	0	0	0	0	1999	111	1.9	1
Lewis	1	+	3	+	0	0	1	+	2	+	2000	132	2.2	5
Lincoln	0	0	0	0	1	+	0	0	0	0	2001	171	2.9	0
Mason	2	+	1	+	1	+	0	0	0	0	2002	83	1.4	0
Okanogan	0	0	0	0	0	0	0	0	0	0	2003	90	1.5	1
Pacific	1	+	0	0	0	0	0	0	0	0	2004	64	1.0	1
Pend Oreille	0	0	0	0	0	0	0	0	0	0	2005	80	1.3	0
Pierce	6	0.7	4	+	6	0.7	4	+	6	0.7	2006	80	1.2	2
San Juan	0	0	0	0	0	0	0	0	0	0	2007	71	1.1	1
Skagit	1	+	1	+	1	+	0	0	0	0	2008	56	0.8	0
Skamania	0	0	1	+	0	0	0	0	0	0	2009	48	0.7	0
Snohomish	7	0.9	4	+	7	0.9	7	0.9	2	+	2010	50	0.7	1
Spokane	10	2	7	1.4	13	2.6	7	1.4	7	1.3	2011	35	0.5	0
Stevens	0	0	0	0	1	+	1	+	0	0	2012	34	0.5	1
Thurston	1	+	3	+	3	+	5	1.7	3	+	2013	34	0.5	1
Wahkiakum	0	0	0	0	0	0	0	0	0	0	2014	44	0.6	0
Walla Walla	0	0	0	0	1	+	0	0	0	0	2015	34	0.5	0
Whatcom	0	0	1	+	1	+	3	+	4	+	2016	45	0.6	0
Whitman	0	0	0	0	0	0	0	0	0	0	2017	45	0.6	0
Yakima	2	+	0	0	0	0	0	0	1	+	2018	51	0.7	0
State Totals	45	0.6	45	0.6	51	0.7	52	0.7	37	0.5	2019	52	0.7	0
											2020	37	0.5	1

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Note: Cases of acute hepatitis B are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Confirmed as determined by the CDC case definition.

Hepatitis B, Chronic

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	1	*	2	*	3	*	0	0
Asotin	0	0	2	*	1	*	0	0	1	*
Benton	5	2.6	39	20.2	57	28.9	64	31.7	35	17.0
Chelan	1	*	4	*	6	7.7	9	11.5	2	*
Clallam	1	*	9	12.1	14	18.6	6	7.9	2	*
Clark	70	15.2	60	12.7	119	24.8	108	22.1	89	17.8
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	5	4.8	14	13.2	9	8.4	12	11.0	9	8.1
Douglas	0	0	0	0	4	*	3	*	2	*
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	5	5.5	21	22.7	19	20.1	9	9.3
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	1	*	1	*	5	5.1	3	*
Grays Harbor	0	0	3	*	17	23.1	12	16.2	9	12.0
Island	3	*	0	0	10	11.9	6	7.1	5	5.8
Jefferson	1	*	1	*	2	*	0	0	2	*
King	888	42.2	1,074	49.9	1,076	49.1	955	42.9	679	30.0
Kitsap	33	12.6	19	7.2	55	20.6	41	15.2	25	9.2
Kittitas	1	*	3	*	3	*	0	0	2	*
Klickitat	0	0	4	*	1	*	3	*	2	*
Lewis	4	*	11	14.2	10	12.8	4	*	3	*
Lincoln	0	0	0	0	1	*	1	*	1	*
Mason	2	*	1	*	10	15.6	11	16.9	3	*
Okanogan	1	*	0	0	2	*	3	*	1	*
Pacific	1	*	2	*	0	0	6	28	1	*
Pend Oreille	0	0	1	*	0	0	1	*	1	*
Pierce	168	19.9	150	17.5	205	23.5	193	21.7	136	15.1
San Juan	1	*	0	*	1	*	2	*	0	0
Skagit	11	9	13	10.5	12	9.5	13	10.1	4	*
Skamania	0	*	0	*	0	0	1	*	1	*
Snohomish	173	22.4	201	25.5	302	37.5	247	30.2	171	20.6
Spokane	59	12	78	15.6	107	21.1	91	17.7	72	13.8
Stevens	1	*	1	*	5	11.1	2	*	4	*
Thurston	59	21.6	48	17.3	54	19.2	42	14.7	45	15.5
Wahkiakum	0	0	0	0	1	*	0	0	0	0
Walla Walla	1	*	1	*	8	12.9	5	8.0	12	19.2
Whatcom	15	7.1	23	10.6	22	10.0	19	8.4	22	9.6
Whitman	1	*	8	16.4	11	22.4	7	14.0	8	15.8
Yakima	6	2.4	9	3.6	19	7.5	20	7.8	12	4.6
Unspecified [‡]	10	-	1	*	4	*	1	*	2	*
State Totals⁺	1,521	21.2	1,786	24.4	2,172	29.2	1,915	25.4	1,375	18

*All incidence rates are cases per 100,000 population, county rates not calculated for <5 cases.

†Includes cases diagnosed in correctional facilities and cases entered at the state level into Washington State surveillance databases.

Note: Cases of chronic hepatitis B are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition. Changes were made to the way data were compiled in 2016.

Hepatitis B, Perinatal

Year	Cases
2016	1
2017	0
2018	1
2019	0
2020	0

Note: Cases of perinatal hepatitis B are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Confirmed as determined by the CDC case definition.

Hepatitis C, Acute

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0	0	2	+
Chelan	0	0	0	0	0	0	0	0	0	0
Clallam	1	+	0	0	0	0	1	+	2	+
Clark	0	0	1	+	3	+	6	1.2	5	1.0
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	1	+	3	+	0	0	1	+	2	+
Douglas	0	0	0	0	0	0	0	0	1	+
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	1	+	0	0
Grays Harbor	0	0	0	0	0	0	0	0	2	+
Island	0	0	0	0	0	0	0	0	0	0
Jefferson	2	+	1	+	2	+	0	0	0	0
King	14	0.7	13	0.6	27	1.2	33	1.5	31	1.4
Kitsap	0	0	3	+	0	0	0	0	3	+
Kittitas	0	0	0	0	0	0	0	0	3	+
Klickitat	0	0	0	0	0	0	0	0	0	0
Lewis	0	0	0	0	0	0	0	0	1	+
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	1	+	0	0	1	+	0	0	1	+
Okanogan	0	0	0	0	0	0	0	0	2	+
Pacific	0	0	0	0	0	0	0	0	1	+
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	31	3.7	27	3.1	41	4.7	20	2.2	20	2.2
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	6	4.9	2	1.6	3	+	1	+	2	+
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	7	0.9	8	1	7	0.9	10	1.2	10	1.2
Spokane	24	4.9	7	1.4	15	3	15	2.9	19	3.6
Stevens	0	0	0	0	1	+	0	0	0	0
Thurston	1	+	0	0	4	+	0	0	3	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	1	+	0	0	0	0	0	0
Whatcom	3	+	6	2.8	13	5.9	9	3.9	8	3.5
Whitman	0	0	0	0	1	+	0	0	0	0
Yakima	4	+	1	+	0	0	0	0	1	+
State Totals	95	1.3	73	1	118	1.6	97	1.3	119	1.6

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Note: Cases of acute hepatitis C are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition. The most recent case definition update occurred in 2020.

Prior to 2018, cases were included if they were reportable within the relevant CDC Year.

Hepatitis C, Chronic

Statewide by Year

Year	Cases	Rate*	Deaths
2001	6,052	101.4	296
2002	5,218	86.1	335
2003	4,142	67.6	299
2004	4,681	76.4	362
2005	4,708	74.7	322
2006	5,296	82.5	355
2007	5,481	84.0	444
2008	6,450	97.6	473
2009	5,511	82.6	550
2010	5,619	83.6	560
2011	5,066	74.9	580
2012	4,865	71.4	604
2013	4,438	64.5	584
2014	5,995	86.0	645
2015	7,085	100.3	651
2016	8,118	113.0	534
2017	8,839	120.9	543
2018	8,085	108.9	479
2019	6,728	89.2	452
2020	4,471	58.4	453

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	7	35.9	8	40.3	5	25.0	6	29.3	2	*
Asotin	0	*	10	44.9	45	200.7	41	181.1	23	101.6
Benton	39	20.5	159	82.2	206	104.3	191	92.9	238	115.7
Chelan	35	46.1	51	66.4	74	95.1	40	50.2	29	36.4
Clallam	79	107.6	95	128	118	157.1	123	160.2	70	91.2
Clark	657	142.5	603	128	659	137.4	488	97.8	377	75.5
Columbia	0	*	1	*	5	120.5	5	119.5	5	119.5
Cowlitz	257	245.1	283	267.2	249	232.0	129	116.7	103	93.2
Douglas	9	22.1	13	31.4	35	83.1	17	38.9	13	29.7
Ferry	10	129.9	6	77.5	22	282.8	9	113.8	10	126.4
Franklin	5	5.6	10	11.1	105	113.5	92	95.1	50	51.7
Garfield	2	*	0	*	3	*	3	*	1	*
Grant	51	53.9	48	50.2	64	65.7	63	62.9	38	38.0
Grays Harbor	122	167.5	131	179.5	158	214.6	177	236.9	82	109.7
Island	65	78.4	86	103.9	68	81.1	42	49.1	34	39.8
Jefferson	33	106.1	31	98.9	34	107.6	34	105.6	26	80.8
King	1,931	91.7	2,383	110.6	1,587	72.5	1,280	56.6	861	38.1
Kitsap	244	92.9	292	110.5	210	78.6	143	52.5	115	42.2
Kittitas	15	34.3	19	42.5	36	78.9	21	43.6	29	60.2
Klickitat	22	103.4	38	175.4	20	91.0	20	87.8	15	65.9
Lewis	114	148.3	114	147.2	144	183.7	106	132.1	59	73.5
Lincoln	7	65.8	6	56.1	12	111.0	7	63.3	4	*
Mason	106	170.1	87	137.7	306	478.0	94	143.2	60	91.4
Okanogan	19	45.5	13	30.9	52	122.4	36	83.5	33	76.5
Pacific	36	170	47	221.2	56	261.4	42	192.3	38	174.0
Pend Oreille	24	180.6	16	119.7	25	184.6	11	79.4	10	72.2
Pierce	1,002	118.7	1,187	138.1	838	96.1	691	76.7	421	46.7
San Juan	10	61.3	10	60.6	9	53.5	15	86.5	2	*
Skagit	115	94.1	128	103.1	178	140.7	115	88.2	75	57.5
Skamania	1	*	0	*	17	143.0	11	90.0	11	90.0
Snohomish	912	118	1,239	157.0	842	104.6	741	89.2	391	47.1
Spokane	739	150	812	162.5	860	169.3	758	145.0	452	86.5
Stevens	42	95.2	113	253.9	59	131.0	62	135.0	37	80.6
Thurston	293	107.4	291	105.1	270	95.8	243	83.5	141	48.5
Wahkiakum	0	*	2	*	4	*	5	118.8	5	118.8
Walla Walla	26	42.8	40	65.1	93	150.5	62	99.1	29	46.3
Whatcom	296	139.3	199	92	224	101.7	165	72.4	123	53.9
Whitman	4	*	8	16.4	24	48.8	17	33.7	16	31.7
Yakima	180	71.7	235	92.9	268	105.3	205	79.4	111	43.0
Unspecified [‡]	609	-	25	-	101	-	418	-	332	-
State Totals	8,118	113	8,839	120.9	8,085	108.9	6,728	89.2	4,471	58.4

*All incidence rates are cases per 100,000 population. County incidence rates not calculated for <5 cases.

†Includes cases diagnosed in correctional and other state facilities.

Note: Cases of chronic hepatitis C are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the CDC case definition. The most recent case definition update occurred in 2020.

Changes were made to the way data were compiled in 2016.

Hepatitis C, Perinatal

Year	Cases
2018	4
2019	3
2020	5

Note: Cases of perinatal hepatitis C are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of Confirmed as determined by the CDC case definition.

Herpes Simplex

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate
Adams	3	+	3	+	5	+	1	+	2	+
Asotin	4	+	5	+	0	0	2	+	0	0
Benton	70	36.8	64	33.1	69	35.0	58	28.7	77	37.4
Chelan	9	+	15	+	9	+	8	+	2	+
Clallam	14	+	20	26.9	21	28.0	10	+	8	+
Clark	231	50.1	305	64.8	281	58.6	278	56.9	136	27.2
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	55	52.5	50	47.2	28	26.1	13	+	15	+
Douglas	1	+	6	+	2	+	3	+	1	+
Ferry	1	+	1	+	1	+	3	+	0	0
Franklin	40	45.1	27	29.9	31	33.5	27	28.5	34	35.1
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	30	31.7	21	22.0	25	25.7	27	27.3	13	+
Grays Harbor	14	+	3	+	7	+	18	24.3	14	+
Island	14	+	9	+	26	31.0	19	22.4	18	21.1
Jefferson	3	+	4	+	2	+	2	+	0	0
King	739	35.1	356	16.5	15	+	17	0.8	9	+
Kitsap	67	25.5	108	40.9	75	28.1	86	31.8	84	30.9
Kittitas	21	48.0	14	+	9	+	16	+	8	+
Klickitat	5	+	1	+	2	+	1	+	1	+
Lewis	20	26.0	9	+	10	+	1	+	7	+
Lincoln	4	+	0	0	0	0	0	0	1	+
Mason	11	+	20	31.7	12	+	8	+	8	+
Okanogan	14	+	1	+	3	+	13	+	14	+
Pacific	6	+	0	0	5	+	0	0	3	+
Pend Oreille	3	+	10	+	3	+	3	+	2	+
Pierce	474	56.1	409	47.6	482	55.3	561	63.2	445	49.4
San Juan	2	+	0	0	1	+	2	+	0	0
Skagit	41	33.5	57	45.9	42	33.2	50	38.7	34	26.1
Skamania	1	+	2	+	0	0	2	+	0	0
Snohomish	203	26.3	127	16.1	92	11.4	137	16.7	174	21.0
Spokane	206	41.8	163	32.6	148	29.1	138	26.8	64	12.3
Stevens	2	+	11	+	7	+	4	+	11	+
Thurston	99	36.3	72	26.0	77	27.3	90	31.5	84	28.9
Wahkiakum	0	0	0	0	1	+	0	0	0	0
Walla Walla	25	41.2	25	40.7	7	+	19	30.5	7	+
Whatcom	45	21.2	53	24.5	61	27.7	58	25.7	63	27.6
Whitman	8	+	11	+	7	+	8	+	7	+
Yakima	63	25.1	76	30.0	46	18.1	57	22.3	29	11.2
State Totals⁺	2,548	35.5	2,058	28.2	1,612	21.7	1,740	23.1	1,375	18.0

Statewide by Year

Year	Cases	Rate*	Deaths
2003	2,073	33.8	0
2004	2,153	34.7	0
2005	2,331	37.0	0
2006	2,446	38.1	0
2007	1,952	29.9	0
2008	2,009	30.4	0
2009	1,875	28.1	0
2010	2,028	30.2	0
2011	2,149	31.8	0
2012	2,197	32.2	0
2013	2,207	32.1	0
2014	2,082	29.9	0
2015	2,524	36.0	0
2016	2,548	35.5	0
2017	2,058	28.2	0
2018	1,612	21.7	0
2019	1,740	23.1	0
2020	1,375	18.0	0

Note: Data prior to 2009 are based on year reported rather than year diagnosed.

*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 6/1/2021

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX - December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.

Human Immunodeficiency Virus (HIV)[‡]

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	-	0	-	0	-	1	-	2	-
Asotin	0	-	0	-	0	-	0	-	0	-
Benton	7	3.7	2	-	0	-	13	6.4	7	3.4
Chelan	6	7.9	1	-	3	-	2	-	1	-
Clallam	2	-	2	-	5	6.7	2	-	1	-
Clark	18	3.9	24	5.1	21	4.4	28	5.7	23	4.6
Columbia	0	-	1	-	0	-	0	-	0	-
Cowlitz	2	-	4	-	1	-	3	-	1	-
Douglas	0	-	1	-	1	-	2	-	2	-
Ferry	0	-	0	-	0	-	0	-	0	-
Franklin	3	-	1	-	5	5.4	6	6.3	4	-
Garfield	0	-	0	-	0	-	0	-	0	-
Grant	0	-	0	-	4	-	2	-	2	-
Grays Harbor	1	-	4	-	0	-	2	-	1	-
Island	2	-	3	-	2	-	5	5.9	3	-
Jefferson	2	-	0	-	1	-	0	-	0	-
King	181	8.6	177	8.2	227	10.4	191	8.6	169	7.5
Kitsap	7	2.7	9	3.4	9	3.4	9	3.3	4	-
Kittitas	1	-	0	-	1	-	2	-	1	-
Klickitat	0	-	1	-	0	-	0	-	1	-
Lewis	0	-	0	-	1	-	2	-	1	-
Lincoln	1	-	1	-	0	-	0	-	0	-
Mason	3	-	4	-	5	7.8	5	7.7	4	-
Okanogan	1	-	0	-	0	-	1	-	0	-
Pacific	0	-	0	-	1	-	0	-	0	-
Pend Oreille	0	-	0	-	0	-	1	-	1	-
Pierce	42	5.0	41	4.8	49	5.6	53	6.0	51	5.7
San Juan	0	-	0	-	0	-	0	-	2	-
Skagit	7	5.7	4	-	3	-	3	-	3	-
Skamania	0	-	0	-	0	-	0	-	0	-
Snohomish	36	4.7	27	3.4	20	2.5	29	3.5	23	2.8
Spokane	26	5.3	22	4.4	17	3.3	26	5.0	33	6.3
Stevens	1	-	0	0.0	0	-	0	-	1	-
Thurston	8	2.9	10	3.6	8	2.8	6	2.1	8	2.7
Wahkiakum	0	-	0	-	0	-	0	-	0	-
Walla Walla	1	-	2	-	1	-	0	-	1	-
Whatcom	2	-	8	3.7	3	-	5	2.2	3	-
Whitman	0	-	0	-	3	-	0	-	1	-
Yakima	10	4.0	26	10.3	10	3.9	9	3.5	5	1.9
State Totals	370	5.2	375	5.1	401	5.4	408	5.4	359	4.7

Statewide by Year⁺

Year	PLWH ^a	Rate*	Deaths**
2004	8,385	135.1	168
2005	8,822	140.1	207
2006	9,318	145.1	171
2007	9,824	150.6	174
2008	10,261	155.3	166
2009	10,651	159.6	176
2010	11,020	163.9	156
2011	11,138	164.6	160
2012	11,303	165.8	141
2013	11,637	169.1	154
2014	11,941	171.4	162
2015	12,382	175.3	139
2016	12,767	177.7	164
2017	13,267	181.5	164
2018	13,652	183.8	204
2019	13,862	183.7	172
2020	14,061	183.7	N/A

⁺People Living with HIV Disease and related deaths.

^aPeople Living With HIV. Includes resident cases of HIV disease reported to the health department and presumed living in Washington at a specific point in time, regardless of where each case was diagnosed.

**Includes deaths by any cause.

##Cases are presented by year of initial HIV diagnosis, regardless of diagnostic status (HIV or AIDS), and by county of residence at time of diagnosis.

Data reflects cases reported through 6/30/2020.

*All rates are cases per 100,000 population. New HIV case rates not calculated for fewer than 5 cases.

Note: Cases of HIV are included in this table if they are a resident of Washington at the time of initial diagnosis/report, are a reportable case in the relevant calendar year (January 1, XXXX – December 31, XXXX), and are given a valid DOH case classification of HIV and/or AIDS as determined by the CDC case definitions.

Legionellosis

Year	Cases	Rate*	Deaths
1985	7	0.2	2
1986	15	0.3	8
1987	24	0.5	3
1988	29	0.6	4
1989	30	0.6	5
1990	18	0.4	4
1991	15	0.3	5
1992	15	0.3	5
1993	12	0.2	2
1994	13	0.2	2
1995	22	0.4	6
1996	7	0.1	2
1997	11	0.2	0
1998	15	0.3	2
1999	21	0.4	4
2000	19	0.3	1
2001	10	0.2	1
2002	8	0.1	3
2003	14	0.2	1
2004	15	0.2	4
2005	18	0.3	1
2006	20	0.3	1
2007	24	0.4	2
2008	19	0.3	1
2009	29	0.4	2
2010	35	0.5	4
2011	43	0.6	4
2012	30	0.4	5
2013	52	0.8	5
2014	63	0.9	8
2015	58	0.8	2
2016	72	1.0	10
2017	56	0.8	6
2018	54	0.7	7
2019	76	1.0	6
2020	68	0.9	4

*All rates are cases per 100,000 population.

Leptospirosis

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	2	0	0
1997	2	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	4	0	0
2002	0	0	0
2003	1	0	0
2004	0	0	0
2005	4	0	0
2006	1	0	0
2007	5	0	0
2008	1	0	0
2009	0	0	0
2010	1	0	0
2011	0	0	0
2012	2	0	0
2013	0	0	0
2014	0	0	0
2015	2	0	0
2016	2	0	0
2017	0	0	0
2018	3	0	0
2019	4	0	0
2020	2	0	0

*All rates are cases per 100,000 population.

Listeriosis

Year	Cases	Rate*	Deaths
1985	21	0.5	1
1986	37	0.8	5
1987	36	0.8	6
1988	38	0.8	4
1989	21	0.4	2
1990	22	0.5	3
1991	18	0.4	6
1992	13	0.3	0
1993	21	0.4	2
1994	13	0.2	3
1995	24	0.4	1
1996	11	0.2	3
1997	17	0.3	1
1998	12	0.2	3
1999	19	0.3	5
2000	12	0.2	2
2001	15	0.3	1
2002	11	0.2	0
2003	13	0.2	3
2004	13	0.2	3
2005	14	0.2	3
2006	18	0.3	3
2007	25	0.4	2
2008	29	0.4	3
2009	24	0.4	4
2010	24	0.4	1
2011	19	0.3	2
2012	26	0.4	5
2013	21	0.3	1
2014	24	0.3	5
2015	21	0.3	3
2016	14	0.2	2
2017	17	0.2	3
2018	15	0.2	2
2019	18	0.2	5
2020	14	0.2	2

*All rates are cases per 100,000 population.

Lyme Disease

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	10	0.2	0
1988	12	0.3	0
1989	37	0.8	0
1990	33	0.7	0
1991	7	0.1	0
1992	14	0.3	0
1993	9	0.2	0
1994	4	0.1	0
1995	10	0.2	0
1996	18	0.3	0
1997	10	0.2	0
1998	7	0.1	0
1999	14	0.2	0
2000	9	0.2	0
2001	9	0.2	0
2002	12	0.2	0
2003	7	0.1	0
2004	14	0.2	0
2005	13	0.2	0
2006	8	0.1	0
2007	12	0.2	0
2008	23	0.3	0
2009	16	0.2	0
2010	16	0.2	0
2011	19	0.3	0
2012	15	0.2	0
2013	21	0.3	0
2014	15	0.2	0
2015	24	0.3	0
2016	31	0.4	0
2017	39	0.5	0
2018	20	0.3	0
2019	43	0.6	0
2020	20	0.3	0

*All rates are cases per 100,000 population.

Malaria

Year	Cases	Rate*	Deaths
1981	30	0.7	0
1982	24	0.6	0
1983	15	0.3	0
1984	20	0.5	0
1985	34	0.8	0
1986	35	0.8	0
1987	28	0.6	0
1988	24	0.5	0
1989	44	0.9	0
1990	33	0.7	0
1991	29	0.6	0
1992	21	0.4	0
1993	41	0.8	0
1994	45	0.8	0
1995	23	0.4	0
1996	41	0.7	0
1997	49	0.9	0
1998	30	0.5	0
1999	43	0.7	0
2000	43	0.7	0
2001	19	0.3	0
2002	26	0.4	0
2003	34	0.6	0
2004	24	0.4	0
2005	24	0.4	0
2006	43	0.7	1
2007	30	0.5	0
2008	32	0.5	0
2009	26	0.4	1
2010	39	0.6	0
2011	24	0.4	0
2012	26	0.4	0
2013	30	0.4	0
2014	41	0.6	0
2015	23	0.3	0
2016	46	0.6	0
2017	34	0.5	0
2018	40	0.5	0
2019	31	0.4	0
2020	15	0.2	0

*All rates are cases per 100,000 population.

Measles

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0	0	0	0
Chelan	0	0	0	0	0	0	0	0	0	0
Clallam	0	0	0	0	0	0	0	0	0	0
Clark	0	0	0	0	1	+	71	14.5	0	0
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	0	0	0	0	0	0	0	0	0
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0	0	0	0
Grays Harbor	0	0	0	0	0	0	0	0	0	0
Island	0	0	0	0	0	0	0	0	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0
King	0	0	2	+	1	+	16	0.7	1	+
Kitsap	0	0	0	0	0	0	0	0	0	0
Kittitas	0	0	0	0	0	0	0	0	0	0
Klickitat	0	0	0	0	0	0	0	0	0	0
Lewis	0	0	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	0	0	0	0	0	0	0	0
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	0	0	0	0	0	0	2	+	0	0
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	0	0	0	0	0	0	0	0	0	0
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	0	0	0	0	6	0.7	1	+	0	0
Spokane	0	0	0	0	0	0	0	0	0	0
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	0	0	0	0	0	0	0	0	0	0
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	0	0	0	0	0	0
Whatcom	0	0	0	0	0	0	0	0	0	0
Whitman	0	0	1	+	0	0	0	0	0	0
Yakima	0	0	0	0	0	0	0	0	0	0
State Totals	0	0	3	0	8	0.1	90	1.2	1	0

Statewide by Year

Year	Cases	Rate*	Deaths
1980	178	4.3	0
1981	3	0.1	0
1982	42	1.0	0
1983	43	1.0	0
1984	178	4.1	0
1985	178	4.0	0
1986	176	3.9	0
1987	47	1.0	0
1988	7	0.2	0
1989	56	1.2	0
1990	357	7.3	2
1991	67	1.3	0
1992	11	0.2	0
1993	0	0.0	0
1994	5	0.1	0
1995	17	0.3	0
1996	38	0.7	0
1997	2	0.0	0
1998	1	0.0	0
1999	5	0.1	0
2000	3	0.1	0
2001	15	0.3	0
2002	1	0.0	0
2003	0	0.0	0
2004	7	0.1	0
2005	1	0.0	0
2006	1	0.0	0
2007	3	0.0	0
2008	19	0.3	0
2009	1	0.0	0
2010	1	0.0	0
2011	4	0.1	0
2012	0	0.0	0
2013	4	0.1	0
2014	33	0.5	0
2015	10	0.1	1
2016	0	0.0	0
2017	3	0.0	0
2018	8	0.1	0
2019	90	1.2	0
2020	1	0.0	0

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Meningococcal Disease

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	0	0	0	0	0	0
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0	0	0	0
Chelan	0	0	0	0	0	0	0	0	0	0
Clallam	0	0	0	0	0	0	0	0	0	0
Clark	0	0	1	+	1	+	0	0	0	0
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	0	0	0	2	+	0	0	0	0
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	1	+	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	1	+	1	+	0	0	0	0
Grays Harbor	0	0	0	0	0	0	0	0	0	0
Island	0	0	0	0	0	0	1	+	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0
King	3	+	2	+	5	0.2	4	+	4	+
Kitsap	0	0	1	+	0	0	0	0	0	0
Kittitas	0	0	0	0	0	0	0	0	0	0
Klickitat	0	0	0	0	0	0	0	0	0	0
Lewis	0	0	0	0	1	+	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0	0	0
Mason	0	0	0	0	0	0	0	0	0	0
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	1	+
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	8	0.9	2	+	7	0.8	4	+	0	0
San Juan	0	0	0	0	0	0	0	0	0	0
Skagit	0	0	0	0	0	0	0	0	0	0
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	1	+	1	+	0	0	1	+	0	0
Spokane	0	0	1	+	2	+	2	+	0	0
Stevens	0	0	0	0	0	0	0	0	0	0
Thurston	1	+	1	+	1	+	0	0	1	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	0	0	0	0	0	0	0	0
Whatcom	0	0	1	+	0	0	1	+	1	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	0	0	0	0	0	0	0	0	0	0
State Totals	13	0.2	11	0.2	20	0.3	14	0.2	7	0.1

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Mumps

Year	Cases	Rate*	Deaths
1980	166	4.0	0
1981	165	3.9	0
1982	102	2.4	0
1983	55	1.3	0
1984	56	1.3	0
1985	42	1.0	0
1986	30	0.7	0
1987	70	1.5	0
1988	44	1.0	0
1989	59	1.2	0
1990	66	1.4	0
1991	178	3.5	0
1992	18	0.4	0
1993	14	0.3	0
1994	23	0.4	0
1995	16	0.3	0
1996	26	0.5	0
1997	21	0.4	0
1998	11	0.2	0
1999	2	0	0
2000	10	0.2	0
2001	2	0	0
2002	0	0	0
2003	11	0.2	0
2004	2	0	0
2005	3	0	0
2006	42	0.7	0
2007	53	0.8	0
2008	14	0.2	0
2009	6	0.1	0
2010	7	0.1	0
2011	2	0	0
2012	2	0	0
2013	2	0	0
2014	9	0.1	0
2015	7	0.1	0
2016	152	2.1	0
2017	779	10.7	0
2018	58	0.8	0
2019	55	0.7	0
2020	4	0.1	0

*All rates are cases per 100,000 population.

Pertussis

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases ^A	2018 Rate* ^A	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	1	+	1	+	0	0	0	0	0	0
Asotin	1	+	0	0	0	0	0	0	0	0
Benton	7	3.7	5	2.6	7	3.5	2	+	0	0
Chelan	1	+	3	+	10	12.9	3	+	0	0
Clallam	12	16.3	0	0	0	0	5	6.6	1	+
Clark	64	13.9	101	21.4	106	22.1	123	25.2	16	3.2
Columbia	0	0	0	0	0	0	0	0	0	0
Cowlitz	21	20.0	12	11.3	63	58.7	36	33	3	+
Douglas	0	0	1	+	3	+	1	+	1	+
Ferry	0	0	0	0	0	0	7	89.4	0	0
Franklin	1	+	3	+	5	5.4	1	+	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	4	+	64	66.9	13	13.4	2	+	0	0
Grays Harbor	10	13.7	1	+	4	+	1	+	3	+
Island	4	+	2	+	2	+	5	5.9	6	7.0
Jefferson	13	41.8	2	+	0	0	0	0	0	0
King	121	5.7	121	5.6	103	4.7	54	2.4	29	1.3
Kitsap	14	5.3	10	3.8	6	2.2	6	2.2	5	1.8
Kittitas	8	18.3	5	11.2	16	35.1	0	0	0	0
Klickitat	0	0	0	0	0	0	0	0	1	+
Lewis	2	+	5	6.5	7	8.9	16	20.1	13	16.2
Lincoln	0	0	0	0	5	46.3	1	+	0	0
Mason	2	+	5	7.9	0	0	2	+	1	+
Okanogan	0	0	0	0	18	42.4	4	+	2	+
Pacific	0	0	0	0	0	0	0	0	1	+
Pend Oreille	0	0	0	0	1	+	2	+	1	+
Pierce	87	10.3	119	13.8	59	6.8	66	7.4	18	2.0
San Juan	2	+	1	+	0	0	0	0	0	0
Skagit	11	9	17	13.7	7	5.5	2	+	2	+
Skamania	0	0	0	0	1	+	0	0	0	0
Snohomish	81	10.5	47	6	43	5.3	19	2.3	10	1.2
Spokane	67	13.6	34	6.8	62	12.2	178	34.5	90	17.2
Stevens	3	+	0	0	0	0	9	19.7	1	+
Thurston	24	8.8	19	6.9	24	8.5	11	3.8	11	3.8
Wahkiakum	0	0	0	0	0	0	1	+	0	0
Walla Walla	0	0	1	+	2	+	4	+	0	0
Whatcom	52	24.5	95	43.9	53	24.1	33	14.6	25	11.0
Whitman	1	+	0	0	0	0	0	0	0	0
Yakima	4	+	66	26.1	11	4.3	4	1.6	3	1.2
State Totals	618	8.6	740	10.1	631	8.5	598	7.9	243	3.2

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

^APreviously reported as 847 cases. Has now been amended to include four cases that are not included in the CDC's 2018 count for WA state. Additionally, the previous case count erroneously included 220 suspected cases, which have now been removed. The final corrected 2018 pertussis case count for WA is 631.

Statewide by Year

Year	Cases	Rate*	Deaths
1980	77	1.9	0
1981	58	1.4	1
1982	36	0.8	1
1983	20	0.5	0
1984	326	7.5	1
1985	92	2.1	0
1986	163	3.7	2
1987	110	2.4	0
1988	130	2.8	1
1989	201	4.3	0
1990	227	4.7	0
1991	149	3.0	0
1992	241	4.7	0
1993	96	1.8	0
1994	140	2.6	0
1995	491	9.0	0
1996	830	14.9	1
1997	481	8.5	0
1998	406	7.1	1
1999	739	12.7	0
2000	458	7.8	1
2001	184	3.1	0
2002	575	9.5	0
2003	844	13.8	0
2004	842	13.6	0
2005	1,026	16.3	0
2006	377	5.9	1
2007	482	7.4	0
2008	460	7.0	1
2009	291	4.4	0
2010	607	9.0	2
2011	962	14.2	2
2012	4,916	72.1	0
2013	748	10.9	0
2014	600	8.6	0
2015	1,383	19.6	0
2016	618	8.6	0
2017	740	10.1	0
2018	631 ^A	8.5	0
2019	598	7.9	0
2020	243	3.2	0

Plague

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Poliomyelitis

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	1 [‡]	0	0
1988	1 [‡]	0	0
1989	0	0	0
1990	0	0	0
1991	1 [‡]	0	0
1992	1 [‡]	0	0
1993	1 [‡]	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

[‡]Vaccine-associated cases.

Prion Disease, Human

Year	sCJD	Familial CJD	Iatrogenic CJD	VPSPr	GSS Syndrome	Total (Definate or Probable)
2008	17	0	0	0	0	17
2009	7	2	0	0	0	9
2010	7	1	0	0	0	8
2011	9	0	0	0	0	9
2012	14	1	0	1	0	16
2013	13	0	1	0	1	15
2014	11	1	0	0	0	12
2015	11	1	0	0	0	12
2016	17	1	0	0	0	18
2017	10	0	0	0	0	10
2018	15	0	0	0	0	15
2019	10	0	0	0	0	10
2020	19	0	0	0	0	19

sCJD: Spontaneous CJD

GSS: Gerstmann-Straussler-Scheinker disease

VPSPr: Variably protease-sensitive prionopathy

Note: RT-QuIC testing became standard in 2015 and integrated in the case definition in 2018.

Psittacosis

Year	Cases	Rate*	Deaths
1985	3	0.1	1
1986	7	0.2	0
1987	12	0.3	0
1988	8	0.2	0
1989	4	0.1	1
1990	5	0.1	0
1991	6	0.1	0
1992	13	0.3	0
1993	4	0.1	0
1994	4	0.1	0
1995	7	0.1	0
1996	4	0.1	0
1997	0	0	0
1998	3	0.1	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Q Fever

Year	Cases	Rate*	Deaths
1986	2	0	0
1987	1	0	1
1988	1	0	0
1989	0	0	0
1990	2	0	0
1991	0	0	0
1992	1	0	0
1993	0	0	0
1994	0	0	0
1995	1	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	1	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	2	0	0
2006	0	0	0
2007	1	0	0
2008	0	0	0
2009	1	0	0
2010	3	0	1
2011	8	0.1	0
2012	3	0	2
2013	3	0	0
2014	1	0	0
2015	3	0	0
2016	7	0.1	0
2017	2	0	0
2018	3	0	0
2019	3	0	0
2020	1	0	0

*All rates are cases per 100,000 population.

Rabies (Human)

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	1	0	1
1996	0	0	0
1997	1	0	1
1998	0	0	0
1999	0	0	0
2000	0	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Rare Sexually Transmitted Infections

Year	Total	Chancroid	Granuloma inguinale	Lymphogranuloma venereum
1986	1	1	0	0
1987	7	1	1	5
1988	1	0	0	1
1989	13	6	0	7
1990	3	1	1	1
1991	7	3	2	2
1992	4	2	0	2
1993	4	0	0	4
1994	4	1	0	3
1995	6	5	0	1
1996	2	1	0	1
1997	2	2	0	0
1998	1	1	0	0
1999	0	0	0	0
2000	1	0	0	1
2001	0	0	0	0
2002	1	1	0	0
2003	1	0	0	1
2004	0	0	0	0
2005	3	0	0	3
2006	0	0	0	0
2007	1	0	0	1
2008	5	1	0	4
2009	2	0	0	2
2010	3	1	0	2
2011	1	0	0	1
2012	0	0	0	0
2013	0	0	0	0
2014	0	0	0	0
2015	1	0	0	1
2016	1	0	0	1
2017	1	0	0	1
2018	2	1	0	1
2019	2	0	0	2
2020	0	0	0	0

Data source: PHIMS-STD 6/1/2021

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX - December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition. Data prior to 2009 are based on year reported rather than year diagnosed.

Relapsing Fever

Year	Cases	Rate*	Deaths
1986	2	0	0
1987	7	0.2	1
1988	5	0.1	0
1989	5	0.1	0
1990	4	0.1	0
1991	6	0.1	0
1992	6	0.1	0
1993	2	0	0
1994	9	0.2	0
1995	12	0.2	0
1996	8	0.1	0
1997	4	0.1	0
1998	5	0.1	0
1999	3	0.1	0
2000	5	0.1	1
2001	1	0	0
2002	7	0.1	0
2003	6	0.1	0
2004	6	0.1	0
2005	6	0.1	0
2006	2	0	0
2007	9	0.1	0
2008	4	0.1	0
2009	5	0.1	0
2010	7	0.1	0
2011	11	0.2	0
2012	6	0.1	0
2013	4	0.1	0
2014	7	0.1	0
2015	3	0.1	0
2016	1	0.1	0
2017	3	0	0
2018	9	0.1	0
2019	4	0.1	0
2020	2	0	0

*All rates are cases per 100,000 population.

Rubella

Year	Cases	Rate*	Deaths
1981	108	2.6	0
1982	58	1.4	0
1983	10	0.2	0
1984	2	0	0
1985	16	0.4	0
1986	15	0.3	0
1987	2	0	0
1988	0	0	0
1989	2	0	0
1990	6	0.1	0
1991	8	0.2	0
1992	8	0.2	0
1993	3	0.1	0
1994	0	0	0
1995	2	0	0
1996	15	0.3	0
1997	5	0.1	0
1998	5	0.1	0
1999	5	0.1	0
2000	8	0.1	0
2001	0	0	0
2002	2	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	1	0	0
2011	2	0	0
2012	0	0	0
2013	1	0	0
2014	0	0	0
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Salmonellosis

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	1	+	2	+	2	+	1	+	0	0
Asotin	1	+	1	+	1	+	1	+	1	+
Benton	25	13.1	24	12.4	15	7.6	15	7.4	18	8.8
Chelan	4	+	3	+	9	11.6	6	7.7	14	17.6
Clallam	7	9.5	3	+	9	12	8	10.5	8	10.4
Clark	77	16.7	66	14	64	13.3	52	10.6	44	8.8
Columbia	0	0	1	+	0	0	0	0	1	+
Cowlitz	14	13.4	10	9.4	17	15.8	12	11	7	6.3
Douglas	3	+	2	+	1	+	1	+	4	+
Ferry	1	+	0	0	0	0	0	0	0	0
Franklin	11	12.4	5	5.5	6	6.5	7	7.4	7	7.2
Garfield	0	0	0	0	1	+	0	0	1	+
Grant	3	+	13	13.6	9	9.2	12	12.2	8	8.0
Grays Harbor	4	+	8	11	6	8.2	6	8.1	2	+
Island	3	+	7	8.5	6	7.2	9	10.6	11	12.9
Jefferson	5	16.1	2	+	2	+	3	+	9	28.0
King	234	11.1	242	11.2	310	14.2	248	11.1	172	7.6
Kitsap	23	8.8	21	8	19	7.1	18	6.7	33	12.1
Kittitas	5	11.4	9	20.1	1	+	1	+	8	16.6
Klickitat	3	+	3	+	2	+	2	+	1	+
Lewis	6	7.8	11	14.2	5	6.4	7	8.8	10	12.5
Lincoln	1	+	1	+	0	0	1	+	5	45.2
Mason	7	11.2	4	+	2	+	8	12.3	14	21.3
Okanogan	4	+	4	+	2	+	7	16.4	6	13.9
Pacific	3	+	2	+	0	0	3	+	2	+
Pend Oreille	0	0	0	0	0	0	0	0	1	+
Pierce	101	12	116	13.5	76	8.7	73	8.2	68	7.5
San Juan	1	+	0	0	2	+	1	+	4	+
Skagit	6	4.9	14	11.3	17	13.4	11	8.5	19	14.6
Skamania	0	0	0	0	2	+	1	+	0	0
Snohomish	78	10.1	80	10.1	94	11.7	80	9.8	79	9.5
Spokane	40	8.1	46	9.2	38	7.5	34	6.6	37	7.1
Stevens	4	+	6	13.5	2	+	5	11	4	+
Thurston	19	7.0	27	9.8	27	9.6	30	10.5	39	13.4
Wahkiakum	0	0	0	0	0	0	0	0	1	+
Walla Walla	7	11.5	6	9.8	5	8.1	13	20.9	15	24.0
Whatcom	23	10.8	18	8.3	27	12.3	22	9.8	27	11.8
Whitman	0	0	0	0	1	+	2	+	0	0
Yakima	30	12	53	20.9	48	18.9	34	13.3	23	8.9
State Totals	754	10.5	810	11.1	828	11.1	725	9.6	703	9.2

Statewide by Year

Year	Cases	Rate*	Deaths
1980	462	11.2	0
1981	574	13.6	5
1982	749	17.5	0
1983	739	17.2	0
1984	515	11.8	0
1985	565	12.8	0
1986	783	17.5	2
1987	660	14.6	1
1988	612	13.3	0
1989	630	13.3	2
1990	634	13.0	6
1991	791	15.8	1
1992	609	11.8	1
1993	830	15.8	0
1994	863	16.1	0
1995	691	12.6	0
1996	734	13.2	0
1997	675	11.9	0
1998	703	12.2	2
1999	792	13.6	2
2000	659	11.2	1
2001	681	11.4	2
2002	655	10.8	0
2003	699	11.4	1
2004	660	10.6	2
2005	626	9.9	0
2006	627	9.8	3
2007	758	11.6	2
2008	846	12.8	3
2009	820	12.3	2
2010	780	11.6	3
2011	589	8.7	2
2012	842	12.4	0
2013	671	9.7	1
2014	741	10.6	2
2015	1,034	14.6	1
2016	754	10.5	2
2017	810	11.1	4
2018	828	11.1	3
2019	725	9.6	0
2020	703	9.2	5

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Shellfish Poisoning: Paralytic, Domoic Acid, Diarrhetic

Year	Cases	Rate*	Deaths
1985	3	0.1	0
1986	0	0	0
1987	0	0	0
1988	7	0.2	0
1989	0	0	0
1990	0	0	0
1991	0	0	0
1992	0	0	0
1993	0	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	5	0.1	0
1999	0	0	0
2000	7	0.1	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	1	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	9	0.1	0
2013	0	0	0
2014	0	0	0
2015	1	0	0
2016	0	0	0
2017	0	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Shiga Toxin-Producing *Escherichia coli* (STEC)

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	1	+	0	0	1	+
Asotin	0	0	1	+	0	0	1	+	0	0
Benton	12	6.3	11	5.7	10	5.1	15	7.4	5	2.4
Chelan	1	+	2	+	4	+	0	0	2	+
Clallam	0	0	4	+	2	+	2	+	2	+
Clark	25	5.4	38	8.1	27	5.6	25	5.1	25	5.0
Columbia	0	0	0	0	0	0	2	+	0	0
Cowlitz	3	+	6	5.7	5	4.7	3	+	2	+
Douglas	0	0	0	0	2	+	1	+	0	0
Ferry	0	0	0	0	1	+	0	0	0	0
Franklin	4	+	0	0	6	6.5	4	+	4	+
Garfield	1	+	0	0	1	+	0	0	0	0
Grant	3	+	7	7.3	5	5.1	6	6.1	3	+
Grays Harbor	1	+	1	+	2	+	1	+	3	+
Island	0	0	2	+	4	+	6	7.1	2	+
Jefferson	0	0	3	+	5	15.8	1	+	4	+
King	121	5.7	129	6	198	9.0	197	8.8	101	4.5
Kitsap	5	1.9	6	2.3	11	4.1	5	1.9	7	2.6
Kittitas	4	+	9	20.1	4	+	5	10.7	6	12.5
Klickitat	0	0	2	+	1	+	2	+	0	0
Lewis	7	9.1	3	+	6	7.7	4	+	7	8.7
Lincoln	0	0	1	+	0	0	0	0	1	+
Mason	3	+	2	+	2	+	2	+	0	0
Okanogan	1	+	2	+	3	+	4	+	2	+
Pacific	0	0	1	+	0	0	1	+	0	0
Pend Oreille	2	+	0	0	1	+	0	0	0	0
Pierce	33	3.9	41	4.8	45	5.2	37	4.2	18	2.0
San Juan	4	+	1	+	4	+	3	+	0	0
Skagit	10	8.2	9	7.3	18	14.2	12	9.3	8	6.1
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	26	3.4	32	4.1	49	6.1	53	6.5	39	4.7
Spokane	17	3.5	22	4.4	26	5.1	21	4.1	26	5.0
Stevens	2	+	0	0	2	+	3	+	2	+
Thurston	13	4.8	16	5.8	31	11	21	7.3	12	4.1
Wahkiakum	0	0	0	0	0	0	1	+	0	0
Walla Walla	1	+	1	+	4	+	2	+	3	+
Whatcom	17	8	24	11.1	16	7.3	10	4.4	3	+
Whitman	1	+	0	0	1	+	0	0	1	+
Yakima	23	9.2	28	11.1	43	16.9	15	5.9	19	7.4
State Totals	340	4.7	404	5.5	540	7.3	465	6.2	308	4.0

Statewide by Year

Year	Cases	Rate*	Deaths
1988	167	3.6	0
1989	157	3.3	1
1990	220	4.5	0
1991	164	3.3	0
1992	300	5.8	2
1993	741	14.1	3
1994	174	3.2	2
1995	140	2.6	1
1996	187	3.4	1
1997	149	2.6	0
1998	144	2.5	0
1999	186	3.2	0
2000	237	4.0	0
2001	150	2.5	0
2002	166	2.7	0
2003	128	2.1	0
2004	153	2.5	3
2005	149	2.4	0
2006	162	2.5	0
2007	141	2.2	0
2008	189	2.9	1
2009	206	3.1	0
2010	226	3.4	1
2011	203	3.0	1
2012	239	3.5	0
2013	330	4.8	3
2014	229	4.3	2
2015	419	5.9	1
2016	340	4.7	0
2017	404	5.5	1
2018	540	7.3	2
2019	465	6.2	2
2020	308	4.0	2

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Shigellosis

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*	
	Year	Cases	Rate*	Deaths							
Adams	19	97.4	4	+	3	+	2	+	0	0	
Asotin	0	0	1	+	0	0	0	0	0	0	
Benton	1	+	5	2.6	6	3	10	5	4	+	
Chelan	2	+	2	+	3	+	1	+	2	+	
Clallam	1	+	2	+	2	+	6	7.9	3	+	
Clark	11	2.4	14	3	13	2.7	12	2.5	11	2.2	
Columbia	0	0	0	0	0	0	0	0	0	0	
Cowlitz	2	+	0	0	2	+	0	0	4	+	
Douglas	0	0	1	+	1	+	0	0	0	0	
Ferry	0	0	0	0	0	0	0	0	0	0	
Franklin	3	+	0	0	2	+	2	+	0	0	
Garfield	0	0	0	0	0	0	0	0	0	0	
Grant	1	+	1	+	3	+	2	+	0	0	
Grays Harbor	0	0	6	8.2	3	+	0	0	0	0	
Island	0	0	1	+	1	+	1	+	0	0	
Jefferson	0	0	1	+	2	+	1	+	0	0	
King	82	3.9	160	7.4	268	12.2	178	8	131	5.8	
Kitsap	1	+	5	1.9	7	2.6	6	2.2	1	+	
Kittitas	0	0	0	0	1	+	1	+	0	0	
Klickitat	0	0	0	0	0	0	1	+	1	+	
Lewis	1	+	0	0	0	0	2	+	2	+	
Lincoln	0	0	0	0	0	0	0	0	0	0	
Mason	1	+	0	0	1	+	2	+	2	+	
Okanogan	0	0	2	+	0	0	1	+	0	0	
Pacific	0	0	0	0	0	0	1	+	0	0	
Pend Oreille	1	+	0	0	0	0	0	0	0	0	
Pierce	9	1.1	22	2.6	20	2.3	27	3	16	1.8	
San Juan	1	+	0	0	0	0	1	+	0	0	
Skagit	1	+	9	7.3	7	5.5	3	+	3	+	
Skamania	0	0	0	0	0	0	1	+	1	+	
Snohomish	18	2.3	19	2.4	35	4.3	21	2.6	20	2.4	
Spokane	10	2	8	1.6	7	1.4	7	1.4	3	+	
Stevens	0	0	0	0	2	+	0	0	1	+	
Thurston	3	+	3	+	9	3.2	8	2.8	15	5.2	
Wahkiakum	0	0	0	0	0	0	0	0	0	0	
Walla Walla	0	0	1	+	0	0	6	9.6	0	0	
Whatcom	6	2.8	5	2.3	2	+	3	+	2	+	
Whitman	0	0	0	0	1	+	1	+	0	0	
Yakima	17	6.8	13	5.1	18	7.1	7	2.7	3	+	
State Totals	191	2.7	285	3.9	419	5.6	314	4.2	225	2.9	

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Syphilis (Primary and Secondary)

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Case	2020 Rate
Adams	0	+	1	+	0	+	2	+	1	+
Asotin	0	+	1	+	0	+	0	+	1	+
Benton	4	+	6	+	9	+	24	11.9	31	15.1
Chelan	1	+	3	+	2	+	3	+	0	+
Clallam	2	+	5	+	2	+	2	+	1	+
Clark	21	4.6	33	7	33	6.9	37	7.6	62	12.4
Columbia	0	+	0	+	1	+	0	+	0	+
Cowlitz	3	+	21	19.8	27	25.2	20	18.4	5	+
Douglas	1	+	0	+	1	+	1	+	1	+
Ferry	0	+	0	+	0	+	0	+	0	+
Franklin	3	+	2	+	4	+	11	+	14	+
Garfield	0	+	0	+	0	+	0	+	0	+
Grant	9	+	4	+	2	+	7	+	8	+
Grays Harbor	1	+	3	+	13	+	8	+	13	+
Island	0	+	2	+	1	+	1	+	1	+
Jefferson	0	+	1	+	1	+	0	+	0	+
King	292	13.9	323	15	397	+	346	15.5	335	14.8
Kitsap	14	+	18	6.8	24	+	22	8.1	10	+
Kittitas	0	+	3	+	0	+	2	+	1	+
Klickitat	1	+	1	+	2	+	0	+	0	+
Lewis	0	+	5	+	6	+	10	+	6	+
Lincoln	0	+	0	+	0	+	0	+	0	+
Mason	6	+	5	+	10	+	8	+	8	+
Okanogan	1	+	2	+	4	+	0	+	1	+
Pacific	2	+	1	+	1	+	0	+	1	+
Pend Oreille	1	+	1	+	2	+	0	+	0	+
Pierce	58	6.9	63	7.3	66	+	92	10.4	111	12.3
San Juan	0	+	1	+	0	+	1	+	1	+
Skagit	4	+	2	+	3	+	6	+	10	+
Skamania	1	+	0	+	0	+	1	+	0	+
Snohomish	48	6.2	53	6.7	43	+	47	5.7	62	7.5
Spokane	60	12.2	78	15.6	104	+	129	25.0	80	15.3
Stevens	1	+	0	+	4	+	2	+	4	+
Thurston	6	+	8	+	18	+	26	9.1	30	10.3
Wahkiakum	1	+	1	+	0	+	0	+	0	+
Walla Walla	3	+	5	+	6	+	0	+	1	+
Whatcom	8	+	6	+	9	+	11	+	13	+
Whitman	3	+	2	+	2	+	3	+	3	+
Yakima	11	+	14	+	12	+	8	+	22	8.5
State Totals	566	7.9	674	9.2	809	10.9	830	11.0	837	10.9

Statewide by Year

Year	Cases	Rate*	Deaths
1982	172	4.0	0
1983	196	4.6	0
1984	158	3.6	2
1985	115	2.6	2
1986	194	4.3	0
1987	176	3.9	0
1988	265	5.7	0
1989	461	9.8	0
1990	354	7.3	0
1991	178	3.5	0
1992	85	1.7	0
1993	67	1.3	0
1994	36	0.7	0
1995	17	0.3	0
1996	9	0.2	0
1997	17	0.3	0
1998	44	0.8	0
1999	77	1.3	0
2000	66	1.1	0
2001	57	1.0	0
2002	70	1.2	0
2003	82	1.3	0
2004	150	2.4	0
2005	152	2.4	0
2006	182	2.8	0
2007	168	2.6	0
2008	181	2.7	0
2009	135	2.0	0
2010	261	3.9	0
2011	329	4.9	0
2012	300	4.4	0
2013	285	4.1	0
2014	337	4.8	0
2015	452	6.5	0
2016	566	7.9	0
2017	674	9.2	0
2018	809	10.9	0
2019	830	11.0	0
2020	837	10.9	0

*All incidence rates are cases per 100,000 population.

+County incidence rates based on counts ≤16 are suppressed due to statistical instability.

Data source: PHIMS-STD 6/1/2021

Note: Cases are included in this table if they are residing in Washington based on reported address at the time of diagnosis, are a reportable case in the relevant calendar year (January 1, XXXX - December 31, XXXX), and are given a valid DOH case classification of Probable or Confirmed as determined by the current CDC case definition.

Note: Data prior to 2009 are based on year reported rather than year diagnosed.

Tetanus

Year	Cases	Rate*	Deaths
1985	0	0	0
1986	0	0	0
1987	1	0	0
1988	1	0	0
1989	1	0	0
1990	1	0	0
1991	1	0	0
1992	3	0.1	0
1993	1	0	0
1994	1	0	0
1995	0	0	0
1996	1	0	0
1997	1	0	0
1998	0	0	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	1	0	0
2006	0	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	1	0	0
2013	0	0	0
2014	3	0	1
2015	0	0	0
2016	0	0	0
2017	0	0	0
2018	1	0	0
2019	2	0	0
2020	1	0	0

*All rates are cases per 100,000 population.

Trichinosis

Year	Cases	Rate*	Deaths
1986	0	0	0
1987	0	0	0
1988	0	0	0
1989	2	0	0
1990	1	0	0
1991	0	0	0
1992	1	0	0
1993	1	0	0
1994	0	0	0
1995	0	0	0
1996	0	0	0
1997	0	0	0
1998	0	0	0
1999	0	0	0
2000	1	0	0
2001	0	0	0
2002	0	0	0
2003	0	0	0
2004	0	0	0
2005	0	0	0
2006	1	0	0
2007	0	0	0
2008	0	0	0
2009	0	0	0
2010	0	0	0
2011	0	0	0
2012	0	0	0
2013	0	0	0
2014	2	0	0
2015	1	0	0
2016	0	0	0
2017	1	0	0
2018	0	0	0
2019	0	0	0
2020	0	0	0

*All rates are cases per 100,000 population.

Tuberculosis (TB)

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	1	+	0	-	1	+	0	-	1	+
Asotin	0	-	0	-	0	-	0	-	0	-
Benton	2	+	4	+	2	+	2	+	2	+
Chelan	2	+	0	-	2	+	0	-	1	+
Clallam	1	+	1	+	0	-	0	-	0	-
Clark	8	1.7	10	2.1	7	1.5	8	1.6	9	1.8
Columbia	0	-	0	-	0	-	0	-	0	-
Cowlitz	0	-	0	-	1	+	2	+	1	+
Douglas	1	+	1	+	0	-	0	-	0	-
Ferry	0	-	0	-	0	-	0	-	1	+
Franklin	3	+	1	+	3	+	2	+	0	-
Garfield	0	-	0	-	0	-	0	-	0	-
Grant	1	+	1	+	0	-	0	-	0	-
Grays Harbor	1	+	1	+	0	-	2	+	0	-
Island	0	-	0	-	2	+	0	-	0	-
Jefferson	0	-	0	-	0	-	0	-	0	-
King	102	4.8	97	4.5	94	4.3	132	5.9	90	4.0
Kitsap	1	+	5	1.9	1	+	3	+	2	+
Kittitas	0	-	0	-	1	+	0	-	0	-
Klickitat	1	+	0	-	0	-	0	-	0	-
Lewis	2	+	2	+	2	+	0	-	1	+
Lincoln	0	-	0	-	0	-	0	-	0	-
Mason	1	+	2	+	0	-	0	-	0	-
Okanogan	2	+	3	+	0	-	0	-	0	-
Pacific	0	-	0	-	1	+	0	-	0	-
Pend Oreille	0	-	0	-	0	-	0	-	0	-
Pierce	21	2.5	17	2.0	19	2.2	23	2.6	15	1.7
San Juan	0	-	0	-	0	-	0	-	0	-
Skagit	0	-	2	+	1	+	0	-	1	+
Skamania	0	-	0	-	0	-	0	-	0	-
Snohomish	30	3.9	29	3.7	21	2.6	24	2.9	21	2.5
Spokane	2	+	2	+	11	2.2	9	1.7	5	1.0
Stevens	0	-	0	-	0	-	0	-	0	-
Thurston	7	2.6	3	+	5	1.8	1	+	5	1.7
Wahkiakum	0	-	0	-	0	-	0	-	0	-
Walla Walla	0	-	0	-	0	-	1	+	0	-
Whatcom	2	+	6	2.8	5	2.3	4	+	6	2.6
Whitman	0	-	0	-	0	-	0	-	0	-
Yakima	7	2.8	7	2.8	5	2.0	5	2.0	2	+
State Totals‡	204	2.8	207	2.8	190	2.6	221	2.9	163	2.1

Statewide by Year

Year	Cases	Rate*	Deaths
1980	424	10.3	13
1981	401	9.5	15
1982	301	7.0	6
1983	239	5.5	10
1984	207	4.8	6
1985	220	5.0	5
1986	218	4.9	3
1987	255	5.6	10
1988	236	5.1	9
1989	248	5.2	4
1990	284	5.8	12
1991	309	6.2	7
1992	306	6.0	7
1993	283	5.5	7
1994	260	4.9	6
1995	277	5.1	2
1996	283	5.2	3
1997^	305	5.5	6
1998	265	4.7	5
1999	258	4.5	5
2000	258	4.4	2
2001	261	4.4	6
2002	252	4.2	4
2003	250	4.1	11
2004	245	3.9	9
2005	255	4.0	14
2006	262	4.1	18
2007	291	4.5	12
2008	228	3.5	2
2009	255	3.8	5
2010	233	3.5	8
2011	197	2.9	6
2012	185	2.7	6
2013	210	3.1	6
2014	194	2.8	4
2015	207	2.9	5
2016	204	2.8	9
2017	207	2.8	4
2018	190	2.6	10
2019	221	2.9	7
2020	163	2.1	6

*All incidence rates are cases per 100,000 population.

+Due to rate instability, rates are not reported for case counts <5.

‡Includes cases entered at the state level into the Washington Disease Reporting System (WDRS).

^Corrected

Note: TB-related deaths prior to 2009 are reported here as per year of death in the TB surveillance record. TB-related deaths 2009 and later are reported here as per year case was counted.

Tularemia

Year	Cases	Rate*	Deaths
1986	1	0	0
1987	4	0.1	0
1988	1	0	0
1989	2	0	0
1990	4	0.1	0
1991	2	0	0
1992	2	0	0
1993	2	0	0
1994	1	0	0
1995	4	0.1	0
1996	2	0	0
1997	2	0	0
1998	8	0.1	0
1999	2	0	0
2000	2	0	0
2001	5	0.1	0
2002	3	0	0
2003	2	0	0
2004	4	0.1	0
2005	10	0.2	0
2006	1	0	0
2007	1	0	0
2008	4	0.1	0
2009	5	0.1	1
2010	3	0	0
2011	5	0.1	0
2012	5	0.1	0
2013	5	0.1	0
2014	4	0.1	0
2015	4	0.1	0
2016	1	0	0
2017	6	0.1	0
2018	4	0.1	0
2019	4	0.1	0
2020	5	0.1	1

*All rates are cases per 100,000 population.

Typhoid Fever

Year	Cases	Rate*	Deaths
1985	3	0.1	0
1986	3	0.1	0
1987	9	0.2	0
1988	13	0.3	0
1989	11	0.2	0
1990	22	0.5	0
1991	10	0.2	0
1992	11	0.2	0
1993	8	0.2	0
1994	12	0.2	0
1995	4	0.1	0
1996	4	0.1	0
1997	7	0.1	0
1998	8	0.1	0
1999	8	0.1	0
2000	6	0.1	0
2001	7	0.1	0
2002	7	0.1	0
2003	4	0.1	0
2004	6	0.1	0
2005	11	0.2	0
2006	7	0.1	0
2007	7	0.1	0
2008	15	0.2	0
2009	4	0.1	0
2010	22	0.3	0
2011	9	0.1	0
2012	11	0.2	0
2013	11	0.2	0
2014	15	0.2	0
2015	10	0.1	0
2016	13	0.2	0
2017	14	0.2	0
2018	12	0.2	0
2019	26	0.3	0
2020	10	0.1	0

*All rates are cases per 100,000 population.

Vibriosis

Year	Cases	Rate*	Deaths
1985	4	0.1	0
1986	7	0.2	0
1987	18	0.4	0
1988	11	0.2	0
1989	4	0.1	0
1990	30	0.6	0
1991	4	0.1	0
1992	7	0.1	0
1993	33	0.6	0
1994	9	0.2	0
1995	6	0.1	0
1996	3	0.1	0
1997	58	1.0	0
1998	41	0.7	0
1999	21	0.4	0
2000	20	0.3	0
2001	9	0.2	0
2002	25	0.4	0
2003	18	0.3	0
2004	28	0.5	0
2005	20	0.3	0
2006	80	1.2	0
2007	25	0.4	0
2008	29	0.4	0
2009	48	0.7	0
2010	59	0.9	0
2011	45	0.7	0
2012	67	1.0	0
2013	90	1.3	0
2014	92	1.3	0
2015	68	1.0	0
2016	63	0.9	1
2017	95	1.3	0
2018	217	2.9	1
2019	159	2.1	0
2020	90	1.2	0

*All rates are cases per 100,000 population.

Yersiniosis

Statewide by Year

County	2016 Cases	2016 Rate*	2017 Cases	2017 Rate*	2018 Cases	2018 Rate*	2019 Cases	2019 Rate*	2020 Cases	2020 Rate*
Adams	0	0	0	0	0	0	0	0	1	+
Asotin	0	0	0	0	0	0	0	0	0	0
Benton	1	+	0	0	0	0	1	+	1	+
Chelan	0	0	0	0	0	0	0	0	0	0
Clallam	0	0	0	0	0	0	0	0	1	+
Clark	9	2	4	+	7	1.5	7	1.4	2	+
Columbia	0	0	1	+	0	0	0	0	0	0
Cowlitz	1	+	1	+	0	0	0	0	2	+
Douglas	0	0	0	0	0	0	0	0	0	0
Ferry	0	0	0	0	0	0	0	0	0	0
Franklin	1	+	0	0	1	+	0	0	0	0
Garfield	0	0	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	2	+	0	0
Grays Harbor	0	0	1	+	1	+	0	0	0	0
Island	0	0	0	0	2	+	1	+	1	+
Jefferson	0	0	3	+	0	0	1	+	4	+
King	20	1	42	2	39	1.8	59	2.7	35	1.5
Kitsap	0	0	4	+	3	+	2	+	1	+
Kittitas	0	0	1	+	0	0	0	0	0	0
Klickitat	1	+	0	0	0	0	0	0	0	0
Lewis	1	+	1	+	0	0	1	+	1	+
Lincoln	0	0	1	+	0	0	0	0	0	0
Mason	1	+	2	+	1	+	0	0	1	+
Okanogan	0	0	0	0	0	0	0	0	0	0
Pacific	0	0	0	0	0	0	0	0	0	0
Pend Oreille	0	0	0	0	0	0	0	0	0	0
Pierce	7	0.8	5	0.6	5	0.6	4	+	6	0.7
San Juan	1	+	0	0	2	+	0	0	1	+
Skagit	2	+	1	+	2	+	3	+	1	+
Skamania	0	0	0	0	0	0	0	0	0	0
Snohomish	6	0.8	9	1	8	1.0	16	2.0	8	1.0
Spokane	0	0	3	+	2	+	1	+	2	+
Stevens	0	0	0	0	0	0	2	+	0	0
Thurston	3	+	0	0	2	+	2	+	2	+
Wahkiakum	0	0	0	0	0	0	0	0	0	0
Walla Walla	0	0	1	+	1	+	2	+	0	0
Whatcom	1	+	1	+	2	+	2	+	2	+
Whitman	0	0	0	0	0	0	0	0	0	0
Yakima	1	+	0	0	1	+	0	0	0	0
State Totals	56	0.8	81	1.1	79	1.1	106	1.4	72	0.9

Year	Cases	Rate*	Deaths
1988	15	0.3	0
1989	40	0.8	0
1990	37	0.8	0
1991	28	0.6	0
1992	34	0.7	0
1993	50	0.9	0
1994	40	0.7	0
1995	50	0.9	0
1996	37	0.7	0
1997	30	0.5	0
1998	39	0.7	0
1999	32	0.5	0
2000	33	0.6	0
2001	23	0.4	0
2002	26	0.4	0
2003	28	0.5	0
2004	34	0.5	0
2005	19	0.3	0
2006	22	0.3	0
2007	28	0.4	0
2008	19	0.3	1
2009	15	0.2	0
2010	25	0.4	0
2011	21	0.3	0
2012	36	0.5	0
2013	34	0.5	0
2014	36	0.5	0
2015	40	0.6	0
2016	56	0.8	0
2017	81	1.1	0
2018	79	1.1	0
2019	106	1.4	0
2020	72	0.9	0

*All incidence rates are cases per 100,000 population.

+County incidence rates not calculated for <5 cases.

Appendix I: Other Tables

Foodborne Disease Outbreaks 2020

#	Local Health Jurisdiction	Month of 1 st Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases [^]	Implicated Food	Contributing Factors	Setting
1	Multistate	January	<i>Salmonella</i> Stanley	5	55	Wood Ear Mushrooms	C6 - Contaminated raw product—food was intended to be consumed after a kill step	Various
2	Thurston	January	Suspected Norovirus	60	60	Multiple	C10 - Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious (e.g., with ready-to-eat-food), C15 - Other source of contamination, S5 - Other process failures that permit the agent to survive	Religious Facility
3	Benton-Franklin	January	Norovirus	60	60	Multiple	C11 - Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious (e.g., with ready-to-eat-food), S5 - Other process failures that permit the agent to survive	Long-term care/nursing home/assisted living facility
4	Grays Harbor	February	<i>Campylobacter</i>	25	25	Foie Gras	C6 - Contaminated raw product—food was intended to be consumed after a kill step, P2 - No attempt was made to control the temperature of implicated food or the length of time food was out of temperature control (during food service or display of food), S1 - Insufficient time and/or temperature during cooking/heat processing (e.g., roasted meats/poultry, canned foods, pasteurization)	Restaurant - Sit-down dining
5	King	March	Hepatitis A	5	5	Undetermined	C13 - Foods contaminated by non-food handler/worker/preparer who is suspected to be infectious, C15 - Other source of contamination, S5 - Other process failures that permit the agent to survive	Restaurant - Sit-down dining
6	King	May	Suspected Histamine (cause of scombroid poisoning)	2	2	Copper River Salmon	C1 - Toxic substance part of the tissue (e.g., ciguatera), C6 - Contaminated raw product—food was intended to be consumed after a kill step	Private home/residence

*In prior years, this column was labeled “Total # Cases.”

[^]Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 st Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
7	Multistate	June	<i>Salmonella</i> Newport	150	1132	Red Onions	C6 - Contaminated raw product—food was intended to be consumed after a kill step, C7 - Contaminated raw product—food was intended to be consumed raw or undercooked/underprocessed (e.g., raw shellfish, produce, eggs), S5 - Other process failures that permit the agent to survive	Various
8	Multistate	June	<i>E. coli</i>	1	32	Unknown	Unknown	Various
9	King	July	Suspected <i>Salmonella</i>	8	8	Undetermined	C9 - Cross-contamination of ingredients (does not include ill food workers), C15 - Other source of contamination , P4 - Improper cold holding due to malfunctioning refrigeration equipment, P5 - Improper cold holding due to an improper procedure or protocol, S5 - Other process failures that permit the agent to survive	Restaurant - "Fast-food"(drive up service or pay at counter); Private home/residence
10	Clark	July	Chemical	2	2	Nitro Cold Brew Coffee	C3 - Poisonous substance accidentally/inadvertently added (e.g., sanitizer or cleaning compound)	Restaurant - "Fast-food"(drive up service or pay at counter)
11	Multistate	August	<i>Salmonella</i> Paratyphi B variant L(+) tartrate(+)	2	18	Cashews	C15 - Other source of contamination, S4 - Insufficient or improper use of chemical processes designed for pathogen destruction	Restaurant - "Fast-food"(drive up service or pay at counter)
12	Multistate	August	<i>E. coli</i> O157:H7	1	40	Leafy Greens	C7 - Contaminated raw product—food was intended to be consumed raw or undercooked/underprocessed (e.g., raw shellfish, produce, eggs)	Various

*Prior to 2019, this column was labeled “Total # Cases.”

[^]Includes cases from other states that are part of the outbreak.

#	Local Health Jurisdiction	Month of 1 st Illness Onset	Illness Agent	# Washington State Cases*	Total # Outbreak Cases^	Implicated Food	Contributing Factors	Setting
13	Skagit	September	<i>Campylobacter</i>	4	4	Chicken	C6 - Contaminated raw product—food was intended to be consumed after a kill step, P7 - Improper hot holding due to improper procedure or protocol, S1 - Insufficient time and/or temperature during cooking/heat processing (e.g., roasted meats/poultry, canned foods, pasteurization)	Restaurant - Sit-down dining
14	Snohomish	September	<i>E. coli</i> O157:H7	6	6	Undetermined	Undetermined	Private home/residence
15	Multistate	September	<i>E. coli</i> O157:H7	1	18	Romaine Lettuce (suspected)	Unknown	Various
16	Clark	October	<i>E. coli</i> O111	3	3	Undetermined	C10 - Bare-hand contact by a food handler/worker/preparer who is suspected to be infectious (e.g., with ready-to-eat-food), C11 - Glove-hand contact by a food handler/worker/preparer who is suspected to be infectious (e.g., with ready-to-eat-food)	Restaurant - Sit-down dining
17	Multistate	November	<i>Listeria</i>	1	36	Enoki Mushrooms	Unknown	Various

*Prior to 2019, this column was labeled “Total # Cases.”

[^]Includes cases from other states that are part of the outbreak.

Foodborne Outbreaks 1986-2020

Year	Cases	Outbreaks
1986	346	58
1987	311	51
1988	545	55
1989	531	51
1990	665	34
1991	1,154	47
1992	740	53
1993	1,301	130
1994	1,462	151
1995	909	138
1996	695	124
1997	810	108
1998	706	60
1999	1,164	93
2000	938	66
2001	574	69
2002	704	56
2003	620	55
2004	679	58
2005	390	42
2006	677	51
2007	722	43
2008	564	46
2009	307	27
2010	344	37
2011	371	30
2012	552	27
2013	437	37
2014	432	45
2015	505	36
2016	543	49
2017	1,016	66
2018	549	62
2019	564	41
2020	336	17

Haemophilus influenzae Invasive Disease (Age < 5 Years)

***H. influenzae* Cases Among Children < 5 Years by Serotype, Washington State, 2011-2020**

Year	Number of cases	No specimen available (n)	Case was serotyped (n)	Serotyping results			
				Serotype b (n)	Other serotypes (n)	Not typeable (n)	Vaccine-preventable (Serotype b) (%)
2011	8	0	8	1	3	4	13
2012	4	0	4	1	1	2	25
2013	11	0	11	2	2	7	18
2014	9	0	9	4	2	3	44
2015	5	0	5	1	2	2	20
2016	9	1	8	1	2	5	13
2017	7	0	7	1	3	3	14
2018	13	0	13	4	7	2	31
2019	16	0	16	0	4	12	0
2020	6	0	6	0	3	3	0
Total	88	1	87	15	29	43	17

Meningococcal Disease (Invasive)

Meningococcal Disease Cases by Serogroup, Washington State, 2011-2020

Year	Number of cases	No specimen available (n)	Case was serogrouped (n)	Serogrouping results						Vaccine-preventable	
				Group B (n)	Group C (n)	Group Y (n)	Group W135 (n)	Other/Non-Groupable (n)			
									MenACWY (%)	MenB (%)	
2011	22	0	22	12	2	7	1	0	45	55	
2012*	24	0	24	9	4	8	0	3	50	38	
2013	20	3	17	9	2	3	2	1	41	53	
2014	17	0	17	6	5	4	1	1	59	35	
2015	10	0	10	3	4	1	2	0	70	30	
2016	13	1	12	3	6	1	1	1	67	25	
2017	11	0	11	3	6	0	0	2	55	27	
2018	21	0	21	5	13	1	0	2	67	24	
2019	14	0	14	1	6	3	2	2	79	7	
2020	7	0	7	3	1	1	2	0	57	43	
Total	159	4	155	54	49	29	11	12	57	35	

*Data shown in the 2012 annual report has subsequently been updated

Highly Antibiotic Resistant Organism Surveillance 2012-2020

Carbapenemase-producing Carbapenem-resistant Enterobacterales (CRE) Cases by Genus, Washington State, 2012-2020

Genus	Carbapenamase^	2012	2013	2014	2015	2016	2017	2018	2019	2020
<i>Enterobacter</i> <i>spp.*</i>	KPC	0	0	1	1	2	1	2	5	1
	NDM	0	0	0	0	2	4	0	3	8
<i>Escherichia</i> <i>spp.</i>	KPC	0	1	0	1	1	1	0	2	2
	NDM	0	2	2	3	5	5	7	5	10
	OXA-48	0	0	1	2	4	1	3	2	0
<i>Klebsiella</i> spp.	IMP	0	2	0	0	0	0	0	0	0
	KPC	1	3	13	5	3	10	9	10	7
	NDM	0	1	2	0	2	1	4	2	5
	OXA-48	0	0	2	4	1	1	5	1	2
	VIM	0	0	0	0	0	0	1	0	0
Year total		1	9	21	16	20	24	31	30	35

*spp.: species

[^]KPC: *Klebsiella pneumoniae* carbapenemase

NDM: New Delhi metallo-β-lactamase

OXA-48: Oxacillin-hydrolyzing β-lactamase-48

VIM: Verona integron-encoded metallo-β-lactamase

IMP: Imipenem-hydrolyzing β-lactamase

Note: All years of the table now incorporate a change in taxonomy in 2018 from *Enterobacter aerogenes* to *Klebsiella aerogenes*.

Rabid Non-Bat Animals and Rabies Strains in Washington 1987-2020

Year	Animal type (County)	Rabies strain
2015	Cat (Jefferson)	Bat-variant
2002	Cat (Walla Walla)	Bat-variant
1994	Llama (King)	Bat-variant
1992	Horse (Franklin)	Unknown
1987	Dog (Pierce)*	Unknown, but history of bat exposure

*Infection was not confirmed at Centers for Disease Control and Prevention.

Washington State Bats Tested for Rabies 2016-2020

	2016		2017		2018		2019		2020		Total	
County	Positive	Total	Positive	Total	Positive	Total	Positive	Total	Positive	Total	Positive	Tested
Adams	0	6	0	1	0	0	0	2	0	0	0	9
Asotin	0	0	0	0	0	0	0	0	0	0	0	0
Benton	0	3	0	0	2	2	0	3	0	2	2	10
Chelan	3	17	1	11	9	75	0	3	0	7	13	113
Clallam	0	0	0	7	0	6	0	5	0	3	0	21
Clark	1	15	1	10	0	16	0	11	0	5	2	57
Columbia	0	0	0	0	0	0	0	0	0	0	0	0
Cowlitz	0	16	0	10	0	8	2	10	0	10	2	54
Douglas	0	0	0	1	2	25	0	0	0	1	2	27
Ferry	1	1	0	0	0	0	0	0	0	0	1	1
Franklin	0	0	0	0	0	1	0	0	0	0	0	1
Garfield	0	0	0	0	0	0	0	0	0	0	0	0
Grant	1	4	0	2	0	7	0	1	0	1	1	15
Grays Harbor	0	3	0	3	0	2	0	4	0	5	0	17
Island	0	5	0	18	0	12	0	7	1	13	1	55
Jefferson	0	6	0	7	1	11	0	2	0	7	1	33
King	3	52	8	78	10	102	1	73	4	59	26	364
Kitsap	1	23	0	27	2	37	0	18	0	21	3	126
Kittitas	0	0	0	3	0	4	0	0	0	3	0	10
Klickitat	0	0	1	5	1	3	0	1	0	1	2	10
Lewis	2	16	1	18	2	26	1	11	1	12	7	83
Lincoln	0	0	0	0	0	0	0	0	0	0	0	0
Mason	1	8	0	5	0	7	0	5	0	5	1	30
Okanogan	0	0	0	1	0	0	0	1	0	1	0	3
Pacific	0	4	0	7	0	5	0	7	0	1	0	24
Pend Oreille	0	0	0	0	0	2	0	0	1	2	1	4
Pierce	1	16	2	25	0	23	0	12	0	12	3	88
San Juan	0	2	0	1	0	2	0	4	0	1	0	10
Skagit	0	5	0	9	0	10	0	4	0	7	0	35
Skamania	0	0	0	0	0	0	0	0	0	3	0	3
Snohomish	0	15	3	37	1	44	2	16	0	9	6	121
Spokane	3	44	5	31	3	27	0	16	1	13	12	131
Stevens	0	4	0	3	2	5	0	9	0	1	2	22
Thurston	1	16	0	33	2	28	1	15	0	15	4	107
Wahkiakum	0	0	0	0	0	0	0	1	0	0	0	1
Walla Walla	0	1	0	0	1	3	0	1	0	0	1	5
Whatcom	2	14	0	21	2	35	1	10	0	10	5	90
Whitman	0	2	0	1	0	1	0	1	0	0	0	5
Yakima	0	0	0	1	0	2	1	2	0	0	1	5
Total	20	298	22	376	40	531	9	255	8	230	99	1690

Washington State Animals Tested for Rabies 1988-2020

Year	Bat	Cat	Dog	Ferret	Raccoon	Skunk	Rodent	Lagomorph	Other Wild	Other Domestic	Total
1988	69 (4)	165	110	15	16	3	12	2	5	3	400 (4)
1989	102 (9)	124	91	20	9	4	8	1	9	4	372 (9)
1990	63 (4)	104	82	5	7	5	5	1	14	4	290 (4)
1991	90 (9)	105	96	13	8	3	13	0	19	2	349 (9)
1992	73 (6)	132	90	16	14	2	12	0	14	6 (1)*	359 (7)
1993	68 (1)	122	95	8	4	8	16	2	10	13	346 (1)
1994	58 (14)	105	90	7	4	3	15	0	16	14 (1)^	312 (15)
1995	263 (15)	140	114	12	8	1	23	3	15	18	597 (15)
1996	257 (13)	104	101	8	9	2	14	3	20	12	530 (13)
1997	780 (51)	155	118	7	17	4	15	2	18	11	1,127 (51)
1998	447 (27)	126	109	8	11	1	6	0	19	16	743 (27)
1999	334 (25)	103	71	3	11	3	8	1	14	13	561 (25)
2000	330 (23)	105	60	1	2	4	6	1	9	4	522 (23)
2001	263 (22)	111	93	2	3	1	8	0	4	5	490 (22)
2002	186 (12)	99 (1)	53	7	2	2	9	1	8	9	376 (13)
2003	229 (23)	137	72	0	11	1	4	1	9	10	474 (23)
2004	311 (20)	141	70	3	13	6	11	0	6	10	571 (20)
2005	245 (15)	132	66	3	12	2	5	1	10	4	480 (15)
2006	273 (15)	105	70	4	13	1	2	1	8	5	482 (15)
2007	315 (22)	132	97	1	16	3	5	0	9	3	581 (22)
2008	337 (17)	143	76	1	10	2	5	1	9	11	595 (17)
2009	311 (14)	133	90	1	12	5	4	1	7	9	573 (14)
2010	200 (14)	103	63	0	14	1	6	1	9	10	407 (14)
2011	204 (11)	87	51	1	9	1	2	0	8	5	368 (11)
2012	221 (9)	98	54	2	7	0	4	0	7	9	402 (9)
2013	284 (12)	80	65	0	13	0	3	0	5	9	459 (12)
2014	276 (15)	75	53	0	12	0	1	1	6	11	435 (15)
2015	305 (9)	95 (1)	49	0	8	2	8	0	11	7	485 (10)
2016	298 (20)	108	44	0	5	0	4	1	3	3	466 (20)
2017	376 (22)	81	48	0	8	1	4	0	2	5	525 (22)
2018	531 (40)	84	44	0	4	0	2	0	2	8	675 (40)
2019	255 (9)	65	23	0	2	0	2	0	3	7	357 (9)
2020	230 (8)	56	16	0	4	1	1	0	4	6	318 (8)
Total	8,584 (530)	3,655 (2)	2,424	148	298	72	243	25	312	266 (2)	16,027 (534)

*Horse

^ Llama

Lagomorphs include: rabbit, hare, and pika.

Rodents include: beaver, chinchilla, chipmunk, degu, gerbil, gopher, hamster, marmot, mouse, muskrat, nutria, porcupine, prairie dog, rat, squirrel, vole, and woodchuck.

Skunks include: all species of the Mephitidae family and are not identified to species level.

Other domestic include: alpaca, burro, cattle, goat, horse, llama, mule, pig, sheep, and (captive) zebra.

Other wild include: badger, bear, bison, bobcat, cougar, coyote, deer, fox, kinkajou, lynx, marten, mink, mole, nonhuman primate, ocelot, opossum, otter, seal, shrew, sugar glider, weasel, wolf, wolf-hybrid, zorilla (striped polecat).

Species identification: bats are identified to species level using morphological identification keys; all other species are not formally identified unless rabies virus positive.

Numbers reported through 2007 were inclusive of positive and negative test results; beginning in 2008 all specimens submitted (i.e., including unsatisfactory results) are included in counts.

Rare Diseases of Public Health Significance 2016-2020

All cases acquired through travel, unless otherwise noted.

Case counts are subject to change since cases are often reported late.

Rare Disease	2016	2017	2018	2019	2020
Amoebic meningitis	0	1 ^E	0	0	0
Anaplasmosis	0	1	0	1	1
Babesiosis	0	1	0	1	0
<i>Burkholderia</i> infection	0	2	0	0	0
Chagas	1	0	0	3	2
Coccidioidomycosis	40 (2 ^E)	69 (2 ^E , 9 ^U)	63 (3 ^E , 14 ^U)	62 (7 ^U)	64 (8 ^U)
Cryptococcosis (by <i>Cryptococcus gattii</i>)	5 (2 ^E , 3 ^U)	1 ^E	4 (1 ^E , 3 ^U)	2 (1 ^E , 1 ^U)	3 (1 ^E , 2 ^U)
Histoplasmosis	2 (1 ^U)	1	0	1 ^U	2 (1 ^E)
Spotted fever rickettsiosis	0	5	3 (1 ^U)	4 (1 ^E)	1 ^E
Tick paralysis	1 ^E	0	2 ^E	2 ^E	0
Typhus	0	1	0	0	0

^E Endemically acquired

^U Unknown exposure location

Waterborne Disease Outbreaks 1992-2020

Excluding spa-associated *Pseudomonas folliculitis* outbreaks and illness outbreaks associated with harmful algal blooms.

Year	Agent	Water Type	County	Cases
1992	Hepatitis A	Drinking	Klickitat	10
1993	Norovirus	Recreational – Untreated	Thurston	604
	<i>Cryptosporidium</i>	Drinking	Yakima	7
	<i>Giardia</i>	Recreational – Untreated	Clark	6
1994	<i>Cryptosporidium</i>	Recreational – Untreated	Yakima	4
	<i>Cryptosporidium/Giardia</i>	Drinking	Walla Walla	86
1995	<i>Giardia</i>	Drinking	Yakima	87
1996	<i>Cryptosporidium</i>	Drinking	Yakima	18
1997	STEC	Drinking	Yakima	2
1998	Suspect viral	Recreational – Untreated	Kitsap	248
	Suspect viral	Recreational – Untreated	Snohomish	58
	Unknown	Drinking	Klickitat	6
1999	Unknown	Drinking	Lincoln	46
	<i>E. coli</i> O157:H7	Recreational – Untreated	Clark	36
	Suspect viral	Drinking	Spokane	68
2003	<i>Campylobacter</i>	Drinking	Walla Walla	110
2007	Suspect viral	Drinking	Okanogan	32
	<i>Cryptosporidium</i>	Recreational – Untreated	Clark	12
	<i>Cryptosporidium</i>	Recreational – Treated	Whatcom	14
2011	<i>Legionella</i>	Drinking	Spokane	3
2012	<i>Shigella sonnei</i>	Recreational – Untreated	Clark	3
2013	Norovirus	Recreational – Treated	King	11
2014	Norovirus	Recreational – Untreated	Kitsap	260+
	Norovirus	Recreational – Untreated	Clark	20
2015	<i>Legionella</i>	Drinking	Thurston	3
	<i>Legionella</i>	Other (cooling tower)	Chelan	10
2016	Norovirus	Recreational – Treated	King	17
	<i>Legionella</i>	Drinking	King	4
2017	<i>Legionella</i>	Unknown	King	2
	<i>Legionella</i>	Recreational – Treated	Benton-Franklin	3
	<i>Legionella</i>	Recreational – Treated	Yakima	2
2018	Swimmer's Itch (cercarial dermatitis)	Recreational – Untreated	Adams	3
	Norovirus	Recreational – Untreated	Kitsap	156
	<i>Shigella sonnei</i>	Recreational – Untreated	Clark	19
2019	No outbreaks reported			
2020	No outbreaks reported			

Appendix II: Influenza Summary

The Department of Health (DOH), in collaboration with health care providers, laboratories, local health jurisdictions, and the Centers for Disease Control and Prevention (CDC), performs surveillance for influenza using several different systems. Laboratory-confirmed influenza-associated deaths and suspected and confirmed influenza outbreaks are reportable to the local health jurisdiction and in turn reportable to DOH. Novel or unsubtypable influenza is immediately notifiable to DOH.

The purpose of influenza surveillance and reporting is to assist health care providers with treatment decisions by tracking the geographic spread of influenza activity, estimating influenza-related mortality, monitoring the epidemiology of severe influenza infection, and detecting emerging threats such as avian and other novel influenza strains.

Current and historic summaries of influenza activity in Washington State can be found on the [DOH Influenza Surveillance Data page](#).

Appendix III: State Demographics

Washington State Population Estimates 1985-2020

Year	Estimate	Year	Estimate
1985	4,415,785	1986	4,462,212
1987	4,527,098	1988	4,616,886
1989	4,728,077	1990	4,866,692
1991	5,021,335	1992	5,141,177
1993	5,265,688	1994	5,364,338
1995	5,470,104	1996	5,567,764
1997	5,663,763	1998	5,750,033
1999	5,830,835	2000	5,894,143
2001	5,970,330	2002	6,059,316
2003	6,126,885	2004	6,208,515
2005	6,298,816	2006	6,420,258
2007	6,525,086	2008	6,608,245
2009	6,672,159	2010	6,724,540
2011	6,767,900	2012	6,817,770
2013	6,882,400	2014	6,968,170
2015	7,061,410	2016	7,183,700
2017	7,310,300	2018	7,427,570
2019	7,546,410	2020	7,656,200

State of Washington Office of Financial Management April 1, 2020 [Population Trends](#).

Accessed 02/02/2021

Washington State Population Estimates by County 2020

County	Estimate	County	Estimate	County	Estimate
Adams	20,450	Asotin	22,640	Benton	205,700
Chelan	79,660	Clallam	76,770	Clark	499,200
Columbia	4,185	Cowlitz	110,500	Douglas	43,750
Ferry	7,910	Franklin	96,760	Garfield	2,225
Grant	100,130	Grays Harbor	74,720	Island	85,530
Jefferson	32,190	King	2,260,800	Kitsap	272,200
Kittitas	48,140	Klickitat	22,770	Lewis	80,250
Lincoln	11,050	Mason	65,650	Okanogan	43,130
Pacific	21,840	Pend Oreille	13,850	Pierce	900,700
San Juan	17,340	Skagit	130,450	Skamania	12,220
Snohomish	830,500	Spokane	522,600	Stevens	45,920
Thurston	291,000	Wahkiakum	4,210	Walla Walla	62,580
Whatcom	228,000	Whitman	50,480	Yakima	258,200

State Total: 7,656,200

State of Washington Office of Financial Management April 1, 2020 [Population Trends](#).

Accessed 02/02/2021

Washington State Population by Age and Sex 2020

Age (years)	Male	Female	Total
0-4	229,746	219,382	449,128
5-9	246,349	235,325	481,674
10-14	249,309	237,442	486,751
15-19	239,208	228,800	468,008
20-24	254,337	242,976	497,313
25-29	277,945	267,267	545,212
30-34	273,655	259,502	533,157
35-39	269,124	259,537	528,661
40-44	242,554	236,803	479,357
45-49	233,521	229,648	463,169
50-54	234,922	231,912	466,834
55-59	243,253	248,162	491,415
60-64	236,302	247,781	484,083
65-69	206,459	226,205	432,664
70-74	165,014	182,164	347,178
75-79	105,296	120,314	225,610
80-84	61,033	75,114	136,147
85+	53,068	86,771	139,839
Total	3,821,095	3,835,105	7,656,200

State of Washington Office of Financial Management April 1, 2020 [Population Trends](#).

Accessed 02/02/2021

